HOME INSPECTION STATE PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://homeinspection.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. On a vehicle door, a containment cable should be installed on the?

A. Hinge springs

B. Extension springs

C. Lift supports

D. Door latch

2. Knob and tube wiring may still be acceptable if it is not?

A. Accessible for inspection

B. Covered by insulation

C. Used for high voltage applications

D. Utilized in outdoor wiring

3. What is likely the cause of numerous vertical cracks in a poured concrete foundation?

A. Shrinkage from excess water at the time of pouring

B. Ground shifting

C. Temperature fluctuations

D. Incorrect mixing of concrete

4. In an older house with a sub panel wired with NM cable, the ground wire should be connected to what?

A. A main circuit breaker

B. A separate grounded buss bar

C. The metal panel casing

D. The neutral bus bar

5. Which factor most affects the lifespan of a roof?

A. Type of roofing material used

B. Color of the roof shingles

C. Quantity of ventilation in the attic

D. Location of the house

SAMPLE

6. Where would you most likely find a color tie in a structure?

A. Exterior walls

B. Upper part of the attic

C. Basement level

D. Foundation footer

7. What is the primary function of a grounding electrode system in a house?

A. Prevent electrical fires

B. Provide an alternate return path for electricity

C. Improve overall electrical performance

D. Enhance Wi-Fi connectivity

8. Which is not a type of pool filter?

A. Sand filter

B. Cartridge filter

C. Pea gravel

D. Diatomaceous earth filter

9. Creosote is most likely to be created in a chimney when burning?

A. Seasoned pine

B. Unseasoned oak

C. Hardwood pellets

D. Processed wood

10. What could be a possible cause for brick chimneys curving above the roof line on older properties?

A. Degradation of brick over time

B. Improper construction techniques

C. Expansion of mortar

D. Excessive weight from snow accumulation

SAMPLE

Answers

SAMPLE

1. B
2. B
3. A
4. B
5. A
6. B
7. B
8. C
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. On a vehicle door, a containment cable should be installed on the?

A. Hinge springs

B. Extension springs

C. Lift supports

D. Door latch

A containment cable on a vehicle door is primarily intended to secure the door's extension springs. Extension springs are designed to assist in lifting or lowering the door and often operate under tension. When a vehicle door is being serviced or removed, the extension springs can pose a risk if they accidentally release; hence, using a containment cable ensures that any sudden release does not result in injury or damage. The cable keeps the spring in place, allowing for safer handling and minimizing hazards during maintenance. In contrast, other components like hinge springs, lift supports, and door latches do not serve the same purpose in terms of spring tension management and safety during vehicle repairs. Proper knowledge of the components that require containment is crucial for safe vehicle maintenance practices.

2. Knob and tube wiring may still be acceptable if it is not?

A. Accessible for inspection

B. Covered by insulation

C. Used for high voltage applications

D. Utilized in outdoor wiring

Knob and tube wiring may still be considered acceptable if it is not covered by insulation. This type of wiring, which originated in the late 19th century and was common until the 1940s, has specific safety concerns primarily due to its design. One of the significant risks associated with knob and tube wiring is overheating, which can occur when wires are insulated improperly. When knob and tube wiring is covered with insulation, it can trap heat and lead to electrical fires or damage over time. Therefore, if the wiring is not covered by insulation, it allows for proper airflow around the wires, reducing the risk of overheating and making it safer in terms of electrical hazards. This straightforward safety consideration makes the absence of insulation a key factor in assessing the continued acceptability of knob and tube wiring in homes, especially during inspections.

3. What is likely the cause of numerous vertical cracks in a poured concrete foundation?

A. Shrinkage from excess water at the time of pouring

B. Ground shifting

C. Temperature fluctuations

D. Incorrect mixing of concrete

Numerous vertical cracks in a poured concrete foundation are most commonly associated with shrinkage that occurs due to excess water in the mix during the initial pouring. When concrete is poured, it is in a semi-fluid state and able to mold to the formwork, but as it cures, it loses moisture and hardens. If there is too much water in the mix, the curing process can cause excessive shrinkage as the water evaporates. This shrinkage can lead to the formation of vertical cracks as the concrete contracts and the material pulls away from itself. This phenomenon is particularly common in structural elements like foundations because of the significant volume of concrete involved, and it results in cracking that is often straight and vertical in nature. Ground shifting and temperature fluctuations can also lead to cracks in a foundation, but they typically cause different types of cracking. For example, ground shifting may lead to horizontal or diagonal cracks as the foundation settles or moves unevenly. Incorrect mixing can result in structural weaknesses or other forms of cracking, but the most common and direct cause of numerous vertical cracks is indeed the shrinkage from excess water present during the concrete's pouring.

SAMPLE

4. In an older house with a sub panel wired with NM cable, the ground wire should be connected to what?

A. A main circuit breaker

B. A separate grounded buss bar

C. The metal panel casing

D. The neutral bus bar

In an older house with a sub panel wired with NM cable, the ground wire should be connected to a separate grounded bus bar. This is essential for ensuring a safe and effective grounding system within the sub panel. The ground bus bar is specifically designed to connect all the ground wires from various circuits. By having a dedicated ground bus bar that is properly connected to an appropriate ground source, it helps to enhance the electrical safety of the installation by providing a low-resistance path for electrical faults. This setup also helps to minimize the risk of electrical shock and improves the overall functionality of the electrical system. Connecting the ground wire to the neutral bus bar (which is sometimes mistakenly thought to be correct) would be inappropriate in a sub panel because it could create a hazardous condition by allowing neutral and ground paths to mix, which can lead to potential overloading of the ground wire, increased electromagnetic interference, and possible shock hazards. Using a separate grounded bus bar ensures that the grounding system is stable and adheres to safety codes, protecting both the home and its occupants from electrical faults.

5. Which factor most affects the lifespan of a roof?

A. Type of roofing material used

B. Color of the roof shingles

C. Quantity of ventilation in the attic

D. Location of the house

The type of roofing material used is a significant factor that affects the lifespan of a roof because different materials have inherently different durability, resistance to environmental factors, and maintenance needs. For instance, asphalt shingles typically have a shorter lifespan compared to metal or slate roofing, which can last much longer due to their robust nature and resistance to weather elements. Materials such as clay tiles or slate can withstand extreme temperatures and weather conditions, while others may be more vulnerable to wear and tear, necessitating more frequent replacements. The specific characteristics, such as thickness, weight, and resistance to inclement weather, also play crucial roles in how well each material performs throughout its life cycle. While factors like the color of the roof shingles can impact energy efficiency and heat absorption, and adequate ventilation in the attic can influence moisture control and attic temperature, they do not fundamentally determine the durability of the materials themselves. Similarly, the location of the house may affect other aspects of the roof's life, such as exposure to storms or sun, but does not override the primary influence of the material's properties on lifespan.

SAMPLE

6. Where would you most likely find a color tie in a structure?

A. Exterior walls

B. Upper part of the attic

C. Basement level

D. Foundation footer

The presence of a color tie in a structure is typically associated with specific building materials and construction techniques, particularly in relation to framing and structural stability. Among the options presented, the upper part of the attic is the most logical choice for finding a color tie. This is primarily because tie systems, such as color ties, are often used in the upper framing of a building to provide additional support and stability, especially in areas subject to wind uplift or other structural stresses. In the attic, color ties can serve to connect rafters, beams, or trusses, helping to ensure that the roof structure remains intact and secure. This positioning takes advantage of the gravity and structural load distribution that occurs in the upper parts of the structure. Other areas such as exterior walls, basement levels, or foundation footers typically do not incorporate color ties to the same extent or in the same manner as framing elements in the attic. Exterior walls primarily focus on supporting loads and providing weather resistance, while basements and foundation footers are more concerned with moisture control, insulation, and load-bearing capacity. Thus, the attic is the most suitable location for these types of structural connections.

7. What is the primary function of a grounding electrode system in a house?

A. Prevent electrical fires

B. Provide an alternate return path for electricity

C. Improve overall electrical performance

D. Enhance Wi-Fi connectivity

The primary function of a grounding electrode system in a house is to provide an alternate return path for electricity. This is crucial for safety, as it directs any stray electrical currents safely into the ground. In the event of a fault, such as a short circuit, the grounding system ensures that electricity does not pose a risk to residents by creating a safe pathway for excess electricity to dissipate harmlessly into the earth. This helps to prevent electric shock and equipment damage. The grounding system also plays a vital role in stabilizing voltage levels during abnormal conditions, such as lightning strikes or power surges, further enhancing safety and reliability in the electrical system. Effective grounding is essential for ensuring that all electrical equipment operates correctly while also protecting both people and property from electrical hazards.

8. Which is not a type of pool filter?

A. Sand filter

B. Cartridge filter

C. Pea gravel

D. Diatomaceous earth filter

The correct answer is that pea gravel is not a type of pool filter. When discussing pool filtration systems, there are several common types that are widely recognized and used. Sand filters, cartridge filters, and diatomaceous earth (DE) filters are all legitimate and effective types of filtration systems. Sand filters work by using a bed of sand to trap and remove debris and contaminants from the water as it passes through. Cartridge filters use a replaceable filtration element to trap dirt and debris, which makes them easy to maintain. Diatomaceous earth filters employ a powder made from fossilized algae, which provides a very fine level of filtration, capturing even smaller particles that other filters might miss. Pea gravel, on the other hand, is not used as a standalone filtering medium in any type of pool filter. While it can be used in some construction applications or in the placement of various components of a pool setup, it does not serve the purpose of filtering pool water. Thus, it is not classified as a type of pool filter, making it the correct choice in this context.

SAMPLE

9. Creosote is most likely to be created in a chimney when burning?

A. Seasoned pine

B. Unseasoned oak

C. Hardwood pellets

D. Processed wood

Creosote is a byproduct of burning wood that can accumulate in chimneys, posing a fire hazard if not properly managed. It is particularly created when wood is burned at lower temperatures or when the wood has a high moisture content. Unseasoned oak falls into the category of wood that is more likely to produce creosote because it contains a higher moisture content compared to seasoned wood. When unseasoned wood burns, it tends to smolder rather than burn efficiently, resulting in incomplete combustion. This incomplete combustion creates cooler temperatures in the flue system, leading to the formation of creosote through the condensation of byproducts of combustion. In contrast, seasoned pine or properly dried hardwood pellets would burn more efficiently, producing higher temperatures that promote better combustion and significantly reduce the production of creosote. Processed wood also often has lower moisture content and burns more cleanly. Thus, the type of wood and its moisture level play crucial roles in the creation of creosote in chimneys.

10. What could be a possible cause for brick chimneys curving above the roof line on older properties?

A. Degradation of brick over time

B. Improper construction techniques

C. Expansion of mortar

D. Excessive weight from snow accumulation

The curvature of brick chimneys above the roof line on older properties can often be attributed to the expansion of mortar. Over time, the mortar used between the bricks can undergo changes due to temperature fluctuations and moisture exposure. This expansion can push the bricks apart, causing them to bow or curve in response. The materials used in traditional brick chimneys were not always designed to accommodate the expansion and contraction caused by environmental factors. This uneven movement can result in structural changes, including the visible curving of the chimney. While degradation of brick over time and improper construction techniques can both contribute to issues with chimney integrity, they do not specifically address the aspect of curvature. Additionally, excessive weight from snow accumulation might lead to structural stress, but this is less likely to result in a uniform curve specifically at the point above the roof line. The primary factor in this scenario is the behavior of the mortar, leading to the characteristic curvature observed in older brick chimneys.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://homeinspection.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE