HOSA CPR/FIRST AID ASSESSMENT PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://hosacprfirstaidassessment.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What substance is used to induce vomiting in a poisoning situation?

A. Activated charcoal
B. Syrup of ipecac
C. Calamine lotion
D. Antibiotics

2. Which term is used to describe the fingers and toes in upper extremities?

A. Phalanges
B. Carpals
C. Metacarpals
D. Clavicles

3. Which of the following is NOT a symptom of venomous snake bites?

A. Tingling
B. Pain
C. Black marks
D. Burning

4. What is the recommended action for a witnessed collapse?

A. Call for help immediately
B. Begin CPR after checking for breathing
C. Leave the victim alone
D. Wait for the victim to regain consciousness

5. How should you care for a sucking chest wound?

A. Apply a dry bandage
B. Apply an occlusive dressing
C. Leave the wound open to air
D. Inject medication to relieve pain

6. What type of injuries can occur in the lower extremity?

A. Fractures and sprains
B. Dislocations only
C. Only muscle tears
D. None of the above

SAMPLE

7. Which of the following is a common sign of a stroke?

A. Blurred vision
B. Persistent cough
C. Frequent urination
D. Increased appetite

8. What should be avoided when treating a jellyfish sting?

A. Rinse with seawater
B. Apply ice
C. Apply vinegar
D. Remove tentacles with bare hands

9. In type 1 diabetes, the body produces what?

A. Excess glucose
B. Insulin normally
C. Little or no insulin
D. Insulin intermittently

10. What is one of the primary treatments for epiglottitis?

A. Antihistamines
B. Antibiotics
C. Steroids
D. Oxygen therapy

SAMPLE

Answers

SAMPLE

1. B
2. A
3. C
4. B
5. B
6. A
7. A
8. D
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. What substance is used to induce vomiting in a poisoning situation?

A. Activated charcoal

B. Syrup of ipecac

C. Calamine lotion

D. Antibiotics

In scenarios involving poisoning, syrup of ipecac was historically used to induce vomiting. This substance acts as an emetic, which means it prompts the body to expel its contents through vomiting. This action can potentially remove harmful substances from the stomach before they are absorbed into the bloodstream. However, it's essential to highlight that the use of syrup of ipecac is no longer routinely recommended in poisoning management due to evidence suggesting that it may not effectively improve outcomes and can sometimes lead to complications, such as aspiration. While activated charcoal can be administered in certain poisonings to absorb toxins in the gastrointestinal tract, it does not induce vomiting but rather helps prevent absorption. Calamine lotion is used for skin irritations and does not apply to ingestion poisoning, and antibiotics are prescribed for bacterial infections and do not induce vomiting or treat poisoning directly. Understanding these distinctions highlights the importance of following current medical guidelines and practices when dealing with poisoning situations.

2. Which term is used to describe the fingers and toes in upper extremities?

A. Phalanges

B. Carpals

C. Metacarpals

D. Clavicles

Phalanges is the term that specifically refers to the bones that make up the fingers and toes. In the context of human anatomy, the phalanges are categorized into three sets for each finger and toe, with the exception of the thumb and big toe, which each have two. This detail highlights the role of phalanges in providing structure and facilitating movement in the upper and lower extremities. In contrast, carpals refer to the eight bones that make up the wrist, metacarpals are the five bones in the palm of the hand, and clavicles are the bones that connect the arm to the body at the chest. Understanding these distinctions is crucial as it helps define the anatomy associated with different parts of the limbs.

3. Which of the following is NOT a symptom of venomous snake bites?

A. Tingling

B. Pain

C. Black marks

D. Burning

A symptom that is typically associated with venomous snake bites includes pain, tingling, and burning sensations, which can all result from the injection of venom into the body. These symptoms occur due to the toxic effects of the venom on the neural and muscular systems, often leading to localized and systemic reactions depending on the species of snake. The presence of black marks, on the other hand, is not a standard symptom of venomous snake bites. While bites can certainly show bruising or discoloration, black marks are not a recognized or common response to envenomation. Symptoms from a venomous snake bite tend to focus on pain, swelling, and systemic effects such as nausea or difficulty breathing rather than specific discoloration in the form of black marks.

SAMPLE

4. What is the recommended action for a witnessed collapse?

A. Call for help immediately

B. Begin CPR after checking for breathing

C. Leave the victim alone

D. Wait for the victim to regain consciousness

In the case of a witnessed collapse, the recommended action involves checking for breathing and, if absent, beginning CPR immediately. This response is critical because a witnessed collapse often indicates a cardiac arrest situation, where prompt action can significantly increase the chances of survival. When someone collapses suddenly, every second counts. If the individual is unresponsive and not breathing or only gasping, initiating CPR can help maintain blood flow to vital organs, particularly the brain and heart, until professional medical assistance arrives. Given the life-threatening nature of such an event, delaying CPR can lead to irreversible damage or death. Checking for breathing should only take a few seconds, but if normal breathing is absent, starting CPR is essential. The focus is on providing chest compressions to circulate blood. This action is crucial regardless of bystander presence, as immediate intervention can greatly impact outcomes in emergency situations. Therefore, beginning CPR is the appropriate response in this scenario, as it directly addresses the need for immediate resuscitative efforts when witnessing someone collapse.

5. How should you care for a sucking chest wound?

A. Apply a dry bandage

B. Apply an occlusive dressing

C. Leave the wound open to air

D. Inject medication to relieve pain

In the case of a sucking chest wound, the priority is to prevent air from entering the pleural cavity, as this can lead to severe complications such as a tension pneumothorax. Applying an occlusive dressing creates an airtight seal over the wound, which is essential for stabilizing the injured area and preventing air from being sucked in during inhalation. This type of dressing often consists of a plastic film or a specially designed dressing that adheres to the skin but allows trapped air and fluids to escape, thus reducing the risk of further complications. Prioritizing the creation of an airtight barrier is vital in managing this type of injury, as it helps to maintain negative pressure in the thoracic cavity, supporting the respiratory function. Ensuring that the wound is sealed effectively can significantly improve the patient's chances of survival until professional medical help can be provided.

6. What type of injuries can occur in the lower extremity?

A. Fractures and sprains

B. Dislocations only

C. Only muscle tears

D. None of the above

The correct answer identifies that fractures and sprains are indeed common types of injuries that can occur in the lower extremity. Fractures can involve any bone in the lower limb, including the femur, tibia, fibula, or bones in the foot and ankle. These injuries often happen due to falls, direct impacts, or high-stress activities. Sprains, on the other hand, occur when ligaments that connect bones at a joint are stretched or torn. The ankle is particularly susceptible to sprains, which can happen during activities that require jumping, running, or uneven footing. This answer effectively encompasses a broad range of possible injuries that affect the lower extremities, highlighting the significance of recognizing these common injuries in a first aid or emergency situations. Understanding these types of injuries aids in providing appropriate care and referral to a medical professional when necessary.

SAMPLE

7. Which of the following is a common sign of a stroke?

A. Blurred vision

B. Persistent cough

C. Frequent urination

D. Increased appetite

A common sign of a stroke is blurred vision. When a stroke occurs, it can affect various parts of the brain that control different bodily functions, including vision. Individuals may experience sudden trouble seeing in one or both eyes, which can manifest as blurred or double vision. This symptom is crucial to recognize, as it can help in identifying a stroke quickly and seeking immediate medical assistance. The other options—persistent cough, frequent urination, and increased appetite—are not typically associated with stroke. Instead, they relate more to other medical conditions or problems and do not reflect the acute changes in neurological function that characterize a stroke. Recognizing the signs specific to a stroke is vital for timely intervention, which can significantly affect outcomes for the individual experiencing it.

8. What should be avoided when treating a jellyfish sting?

A. Rinse with seawater

B. Apply ice

C. Apply vinegar

D. Remove tentacles with bare hands

When treating a jellyfish sting, it is crucial to avoid removing tentacles with bare hands because doing so can lead to further stings. Jellyfish tentacles often contain nematocysts, which are specialized cells capable of delivering venom. If these tentacles are handled directly, it can trigger additional nematocysts to release venom, exacerbating the victim's pain and increasing the risk of a more severe reaction. The appropriate treatment for a jellyfish sting typically involves rinsing the affected area with seawater to remove any remaining tentacles, applying vinegar to neutralize the venom in certain types of jellyfish, and using ice to alleviate pain and swelling. Using tools like gloves or tweezers is recommended for safely removing tentacles, thereby preventing additional stings and minimizing complications.

9. In type 1 diabetes, the body produces what?

A. Excess glucose

B. Insulin normally

C. Little or no insulin

D. Insulin intermittently

In type 1 diabetes, the body's immune system mistakenly attacks and destroys the insulin-producing beta cells in the pancreas. As a result, individuals with type 1 diabetes produce little or no insulin, which is crucial for regulating blood sugar levels. Without sufficient insulin, the body cannot effectively utilize glucose for energy, leading to elevated blood sugar levels. This is the foundational issue in type 1 diabetes, which necessitates exogenous insulin administration to manage blood glucose effectively. The other choices do not accurately describe the condition. For instance, some may suggest that the body produces insulin normally, but this is not the case in type 1 diabetes due to the destruction of beta cells. Similarly, producing insulin intermittently does not reflect the continuous need for insulin regulation in this type of diabetes. Excess glucose can be a consequence of insufficient insulin but does not represent a characteristic of the body's production capabilities in type 1 diabetes.

SAMPLE

10. What is one of the primary treatments for epiglottitis?

A. Antihistamines

B. Antibiotics

C. Steroids

D. Oxygen therapy

One of the primary treatments for epiglottitis is the use of antibiotics. Epiglottitis is an inflammation and swelling of the epiglottis, which can obstruct the airway and is often caused by bacterial infection, with Haemophilus influenzae type b (Hib) being a well-known culprit. Administering antibiotics is crucial as it targets the underlying infection and helps to reduce inflammation and prevent further complications. While other treatments such as steroids may help reduce inflammation, and oxygen therapy can be important for patients experiencing respiratory distress, they do not address the root cause of the infection like antibiotics do. Antihistamines, although useful for allergic reactions or some types of congestion, are not effective in treating infections causing epiglottitis. Thus, antibiotics are the key intervention for managing this condition and ensuring the patient's safety and recovery.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://hosacprfirstaidassessment.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE