HOSA PHARMACOLOGY ASSESSMENT PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://hosapharmacologyassessment.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **Which suffix is usually found in the names of HMG-CoA reductase inhibitors?**

   A. OLOL

   B. STATIN

   C. PRIL

   D. ARTAN

2. **What defines a tablet in pharmacology?**

   A. A drug in liquid form

   B. A drug compressed into a hard pellet

   C. A drug in powder form only

   D. A drug contained within a capsule

3. **The abbreviation "every __ hours" requires what type of information?**

   A. The number of days

   B. The specific hour interval

   C. How many times a week

   D. The dosage amount

4. **What is the primary advantage of subcutaneous injections?**

   A. Faster absorption

   B. Reduced pain at the injection site

   C. Ability to deliver large volumes of medication

   D. Direct access to the bloodstream

5. **What is the value represented by "L" in Roman numerals?**

   A. 100

   B. 50

   C. 10

   D. 5

6. **If a medication is prescribed "BID," how often should it be taken?**

   A. Once a day

   B. Twice a day

   C. Every week

   D. Every other day

SAMPLE

7. What expiration period is standard for Legend Drugs?

A. No expiration

B. 6 months

C. 12 months

D. 24 months

8. Which abbreviation is used for instructions to take medication as required?

A. HS

B. UD

C. PRN

D. TDS

9. What is the purpose of lozenges and troches?

A. To be swallowed whole for systemic effects

B. To be dissolved slowly in the mouth

C. To be mixed with food before swallowing

D. To be injected for rapid effect

10. Which measurement term refers to the amount to be given of a particular medication?

A. GTT

B. QS

C. AA

D. TDS

SAMPLE

Answers

SAMPLE

1. B
2. B
3. B
4. B
5. B
6. B
7. C
8. C
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. Which suffix is usually found in the names of HMG-CoA reductase inhibitors?

A. OLOL

B. STATIN

C. PRIL

D. ARTAN

The suffix commonly found in the names of HMG-CoA reductase inhibitors is "statin." This suffix signifies the class of medications that are primarily used to lower cholesterol levels in the blood. HMG-CoA reductase inhibitors work by blocking the action of the enzyme HMG-CoA reductase, which plays a central role in the production of cholesterol in the liver. By inhibiting this enzyme, statins effectively reduce the levels of low-density lipoprotein (LDL) cholesterol, often referred to as "bad" cholesterol, and can consequently help in reducing the risk of cardiovascular diseases. The other suffixes represent different classes of medications. The suffix "olol" typically denotes beta-blockers, which are used primarily to manage cardiovascular conditions, such as hypertension and arrhythmias. "Pril" is associated with ACE inhibitors, which are utilized for managing blood pressure and heart failure. Lastly, "artan" relates to angiotensin receptor blockers (ARBs), which are also used for hypertension and heart failure management. These distinctions in suffixes help healthcare professionals and patients understand the general function and therapeutic category of the drugs.

2. What defines a tablet in pharmacology?

A. A drug in liquid form

B. A drug compressed into a hard pellet

C. A drug in powder form only

D. A drug contained within a capsule

A tablet in pharmacology is defined as a drug that has been compressed into a solid form, specifically a hard pellet. This definition encompasses the characteristic structure and preparation of tablets, where the active pharmaceutical ingredient is combined with excipients and subjected to sufficient pressure to form a solid unit. Tablets are designed for oral administration and can vary in size, shape, and coating to improve taste, stability, and controlled release of the medication. The other options represent different forms of medication. A drug in liquid form refers to solutions or syrups that are not solidified but rather remain fluid for ingestion. A drug in powder form only indicates a state before compaction into tablets, where it lacks the solid structure that defines a tablet. Finally, a drug contained within a capsule refers to another form of oral dosage, where the medication is enclosed in a soluble shell rather than being compressed into a solid form like a tablet. Understanding these distinctions is crucial when discussing the various formulations of medications in pharmacology.

SAMPLE

3. The abbreviation "every __ hours" requires what type of information?

A. The number of days

B. The specific hour interval

C. How many times a week

D. The dosage amount

The correct choice is indeed the specific hour interval because the abbreviation "every __ hours" directly indicates a frequency of administration for a medication. This abbreviation is used to specify how often a medication should be taken within a 24-hour period. By filling in the blank with a numerical value that represents hours, you establish a clear regimen for medication dosing, ensuring that it is administered at consistent intervals to maintain effective therapeutic levels in the body. The other options do not pertain directly to the frequency of administration indicated by this abbreviation. The number of days relates to a duration of treatment rather than how often a dose is given. How many times a week indicates a whole different scheduling frequency that would not fit the "every __ hours" context. Lastly, the dosage amount pertains to the quantity of medication taken at each interval, which is distinct from how frequently the medication is taken. Understanding this distinction is crucial for effective medication management.

4. What is the primary advantage of subcutaneous injections?

A. Faster absorption

B. Reduced pain at the injection site

C. Ability to deliver large volumes of medication

D. Direct access to the bloodstream

The primary advantage of subcutaneous injections lies in their ability to minimize pain at the injection site compared to other injection methods. Subcutaneous injections are administered into the fatty tissue just under the skin, which tends to have fewer nerve endings than muscle, leading to a generally less painful experience for patients. This can encourage adherence to treatment among patients who might be apprehensive about needles. In addition, subcutaneous injections are used to administer medications that require slower absorption rates into the bloodstream, making them suitable for drugs that need to provide a steady release over time. While faster absorption and the ability to deliver larger volumes are important for certain routes of administration, these characteristics are not typical advantages of subcutaneous injections. Furthermore, direct access to the bloodstream is a feature of intravenous injections, not subcutaneous ones. The advantage of reduced pain at the injection site is particularly relevant in clinical settings where patient comfort is a priority.

5. What is the value represented by "L" in Roman numerals?

A. 100

B. 50

C. 10

D. 5

In Roman numerals, the letter "L" represents the value of 50. This is part of a system where letters are assigned specific values to denote numbers. For example, "I" stands for 1, "V" represents 5, "X" is 10, "L" is 50, "C" is 100, "D" is 500, and "M" is 1000. The use of "L" as 50 is a fundamental aspect of understanding Roman numeral representations and is important for interpreting numerical values in historical contexts or in certain modern applications that employ these numerals.

SAMPLE

6. If a medication is prescribed "BID," how often should it be taken?

A. Once a day

B. Twice a day

C. Every week

D. Every other day

When a medication is prescribed "BID," it stands for the Latin term "bis in die," which translates to "twice a day." This means that the medication should be taken two times within a 24-hour period, typically spaced evenly throughout the day. This dosing schedule is intended to maintain constant levels of the medication in the bloodstream, which can enhance its efficacy and ensure a more consistent therapeutic effect for the patient. Understanding these abbreviations is crucial for proper medication adherence and achieving optimal treatment outcomes.

7. What expiration period is standard for Legend Drugs?

A. No expiration

B. 6 months

C. 12 months

D. 24 months

The standard expiration period for Legend Drugs, which are prescription medications that require a doctor's authorization for dispensing, is typically set at 12 months from the date of dispensing or manufacture. This time frame ensures that the medications maintain their potency, effectiveness, and safety for use during this period. After 12 months, the efficacy of the drug may begin to decline, and there may also be concerns regarding potential degradation of the active ingredients and stability of the formulation. It's also important to note that while certain medications may have specific labeling requirements or recommendations regarding their shelf life, a 12-month guideline serves as a general practice within the healthcare system. Regulatory agencies and pharmaceutical manufacturers often establish these expiration dates based on stability studies. Therefore, recognizing 12 months as the standard helps to promote safe and effective medication use in patient care.

8. Which abbreviation is used for instructions to take medication as required?

A. HS

B. UD

C. PRN

D. TDS

The abbreviation "PRN" stands for "pro re nata," which is a Latin term meaning "as needed" or "as the situation arises." In the context of medication instructions, it indicates that the patient should take the medication only when necessary, rather than on a fixed schedule. This is particularly relevant for medications used to manage symptoms, such as pain relievers or anti-anxiety medications, where the need for the medication may vary from person to person and over time. Other common abbreviations in the healthcare setting, like "HS" (at bedtime), "UD" (as directed), and "TDS" (three times a day), do not convey the same flexibility as "PRN." While these instructions help individuals understand when and how often to take a medication, they do not imply taking the medication only when it is required, which is the key aspect of "PRN." Thus, "PRN" is the correct answer for instructions that specify taking medication as needed.

SAMPLE

9. What is the purpose of lozenges and troches?

A. To be swallowed whole for systemic effects

B. To be dissolved slowly in the mouth

C. To be mixed with food before swallowing

D. To be injected for rapid effect

Lozenges and troches are designed to be dissolved slowly in the mouth, which allows for a localized therapeutic effect. This formulation facilitates the release of active ingredients that target oral conditions such as sore throats, cough, or mouth pain. As they dissolve, the ingredients are released slowly, providing prolonged contact with the mucous membranes in the mouth and throat, enhancing the effectiveness of the medication. The method of use is critical, as swallowing them whole or mixing them with food does not allow for the same targeted effect and can lead to ineffective treatment. Similarly, these forms are not injected since they are meant for oral mucosal application. The design of lozenges and troches capitalizes on their ability to provide relief over time through the controlled dissolution process in the mouth.

10. Which measurement term refers to the amount to be given of a particular medication?

A. GTT

B. QS

C. AA

D. TDS

The correct term that refers to the amount to be given of a particular medication is "QS," which stands for "quantum sufficit" in Latin, meaning "as much as sufficient." In a medical context, this term is used to indicate the volume or amount of a medication that is to be administered to achieve the desired effect. For example, if a medication is compounded or mixed, QS might indicate that enough diluent should be added to bring the final volume to a specified amount. This usage is important in pharmacology and medication administration because it helps ensure that patients receive the appropriate dosage, whether that involves liquids, solids, or other forms of medication. It provides flexibility in compounding medications to meet specific patient needs, making it essential in practice. The other terms listed refer to different dosage or frequency-related measures. "GTT" typically refers to drops (as in 'guttae'), which is a measurement of volume for liquid medications. "AA" usually means "as needed" or indicates a certain type of compound, but does not specifically refer to the amount to be given. "TDS" refers to a dosing frequency, indicating "three times a day," rather than the actual amount of medication.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://hosapharmacologyassessment.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE