HOSPICE AND PALLIATIVE REGISTERED NURSE CERTIFICATION PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://hospicepalliativern.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **Which of the following is NOT part of the hospice eligibility guidelines for neurodegenerative diseases?**

   A. Rapid progression of symptoms

   B. Diminished nutrition with weight loss

   C. Stable albumin levels

   D. Breathing difficulties

2. **In the treatment of dyspnea, what physiological response does directing a fan to the patient's face aim to stimulate?**

   A. Stimulation of the chemoreceptors

   B. Stimulation of the baroreceptors

   C. Stimulation of the vagus nerve

   D. Stimulation of the thoracic nerve

3. **What side effect must be monitored when a patient is on opioids?**

   A. Constipation

   B. Increased appetite

   C. Weight loss

   D. Insomnia

4. **What symptom can corticosteroids, like dexamethasone, relieve in patients with liver metastases?**

   A. Abdominal cramps

   B. Bone pain

   C. Complete fatigue

   D. Nausea

5. **What should nurses avoid when working with schizophrenia patients?**

   A. Establishing a structured environment

   B. Physical contact

   C. Clear communication

   D. Active listening

SAMPLE

6. What should be monitored when prescribing corticosteroids for pain management?

A. Blood pressure changes

B. Bone density

C. Signs of infection

D. All of the above

7. What are common symptoms of right-sided heart failure due to systemic congestion?

A. Chest pain, cough, lightheadedness

B. Weight gain, dependent peripheral edema, ascites

C. Shortness of breath, fatigue, fever

D. Rapid heartbeat, urination changes, jaundice

8. What is a common side effect of aggressive curative treatment that must be considered?

A. Increased appetite

B. Improved sleep patterns

C. Severe side effects that outbalance benefits

D. Enhanced social interactions

9. What are the Medicare hospice benefit periods available to patients?

A. 30-, 60-, and unlimited 90-day periods

B. 90-, 90-, and unlimited 60-day periods

C. 60-, 60-, and unlimited 30-day periods

D. 30-, 60-, and unlimited 90-day periods

10. What is a critical aspect of providing effective palliative care?

A. Focusing only on the patient

B. Caring for both patient and family

C. Involving only medical professionals

D. Bridging care across institutions

SAMPLE

Answers

SAMPLE

1. C
2. B
3. A
4. B
5. B
6. D
7. B
8. C
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. Which of the following is NOT part of the hospice eligibility guidelines for neurodegenerative diseases?

A. Rapid progression of symptoms

B. Diminished nutrition with weight loss

C. Stable albumin levels

D. Breathing difficulties

Hospice eligibility guidelines for patients with neurodegenerative diseases generally include specific clinical indicators that suggest a decline in health status and a prognosis of six months or less to live. Among these indicators, stable albumin levels do not align with the criteria for hospice eligibility. In fact, declining albumin levels are often associated with deteriorating nutritional status and overall health in patients facing serious illness. The other options provide insight into the progression of neurodegenerative conditions that would point toward hospice eligibility. Rapid progression of symptoms indicates an accelerating decline in health, which is a critical factor in determining a patient's eligibility for hospice care. Diminished nutrition with weight loss often signifies that the body is unable to maintain its physiological needs, a classic concern in end-stage diseases. Breathing difficulties, including shortness of breath or respiratory failure, are common complications faced by patients with advanced neurodegenerative diseases, clearly indicating a need for palliative support. In summary, while many factors can indicate a patient's suitability for hospice care, stable albumin levels do not signal declining health or a dire prognosis and therefore do not meet the eligibility criteria.

2. In the treatment of dyspnea, what physiological response does directing a fan to the patient's face aim to stimulate?

A. Stimulation of the chemoreceptors

B. Stimulation of the baroreceptors

C. Stimulation of the vagus nerve

D. Stimulation of the thoracic nerve

Directing a fan to the patient's face in the treatment of dyspnea aims to enhance the sensation of airflow, which can make breathing feel easier and more comfortable. This response primarily activates the chemoreceptors involved in respiratory regulation. The airflow can help to provide a sensation similar to that of increased respiratory effort, which can alleviate the psychological aspect of breathlessness. While the stimulation of baroreceptors is important in cardiovascular regulation and body position changes, it is not the primary focus when treating dyspnea. Stimulation of the vagus nerve is also related to various autonomic functions, but it does not directly address the symptom relief related to dyspnea as airflow does. Similarly, stimulation of the thoracic nerve isn't relevant to the immediate relief of breathlessness in the context provided. The act of blowing air across the face primarily targets the respiratory system's sensory receptors rather than affecting the baroreceptors or the other nerve pathways mentioned.

SAMPLE

3. What side effect must be monitored when a patient is on opioids?

A. Constipation

B. Increased appetite

C. Weight loss

D. Insomnia

When a patient is on opioids, monitoring for constipation is crucial because opioids often have a significant impact on the gastrointestinal (GI) system. They bind to specific receptors in the bowel which slows down peristalsis, leading to decreased motility. This decreased motility can cause stool to remain in the intestines longer, resulting in harder and drier stools that are difficult to pass, ultimately leading to constipation. Constipation can severely affect a patient's comfort and quality of life, and if left unaddressed, it may lead to more significant complications, such as bowel obstruction. Therefore, healthcare providers carefully monitor for this side effect and often implement preventative measures, such as prescribing laxatives or recommending dietary changes rich in fiber and fluid intake. Other options like increased appetite, weight loss, and insomnia are less commonly associated with opioid use. While patients may experience various side effects depending on individual reactions to the medication, constipation consistently emerges as a key concern that healthcare providers need to address with patients receiving opioid therapy.

4. What symptom can corticosteroids, like dexamethasone, relieve in patients with liver metastases?

A. Abdominal cramps

B. Bone pain

C. Complete fatigue

D. Nausea

Corticosteroids, such as dexamethasone, are commonly used in the management of patients with liver metastases due to their ability to reduce inflammation and modulate the immune response. One of the symptoms they can specifically help relieve is bone pain. This is particularly relevant in cases where cancer has metastasized to the bones, leading to pain and discomfort. Bone pain can be a significant issue for patients with advanced cancer, and corticosteroids can help decrease the pressure from swelling or inflammation in the affected areas, thereby alleviating discomfort. Their ability to help manage pain is an accepted part of palliative care, as it improves quality of life for patients experiencing significant suffering. While corticosteroids may have some role in alleviating other symptoms, such as nausea through improved appetite, their primary effectiveness in this context is more notably linked to pain relief, particularly bone pain due to metastasis. This is why the option related to bone pain stands out as the correct choice in this scenario.

SAMPLE

5. What should nurses avoid when working with schizophrenia patients?

A. Establishing a structured environment

B. Physical contact

C. Clear communication

D. Active listening

When working with patients who have schizophrenia, it is crucial for nurses to be aware of their unique needs and behaviors. Avoiding physical contact is important because individuals with schizophrenia may experience heightened sensitivity, paranoia, or anxiety. Physical interactions that are intended to be comforting may instead be perceived as invasive or threatening, potentially exacerbating their symptoms or leading to a negative reaction. Creating a safe space for communication and interaction is essential. While physical contact might be deemed acceptable in other contexts, for patients with schizophrenia, non-verbal cues and physical presence should be approached cautiously to maintain their sense of safety and to foster a trusting therapeutic relationship. On the other hand, establishing a structured environment, engaging in clear communication, and practicing active listening are all beneficial strategies that can help support the therapeutic process. A structured environment provides stability for these patients, while clear communication helps reduce confusion and anxiety. Active listening validates their experiences and promotes a sense of being heard, which is critical in building rapport and trust in the nurse-patient relationship.

6. What should be monitored when prescribing corticosteroids for pain management?

A. Blood pressure changes

B. Bone density

C. Signs of infection

D. All of the above

The reason for selecting all of the above as the correct answer is that corticosteroids can have a range of effects on different systems within the body. When they are prescribed for pain management, it is crucial to monitor several factors to ensure patient safety and prevent complications. Monitoring blood pressure changes is important because corticosteroids can cause fluid retention and increase blood pressure. This could lead to complications in patients who already have hypertension or cardiovascular issues, making it vital to keep a close eye on cardiovascular health. Bone density monitoring is also crucial, particularly if corticosteroids are used for extended periods. Long-term use of corticosteroids is associated with an increased risk of osteoporosis and fractures due to their impact on calcium metabolism and bone density. Regular assessments can help in taking preventive measures, such as supplementing calcium or vitamin D or prescribing medications to protect bone health. Lastly, signs of infection should be closely monitored, as corticosteroids suppress the immune response. This can increase the risk of infections since the body's ability to respond to pathogens is diminished. Identifying signs of infection early is critical to managing any potential complications that arise from this immunosuppressive effect. Therefore, the comprehensive monitoring of blood pressure, bone density, and signs of infection collectively contributes to ensuring that patients receiving corticost

SAMPLE

7. What are common symptoms of right-sided heart failure due to systemic congestion?

A. Chest pain, cough, lightheadedness

B. Weight gain, dependent peripheral edema, ascites

C. Shortness of breath, fatigue, fever

D. Rapid heartbeat, urination changes, jaundice

In the context of right-sided heart failure, systemic congestion occurs when the heart's right ventricle is unable to effectively pump blood to the lungs, leading to a backup of blood in the systemic circulation. This congestion commonly results in specific symptoms associated with fluid retention and increased pressure in the venous system. The presence of weight gain indicates fluid retention, which is directly related to poor circulation and increased volume in the blood vessels. Dependent peripheral edema, which is swelling in the lower extremities like the legs and ankles, also occurs because gravity causes fluid to accumulate in these areas when the heart can't effectively pump blood. Ascites, the accumulation of fluid in the abdominal cavity, is another typical manifestation of systemic congestion as a result of right-sided heart failure. These symptoms highlight the impact of compromised venous return and increased pressure in the venous system, characteristic of right-sided heart failure. The other choices describe symptoms that are either less specific to right-sided heart failure or instead relate to other conditions or types of heart failure. For example, chest pain and cough are more often associated with left-sided heart failure or respiratory issues, while shortness of breath and fatigue can result from multiple causes, not exclusively from right-sided heart issues. Rapid heartbeat and changes in

8. What is a common side effect of aggressive curative treatment that must be considered?

A. Increased appetite

B. Improved sleep patterns

C. Severe side effects that outbalance benefits

D. Enhanced social interactions

The most appropriate answer is the consideration of severe side effects that may outweigh the benefits of aggressive curative treatment. In the context of hospice and palliative care, a key focus is on the quality of life for patients facing serious illnesses. Aggressive treatments, such as chemotherapy or radiation, can often lead to significant side effects like nausea, fatigue, pain, and other distressing symptoms. These adverse effects can compromise a patient's overall well-being and may result in a diminishing quality of life, which is a critical concern in palliative care philosophy. Evaluating the potential benefits of treatment against the severity of these side effects is essential. Healthcare providers in hospice and palliative settings prioritize understanding how treatments might impact a patient's comfort and daily functioning, rather than solely focusing on curative intentions. Therefore, acknowledging the possibility of severe side effects that could detract from a patient's quality of life is paramount in making informed treatment decisions. In contrast, options referring to increased appetite, improved sleep patterns, or enhanced social interactions do not typically represent common side effects associated with aggressive curative treatments. Instead, they suggest positive outcomes that are less consistent in this context, reflecting a misunderstanding of the treatment's impact on patients experiencing serious illnesses.

SAMPLE

9. What are the Medicare hospice benefit periods available to patients?

A. 30-, 60-, and unlimited 90-day periods

B. 90-, 90-, and unlimited 60-day periods

C. 60-, 60-, and unlimited 30-day periods

D. 30-, 60-, and unlimited 90-day periods

The correct understanding of the Medicare hospice benefit periods involves recognizing that patients are eligible for a total of three benefit periods, which consist of two 90-day periods followed by an unlimited duration of a 60-day period. Specifically, the first two periods allow for intensive care and support, including all hospice services without limitation. After these two initial 90-day periods, patients may continue with hospice care under a subsequent 60-day period that has fewer restrictions regarding care renewal. This structure is designed to accommodate the changing needs of patients as they progress through the end-of-life care process, allowing for reassessment of the patient's condition and ongoing support. Understanding this framework is crucial for professionals working in hospice and palliative care, as it guides care planning and ensures that patients receive appropriate services as they navigate this stage of life.

10. What is a critical aspect of providing effective palliative care?

A. Focusing only on the patient

B. Caring for both patient and family

C. Involving only medical professionals

D. Bridging care across institutions

Caring for both the patient and the family is fundamental to delivering effective palliative care. This approach recognizes that the experience of illness affects not only the individual receiving care but also their family members, who often play a crucial role in the patient's journey. Palliative care prioritizes the physical, emotional, and spiritual needs of the patient, while also addressing the well-being of family members, who may be experiencing significant stress and grief. Engaging with family members enhances communication, ensures that care aligns with the patient's values and preferences, and supports the family during the decision-making process. Involvement of family is essential for effective symptom management and emotional support, as families can provide invaluable insights into the patient's wishes and preferences. By creating an environment where the needs of both the patient and family are met, healthcare providers can facilitate a more holistic approach to care that significantly enhances the quality of life for those facing serious illness. This comprehensive care model contributes to better outcomes in palliative settings, fostering an atmosphere of support and understanding.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://hospicepalliativern.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE