HSC MATHEMATICS STANDARD 2 PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://hscmathstandard2.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the formula for the area of a sector?

A. $A = x°/360 \times (\pi r^2)$

B. $A = (360/x°) \times (\pi r^2)$

C. $A = x° \times (\pi r^2)/360$

D. $A = (\pi r^2)/x°$

2. Which of the following best describes an outlier?

A. A score that is close to the mean.

B. A score that significantly differs from other data points.

C. A score that is the most frequent in the data set.

D. A score that affects the calculations of mean and median strongly.

3. If an object is discounted by 20% and its original price was $50, what is the new price?

A. $30

B. $35

C. $40

D. $45

4. What is the formula for the circumference of a circle?

A. Circumference = π × radius

B. Circumference = 2 × π × radius

C. Circumference = π × diameter

D. Circumference = radius × 2

5. In a financial context, what does the term "dividend" refer to?

A. A payment made to employees by a company

B. A type of interest that can be collected or reinvested by investors

C. A fee charged for trading stocks

D. A tax on company earnings

SAMPLE

6. What is the hypotenuse of a right triangle with legs measuring 3 cm and 4 cm?

A. 5 cm

B. 6 cm

C. 7 cm

D. 8 cm

7. What does a radial survey involve?

A. Measuring distances only

B. Calculating areas

C. Measuring angles and sides from a central point

D. Drawing straight lines between points

8. How do you find the absolute value of -15?

A. |-15| = -15

B. |-15| = 15

C. |-15| = 0

D. |-15| = 10

9. What is the outcome of 9 – 4 × 2 + 1 using BODMAS/BIDMAS rules?

A. 2

B. 5

C. 9

D. 11

10. What is the perimeter of a square with a side length of 5 cm?

A. 15 cm

B. 20 cm

C. 25 cm

D. 10 cm

SAMPLE

Answers

SAMPLE

1. A
2. B
3. C
4. B
5. B
6. A
7. C
8. B
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. What is the formula for the area of a sector?

A. $A = x°/360 \times (\pi r^2)$

B. $A = (360/x°) \times (\pi r^2)$

C. $A = x° \times (\pi r^2)/360$

D. $A = (\pi r^2)/x°$

The formula for the area of a sector is derived based on the proportion of the angle of the sector to the full angle of a circle, which is 360 degrees. The total area of a circle is given by the formula \(A = \pi r^2\). To find the area of a sector, you take the proportion of the angle in degrees for the sector, \(x°\), divided by the total degrees in a circle, which is 360. Thus, the fraction of the area of the circle that represents the sector is \(\frac{x°}{360} \). To find the actual area of the sector, you multiply this fraction by the total area of the circle, giving the complete formula: \[A = \frac{x°}{360} \times (\pi r^2) \] The correct answer captures this relationship perfectly. The other choices misrepresent how the area of a sector is calculated, either altering the basic structure or improperly relating the angle to the area formula. This clarity in understanding how to derive the sector's area from the known properties of circles is critical in effectively applying these formulas in practical problems.

2. Which of the following best describes an outlier?

A. A score that is close to the mean.

B. A score that significantly differs from other data points.

C. A score that is the most frequent in the data set.

D. A score that affects the calculations of mean and median strongly.

An outlier is best described as a score that significantly differs from other data points. This characterization is crucial because outliers can heavily influence statistical analyses, such as the mean and standard deviation, potentially skewing the results. Understanding why this definition is important lies in recognizing the behavior of data in sets. Outliers represent extreme values that do not follow the overall trend of the data. For example, in a set of test scores where most students score between 70 and 90, a score of 30 would stand out as an outlier due to its significant deviation. Identifying such outliers helps in assessing the validity and reliability of conclusions drawn from the data, as they may not reflect the group's general pattern. The other choices do not capture the essence of what an outlier represents or misinterpret its impact within a dataset. A score close to the mean would be typical data, while the most frequent score refers to mode, and a score that strongly affects calculations relates to the implications of being an outlier rather than a definition.

3. If an object is discounted by 20% and its original price was $50, what is the new price?

A. $30

B. $35

C. $40

D. $45

*To find the new price of the object after a 20% discount, you first need to calculate the amount of the discount and then subtract that from the original price. 1. **Calculate the discount:** Start with the original price of $50. The discount is 20% of this price: \[\text{Discount} = 20\% \times 50 = 0.20 \times 50 = 10 \] 2. **Subtract the discount from the original price:** Now, subtract the discount amount from the original price: \[\text{New Price} = \text{Original Price} - \text{Discount} = 50 - 10 = 40 \] Thus, the new price of the object after applying the 20% discount is $40, which matches the choice provided. This calculation illustrates the process of determining the final price after a percentage discount has been applied, an important concept in financial mathematics.*

SAMPLE

4. What is the formula for the circumference of a circle?

A. Circumference = π × radius

B. Circumference = 2 × π × radius

C. Circumference = π × diameter

D. Circumference = radius × 2

The circumference of a circle is determined by the distance around the edge of the circle and is directly related to its radius and diameter. The formula that accurately describes this relationship is Circumference = 2 × π × radius. This formula arises from the definition of π (pi), which is the ratio of the circumference of any circle to its diameter. Since the diameter is twice the radius, you can substitute diameter with 2 times the radius in the formula. This leads to the understanding that to find the circumference, you need to multiply the radius by 2 and then by π. This is why the given answer is correct: it incorporates both the relationship between the radius and diameter, and it correctly utilizes π, ensuring that the correct measurement for the circumference is obtained.

5. In a financial context, what does the term "dividend" refer to?

A. A payment made to employees by a company

B. A type of interest that can be collected or reinvested by investors

C. A fee charged for trading stocks

D. A tax on company earnings

In a financial context, "dividend" specifically refers to a portion of a company's earnings that is distributed to its shareholders. This payment is typically made in cash but can also be offered in the form of additional shares of stock. The key aspect of a dividend is that it represents a return on the investment made by shareholders, allowing them to either take that payment as income or reinvest it to buy more shares of the company, thereby potentially increasing their future returns. The other options do not accurately define a dividend. While employee payments, trading fees, and taxes on earnings are all related to business operations and finance, they do not encompass the definition of a dividend as a distribution of profits to shareholders. Thus, understanding that a dividend is ultimately a reward for the risk taken by investors in owning a piece of the company is crucial for grasping its significance in finance.

6. What is the hypotenuse of a right triangle with legs measuring 3 cm and 4 cm?

A. 5 cm

B. 6 cm

C. 7 cm

D. 8 cm

To find the hypotenuse of a right triangle with leg lengths of 3 cm and 4 cm, you can apply the Pythagorean theorem. The theorem states that in a right triangle, the square of the length of the hypotenuse (c) is equal to the sum of the squares of the lengths of the other two sides (a and b). In this case, the legs of the triangle are: - a = 3 cm - b = 4 cm Using the Pythagorean theorem: $c^2 = a^2 + b^2$ $c^2 = (3\ cm)^2 + (4\ cm)^2$ $c^2 = 9\ cm^2 + 16\ cm^2$ $c^2 = 25\ cm^2$ To find the length of the hypotenuse (c), take the square root of both sides: $c = \sqrt{(25\ cm^2)}$ $c = 5\ cm$ Therefore, the length of the hypotenuse is 5 cm, which confirms that the correct answer is indeed 5 cm. This reasoning directly aligns with the properties of right triangles described by the Pythagorean theorem, enabling you to accurately determine the relationship between the sides.

SAMPLE

7. What does a radial survey involve?

A. Measuring distances only

B. Calculating areas

C. Measuring angles and sides from a central point

D. Drawing straight lines between points

A radial survey involves measuring angles and sides from a central point to gather information about the surrounding area. This method allows surveyors to obtain precise measurements of distances and angles, facilitating the determination of points relative to a central reference. In a radial survey, the central point serves as the origin from which survey measurements radiate outward. By measuring angles relative to this point, the surveyor can ensure accurate positioning of multiple points surrounding the center. This technique is particularly useful in land surveying and mapping, where establishing a clear geometrical relationship between different locations is essential. The incorrect options do not align fully with the fundamental approach of a radial survey. For example, measuring distances only ignores the essential angular measurements that provide the necessary context and accuracy for positional data. Similarly, while calculating areas could relate to survey work, it is not the primary function of a radial survey, which focuses more on establishing direct relationships between points. Lastly, drawing straight lines between points is a component of visualizing the data collected rather than a defining aspect of conducting a radial survey.

8. How do you find the absolute value of -15?

A. |-15| = -15

B. |-15| = 15

C. |-15| = 0

D. |-15| = 10

To find the absolute value of a number, you determine its distance from zero on the number line, without considering its direction. The absolute value function removes any negative signs, reflecting the idea that distance cannot be negative. In the case of -15, the absolute value is represented as |-15|. Since -15 is 15 units away from zero, the absolute value of -15 is 15. Therefore, |-15| equals 15. This tells us that the number -15, despite being negative, corresponds to a positive distance of 15 on the number line. The other potential answers highlight misunderstandings of the absolute value concept. For instance, stating that |-15| equals -15 would wrongly imply that distance can be negative, which is not the case. Similarly, suggesting that the absolute value could be 0 or 10 does not reflect the correct distance of -15 from zero. Thus, the only correct and logical conclusion is that the absolute value of -15 is indeed 15.

9. What is the outcome of 9 – 4 × 2 + 1 using BODMAS/BIDMAS rules?

A. 2

B. 5

C. 9

D. 11

To solve the expression 9 - 4 × 2 + 1 using the BODMAS/BIDMAS rules, you must prioritize operations in the following order: Brackets, Orders (exponents and roots), Division and Multiplication (from left to right), Addition and Subtraction (from left to right). 1. First, identify and perform any multiplication in the expression. The multiplication here is 4 × 2: - 4 × 2 = 8. 2. Substitute this back into the expression, which now reads: - 9 - 8 + 1. 3. Next, you perform the addition and subtraction from left to right: - Start with the subtraction: 9 - 8 = 1. - Then, add 1 to that result: 1 + 1 = 2. Therefore, the final outcome of the expression is 2. This confirms that the correct answer is indeed the first choice.

SAMPLE

10. What is the perimeter of a square with a side length of 5 cm?

A. 15 cm

B. 20 cm

C. 25 cm

D. 10 cm

To find the perimeter of a square, you can use the formula: $$\text{Perimeter} = 4 \times \text{side length}$$ In this case, the side length of the square is given as 5 cm. Substituting this value into the formula: $$\text{Perimeter} = 4 \times 5 \, \text{cm} = 20 \, \text{cm}$$ This calculation shows that the perimeter of the square is 20 cm. The perimeter effectively measures the total distance around the square, which is why multiplying the side length by 4 is appropriate, as there are four sides of equal length in a square. The other options do not represent the correct calculation for the perimeter based on the given side length.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://hscmathstandard2.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE