
HTML AND CSS CERTIFICATION PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://html-css-certification.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What does the following CSS do: background: #0000FF url("Watermark.png") repeat-x right?

A. Sets the background to red

B. Displays the watermark multiple times vertically

C. Displays the watermark multiple times horizontally

D. Does not display the watermark

2. What is the role of the <link rel="stylesheet"> in an HTML document?

A. To include JavaScript functionality

B. To link an external CSS file to the HTML document

C. To create a newsletter sign-up form

D. To create hyperlinks to other pages

3. What property is used to set the color of text in CSS?

A. line-height

B. font-size

C. color

D. font-style

4. Which CSS property adjusts the space between lines of text?

A. line-height

B. padding

C. margin

D. spacing

5. Which CSS property is used to change the text color?

A. background-color

B. font-color

C. text-color

D. color

6. How do you set the width of an element in CSS?

A. body: width;

B. height: value;

C. margin: value;

D. width: value;

SAMPLE

7. What property in CSS is used for controlling the spacing between letters?

A. letter-spacing

B. word-spacing

C. line-height

D. text-spacing

8. What does the 'font-style' property in CSS primarily control?

A. Text alignment

B. Font weight

C. Text decoration

D. Font style (normal, italic, oblique)

9. What is the difference between an inline element and a block element?

A. An inline element can contain block elements, but not vice versa

B. An inline element does not start on a new line, while a block element does

C. An inline element takes up more space than a block element

D. Both are identical in functionality

10. Where must media files typically be located for proper access in an HTML page?

A. In the CSS folder

B. In the root folder of the website

C. In the images folder only

D. Anywhere in the local computer

SAMPLE

Answers

SAMPLE

1. C
2. B
3. C
4. A
5. D
6. D
7. A
8. D
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What does the following CSS do: background: #0000FF url("Watermark.png") repeat-x right?

A. Sets the background to red

B. Displays the watermark multiple times vertically

C. Displays the watermark multiple times horizontally

D. Does not display the watermark

The given CSS rule `background: #0000FF url("Watermark.png") repeat-x right;` specifies a combination of background properties for an element. The first part, `#0000FF`, sets the background color to blue, and `url("Watermark.png")` specifies that an image file named "Watermark.png" will be used as a background image. The crucial part of this rule is `repeat-x`, which indicates that the background image will be repeated horizontally across the element. This means that instead of filling the entire background area with the watermark image, the image will be displayed multiple times in a row from the left side to the right side. Additionally, the `right` keyword positions the image starting from the right edge of the element. However, since the image is repeated horizontally, this positioning will not affect the repetition itself; it simply adjusts where the starting point is for the first instance of the background image. In summary, this CSS effectively instructs the browser to display the watermark image multiple times across the width of the element, confirming that the choice indicating that the watermark is displayed multiple times horizontally is accurate.

2. What is the role of the <link rel="stylesheet"> in an HTML document?

A. To include JavaScript functionality

B. To link an external CSS file to the HTML document

C. To create a newsletter sign-up form

D. To create hyperlinks to other pages

The <link rel="stylesheet"> element's primary function is to link an external CSS file to the HTML document, allowing the styles defined in that CSS file to be applied to the HTML content. This is crucial for separating the presentation layer from the content layer, which enhances maintainability and flexibility in web development. When an external CSS file is linked, the browser fetches this file and applies the specified styles to the elements in the HTML document, facilitating consistent styling across multiple pages. This promotes an efficient approach to web design, as developers can manage styles in one central file instead of within the HTML structure itself, reducing redundancy and improving ease of updates. In contrast, the other options do not accurately reflect the role of the <link rel="stylesheet"> tag. For instance, including JavaScript functionality involves using a different element, typically <script>, while creating a newsletter sign-up form requires input elements and form tags. Additionally, creating hyperlinks to other pages is accomplished using the <a> tag, not the <link> tag. Thus, the role of <link rel="stylesheet"> is clearly defined as connecting an external style sheet to the HTML document, making option B the correct choice.

SAMPLE

3. What property is used to set the color of text in CSS?

A. line-height

B. font-size

C. color

D. font-style

The property used to set the color of text in CSS is "color." It directly influences the color of the text content within an element, allowing designers to specify colors using various formats, such as hexadecimal, RGB, RGBA, HSL, and named colors. This property is essential for creating visually appealing and readable web pages, as it enables designers to align text color with the overall aesthetic and branding of a site. The other properties listed serve different purposes: line-height controls the space between lines of text, font-size determines the size of the text, and font-style is utilized to specify whether the text is normal, italicized, or oblique. None of these properties can change the actual color of the text, which is why they are not suitable answers for the question regarding text color.

4. Which CSS property adjusts the space between lines of text?

A. line-height

B. padding

C. margin

D. spacing

The property that adjusts the space between lines of text in CSS is the line-height property. This property allows you to specify a specific height for each line of text, which consequently controls the vertical space between lines. By setting the value of line-height, you can enhance the readability of text or create a specific visual style. For example, a line-height value greater than 1 (like 1.5 or 2) will increase the space between lines, while a value less than 1 will decrease that space, potentially making the text denser and harder to read if overused. Setting line-height can also be done using units like pixels, ems, or percentages, giving designers flexibility in how they wish to format text. Other properties mentioned, like padding and margin, control spacing, but they do so in different contexts. Padding adds space inside an element's border, affecting the area around the content within that element, while margin creates space outside an element's border, impacting the distance between that element and others surrounding it. The term spacing is not a defined CSS property, which makes it inapplicable in this context. Therefore, line-height is the correct answer to achieve the desired effect of adjusting the space between lines of text.

5. Which CSS property is used to change the text color?

A. background-color

B. font-color

C. text-color

D. color

The CSS property used to change the text color is "color." This property directly applies to the text within an element, allowing you to specify a color using various formats such as name, hex, RGB, or HSL. When you use the "color" property, it affects the text within the selected element, enabling clear customization of the visual appearance of the text on your webpage. In contrast, options like "background-color" target the background of elements, which does not affect the text color itself. "font-color" and "text-color" are not valid CSS properties, as CSS has standardized the use of "color" for this specific purpose. Thus, in the context of changing text color, "color" is unequivocally the correct and recognized property to use.

EXAMPLE

6. How do you set the width of an element in CSS?

A. body: width;

B. height: value;

C. margin: value;

D. width: value;

The proper way to set the width of an element in CSS is by using the 'width' property followed by a specific value. This allows you to control how wide the element appears on the webpage. For example, you might specify a width as a percentage of its parent element, or in absolute units like pixels. When using the 'width' property, you can assign various value types, such as: - A specific pixel value (e.g., `width: 300px;`). - A percentage of the parent container (e.g., `width: 50%;`). - Other units like ems or rems. Utilizing the 'width' property is fundamental when designing layouts, as it directly affects how content flows and appears alongside other elements. This straightforward and intuitive property is essential for responsive web design, providing flexibility for different screen sizes and ensuring content is displayed in a user-friendly manner. The other choices here do not serve to set the width of an element directly. The 'body: width' is incorrect as it lacks the necessary syntax to apply CSS effectively. The 'height' and 'margin' properties pertain to different aspects of an element's layout—height controls the vertical size, while margin controls the space

7. What property in CSS is used for controlling the spacing between letters?

A. letter-spacing

B. word-spacing

C. line-height

D. text-spacing

The property used for controlling the spacing between letters in CSS is known as letter-spacing. When you apply letter-spacing to an element, it adjusts the space between individual characters in the text, which can enhance readability or contribute to a specific design aesthetic. By using this property, you can specify positive values to increase the spacing or negative values to decrease it, effectively influencing how closely the letters sit next to one another. The other properties mentioned, such as word-spacing and line-height, serve different purposes. Word-spacing adjusts the space between words, while line-height controls the vertical space between lines of text. Text-spacing is not a standard CSS property, which clarifies why it is not the correct answer. Understanding the unique functions of each CSS property enhances your ability to manipulate text presentation effectively.

8. What does the 'font-style' property in CSS primarily control?

A. Text alignment

B. Font weight

C. Text decoration

D. Font style (normal, italic, oblique)

The 'font-style' property in CSS primarily controls the style of the font itself, specifically defining whether the text is rendered in a normal, italic, or oblique style. This property allows web designers to convey different tones and emphasis in their text, enhancing the visual appeal and readability of the content. Using this property, you can apply styles that set the text to be italicized, which is often used for emphasis, or oblique, which provides a slanted text appearance similar to italics but with slightly different rendering characteristics. The normal value would render the text with no special styling. Text alignment, font weight, and text decoration are handled by separate CSS properties; alignment deals with the positioning of the text within a parent element, weight refers to the thickness of the characters, and decoration involves adding effects like underlines or strikethroughs to the text. Thus, the 'font-style' property specifically targets the aesthetics of the font style itself.

SAMPLE

9. What is the difference between an inline element and a block element?

A. An inline element can contain block elements, but not vice versa

B. An inline element does not start on a new line, while a block element does

C. An inline element takes up more space than a block element

D. Both are identical in functionality

The distinction between inline and block elements is fundamentally tied to their behavior in the layout of a webpage. Inline elements do not start on a new line; they instead flow alongside other elements on the same line. This characteristic allows multiple inline elements to coexist next to each other within the same line, making them ideal for elements like links, span tags, and images that you want to display in a row. On the other hand, block elements have the property of starting on a new line. When a block element is rendered, it takes up the full width available and pushes any elements that follow it down to the next line. This behavior is typical for elements such as headings, paragraphs, and divs. Understanding these characteristics is crucial when structuring HTML documents, as they impact how content is visually organized and presented. The other options do not accurately capture the defining traits of inline and block elements. For example, while it's true that inline elements can contain block elements, that is not a fundamental difference in their classification but rather speaks to their nesting behavior. Similarly, the comparison of space occupied by both element types doesn't reflect their primary functional distinction, and both types being identical contradicts their defined behaviors.

10. Where must media files typically be located for proper access in an HTML page?

A. In the CSS folder

B. In the root folder of the website

C. In the images folder only

D. Anywhere in the local computer

Media files need to be properly referenced in an HTML page to ensure they load correctly when accessed through a web browser. One common and effective location for these files is the root folder of the website. Placing media files in the root directory makes them easily accessible, allowing simple and direct paths to their locations in the HTML code. While it is possible to store files in various other folders (such as a designated "images" folder), this arrangement requires more specific path references in your HTML, which can lead to complexity if not managed carefully. Additionally, keeping files in disorganized locations on a local computer does not align with the web accessibility standards needed for the production web environment, as the web server needs to know where to find these files based on specified paths in the HTML document. Ultimately, positioning media files in the root folder can streamline the development process and ensure that links to these files remain clear and functional.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://html-css-certification.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE