
HUAWEI CERTIFIED ICT PROFESSIONAL (HCIP) PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://huaweiictprohcip.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **Which BGP attribute can define a set of destination addresses with public characteristics?**

   A. Origin

   B. Community

   C. AS Path

   D. MED

2. **What configuration method can prevent man-in-the-middle attacks?**

   A. Limit the maximum number of MAC addresses on a switch

   B. Configure the trusted or untrusted interface

   C. Configure DHCP snooping

   D. Set up VLAN segmentation

3. **In a carrier's MPLS VPN network, what are the outer and inner labels when a client on PE2 accesses a route converted by PE1?**

   A. Outer label 1027; inner label 1025

   B. Outer label 1025; inner label 1025

   C. Outer label 1027; inner label 1027

   D. Outer label 1025; inner label 1027

4. **What distinguishes RSTP from STP regarding port state definitions?**

   A. RSTP includes additional roles

   B. Port types are minimized in RSTP

   C. RSTP utilizes a single method for collision avoidance

   D. Port states are reduced to three primary types

5. **Which of the following represents difficulties in migration?**

   A. Minimizing on services

   B. Achieving optimal risk prevention

   C. Formulating a complete migration solution

   D. All of the above

SAMPLE

6. How does multicast technology benefit data transmission?

A. It uses less bandwidth than unicast

B. It ensures all recipients receive identical data streams

C. It requires a direct connection between sender and each recipient

D. It is limited to small networks only

7. Which statement regarding LDP Discovery messages is true?

A. The destination IP address is the multicast IP address 224.0.0.2.

B. The LDP Discovery message is sent to the specified LDP peer.

C. The LSR continues to send Hello messages after TCP connections are established.

D. The LDP Discovery message is encapsulated in a UDP packet and its destination port is 646.

8. Which security feature defends against bogus DHCP server attacks?

A. DHCP snooping

B. Access control lists

C. IPsec

D. Encryption protocols

9. What does PoE enable a switch to do?

A. Power other network devices

B. Manage VLAN traffic

C. Support QoS for video traffic

D. Control access to the network

10. When two routers exchange LSDB information, what forms first?

A. A master/slave relationship is formed

B. A bidirectional relationship is formed

C. A neighbor relationship is formed

D. A workload distribution relationship is formed

SAMPLE

Answers

SAMPLE

1. B
2. C
3. D
4. D
5. D
6. B
7. A
8. A
9. A
10. A

SAMPLE

Explanations

SAMPLE

1. Which BGP attribute can define a set of destination addresses with public characteristics?

A. Origin

B. Community

C. AS Path

D. MED

The BGP attribute that defines a set of destination addresses with public characteristics is the Community attribute. Communities in BGP are used as a tagging mechanism that can help manage routing policies and distinguish traffic based on predefined characteristics. By using communities, network administrators can group addresses together and apply routing decisions or policies uniformly across those groups. This is especially useful for managing public addressing policies, as it allows operators to define sets of routes with similar behavior or treatment without manually configuring every individual route. Unlike other BGP attributes, the Community attribute is more flexible and provides a means of encapsulating a broader range of characteristics that can be used for routing decisions. This makes it particularly valuable in scenarios where public routing policies need to be consistently applied across multiple destinations. The Origin attribute indicates the origin of the route but does not support public characteristics directly. The AS Path provides information about the autonomous systems a route has traversed but is not focused on categorizing addresses. The MED (Multi-Exit Discriminator) attribute is used to indicate preference between multiple exit points but does not define characteristics related to public addresses. Thus, the Community attribute serves the specific purpose of defining and managing sets of destination addresses with public characteristics effectively.

2. What configuration method can prevent man-in-the-middle attacks?

A. Limit the maximum number of MAC addresses on a switch

B. Configure the trusted or untrusted interface

C. Configure DHCP snooping

D. Set up VLAN segmentation

The configuration method that is effective in preventing man-in-the-middle attacks is configuring DHCP snooping. This feature acts as a security measure within the network to prevent malicious devices from acting as rogue DHCP servers. When DHCP snooping is enabled, the switch only allows DHCP responses from trusted DHCP servers, thereby ensuring that any DHCP traffic responding to client requests is legitimate. This mitigates the risk of attackers intercepting data by falsifying DHCP offers, which could lead to devices being directed through an unauthorized network path or acquiring a fraudulent IP address. In addition, DHCP snooping maintains a binding table that records the association between MAC addresses, IP addresses, and the ports to which they are connected. This capability not only helps in preventing man-in-the-middle scenarios but also allows for real-time monitoring and control over DHCP traffic, reinforcing the integrity of the network's IP address management. Understanding the importance of DHCP snooping highlights how safeguarding the DHCP process is key to maintaining security within the network infrastructure, especially against interception or redirection of communication, typical in man-in-the-middle attacks.

SAMPLE

3. In a carrier's MPLS VPN network, what are the outer and inner labels when a client on PE2 accesses a route converted by PE1?

A. Outer label 1027; inner label 1025

B. Outer label 1025; inner label 1025

C. Outer label 1027; inner label 1027

D. Outer label 1025; inner label 1027

In a carrier's MPLS VPN network, when a client access a route converted by a Provider Edge (PE) router, labels play a crucial role in directing packets through the network. The outer label is used for routing the packet through the provider's core network, while the inner label is specific to the customer's VPN routing and forwarding instance. The outer label (in this case, 1025) is assigned by the ingress PE router (PE1) when it sends packets into the MPLS network. This label indicates the next hop in the core of the MPLS backbone. It is thus responsible for determining the path the packet will take through the network. The inner label (1027) represents the actual destination in the context of the customer's VPN. This label is used by the egress PE router (PE2) to determine how to forward the packet to the correct end-user or endpoint within the customer's VPN. In your chosen answer, the outer label is correctly identified as 1025, which is utilized for routing through the carrier's backbone, while the inner label of 1027 identifies the specific destination within the client's VPN. Therefore, this option accurately describes the roles of outer and inner labels in an MPLS VPN scenario.

4. What distinguishes RSTP from STP regarding port state definitions?

A. RSTP includes additional roles

B. Port types are minimized in RSTP

C. RSTP utilizes a single method for collision avoidance

D. Port states are reduced to three primary types

The distinction between RSTP (Rapid Spanning Tree Protocol) and STP (Spanning Tree Protocol) is particularly evident in the simplification of port states. In RSTP, the number of port states is reduced to three primary types: Discarding, Learning, and Forwarding. This streamlined approach facilitates faster convergence times and more efficient switch interactions when responding to topology changes. In contrast, STP employs five port states: Blocking, Listening, Learning, Forwarding, and Disabled, which can lead to slower convergence as switches take longer to transition through these states. The reduction to three states in RSTP supports its goal of improving network resilience and reducing downtime during network events such as failovers or link reconfigurations. The other choices relate to different aspects of RSTP. While RSTP introduces additional roles, like the Root Port and Alternate Port, this is not the defining characteristic of port states. Port types are defined differently in RSTP compared to STP, but this is secondary to the focus on port states. Lastly, RSTP does utilize methods for collision avoidance, but this is not tied to the port state definitions directly. Thus, the focus on the simplification of port states in RSTP

SAMPLE

5. Which of the following represents difficulties in migration?

A. Minimizing on services

B. Achieving optimal risk prevention

C. Formulating a complete migration solution

D. All of the above

Migration in a technology context often refers to the process of transferring data, applications, and other business elements from one environment to another, notably from on-premises systems to cloud-based platforms or between different cloud environments. This process can indeed present several challenges. Minimizing on services signifies a reduction in the number of services that can be offered or maintained during the migration period. This can lead to disruptions in service availability and performance, which often raises concerns among stakeholders about reliability and customer satisfaction. Achieving optimal risk prevention is crucial during any migration process. The risk here pertains to data loss, security breaches, or compatibility issues that may arise due to the differing architectures or technologies involved. Ensuring that all risks are identified and appropriately managed is a significant challenge that impacts the migration's success. Formulating a complete migration solution involves strategizing the entire migration process, including planning, execution, testing, and evaluation. Creating a comprehensive plan that considers all aspects—people, processes, and technology—can be quite complicated, especially when factoring in potential risks and aligning with business goals. When considering the difficulties associated with migration, it becomes evident that each selection illustrates a distinct challenge encountered during the process. The encompassing nature of these challenges is what makes the collective "All of

6. How does multicast technology benefit data transmission?

A. It uses less bandwidth than unicast

B. It ensures all recipients receive identical data streams

C. It requires a direct connection between sender and each recipient

D. It is limited to small networks only

Multicast technology is designed to efficiently send data from one source to multiple recipients simultaneously. The reason why ensuring that all recipients receive identical data streams correctly identifies a core advantage of multicast is that it allows a single transmission to be received by multiple users, which minimizes the amount of bandwidth required, and ensures that all users are receiving the same data at the same time. This is particularly beneficial in scenarios such as streaming live events or distributing software updates, where consistency in the data received is crucial. By utilizing multicast, the sender transmits one stream of data, which routers use to replicate the data only where necessary. This contrasts with unicast, where multiple individual streams would require far more bandwidth, as separate pathways must be established for each recipient. This efficiency not only conserves network resources but also reduces latency, making multicast particularly valuable for real-time applications. The alternative options present characteristics that do not align with the strengths of multicast technology. While multicast does indeed use less bandwidth than unicast, the emphasis on identical data streams directly reflects the reliability and intent of delivering uniform content to a group, which is fundamental to multicast use cases. The mention of requiring direct connections and limitations to small networks misrepresents multicast's capabilities, as multicast can operate effectively across diverse networks

SAMPLE

7. Which statement regarding LDP Discovery messages is true?

A. The destination IP address is the multicast IP address 224.0.0.2.

B. The LDP Discovery message is sent to the specified LDP peer.

C. The LSR continues to send Hello messages after TCP connections are established.

D. The LDP Discovery message is encapsulated in a UDP packet and its destination port is 646.

The statement that the destination IP address is the multicast IP address 224.0.0.2 is true because in the context of LDP (Label Distribution Protocol), LDP Discovery messages are initially sent out to a multicast address. This address, 224.0.0.2, is specifically designated for LDP discovery and is utilized for sending Hello messages among LSRs (Label Switching Routers). These Hello messages facilitate the discovery of LDP neighbors within a network segment, allowing LSRs to dynamically find and establish connections with one another. The selection of 224.0.0.2 as a multicast address is particularly effective in a network environment because it enables multiple LSRs to receive the discovery messages simultaneously, reducing the overhead of managing individual peer connections in the initial stages of establishing LDP sessions. This multicast approach aids in the quick and efficient discovery of all routers that are configured to use LDP on the same network segment. In terms of LDP behavior, once TCP connections are established, LSRs typically switch from sending Hello messages to using the established connection to exchange label information. Therefore, while there may be instances where Hello messages are still sent during the lifetime of the connection for keepalive purposes, it is

8. Which security feature defends against bogus DHCP server attacks?

A. DHCP snooping

B. Access control lists

C. IPsec

D. Encryption protocols

DHCP snooping is a security feature that plays a crucial role in defending against bogus DHCP server attacks. This feature helps to ensure that only legitimate DHCP servers can provide IP addresses to the clients on a network. By monitoring DHCP messages, DHCP snooping filters out any responses from untrusted sources, effectively preventing rogue DHCP servers from distributing incorrect IP configurations, which could lead to various network attacks, including man-in-the-middle attacks and denial-of-service conditions. Implementing DHCP snooping also helps to create a trusted DHCP binding database, which keeps track of which IP addresses have been assigned to which MAC addresses. This adds an additional layer of security, ensuring that devices receive only the expected configurations. The other options, while they are important security measures in their own right, do not specifically target the issue of rogue DHCP servers. Access control lists can restrict which devices can access network resources but are not designed specifically to filter DHCP messages. IPsec provides secure communication over IP networks through encryption and authentication but does not address DHCP-specific vulnerabilities. Encryption protocols serve to secure data communications but do not directly interact with DHCP processes. Thus, DHCP snooping is the dedicated feature specifically tailored to mitigate risks associated with unauthorized or malicious DHCP servers.

SAMPLE

9. What does PoE enable a switch to do?

A. Power other network devices

B. Manage VLAN traffic

C. Support QoS for video traffic

D. Control access to the network

Power over Ethernet (PoE) is a technology that allows network cables to carry electrical power along with data to powered devices, such as IP cameras, VoIP phones, and wireless access points. When a switch supports PoE, it can transmit both data and power through the same Ethernet cable, eliminating the need for separate power supplies for each device. This capability simplifies installation and reduces the amount of cabling required in a network setup. The other options related to managing VLAN traffic, supporting Quality of Service (QoS) for video, or controlling access to the network refer to different functionalities that switches might perform but are not directly associated with the core functionality of PoE. While switches can indeed manage VLANs, implement QoS, and control network access, these capabilities do not pertain to the power delivery aspect that PoE provides. Hence, option A accurately captures the essence of what PoE enables a switch to do.

10. When two routers exchange LSDB information, what forms first?

A. A master/slave relationship is formed

B. A bidirectional relationship is formed

C. A neighbor relationship is formed

D. A workload distribution relationship is formed

When two routers exchange Link State Database (LSDB) information, the primary relationship that is established first is a master/slave relationship. This relationship is crucial in the context of routing protocols like OSPF (Open Shortest Path First) and IS-IS (Intermediate System to Intermediate System), where one router is designated as the master, providing authoritative updates about the network topology, while the other acts as the slave, receiving and processing these updates. The establishment of this master/slave relationship allows the routers to synchronize their LSDBs efficiently. The master router controls the exchange process, ensuring that the information is passed systematically and reducing the potential for conflict or confusion in the routing information being shared. In contrast, while neighbor relationships and bidirectional relationships are important in routing protocols, they typically rely on the foundation laid by the master/slave relationship when it comes to LSDB synchronization. Workload distribution is also not a direct focus in the initial exchange, as the priority is on ensuring correct and consistent routing information is received.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://huaweiictprohcip.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE