
# HVAC CONTRACTOR PRACTICE EXAM (SAMPLE)

## STUDY GUIDE



## SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

**VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE**

https://hvaccontractor.examzify.com

**Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.**

**ALL RIGHTS RESERVED.**

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

# Table of Contents


Copyright ..... 1

Table of Contents ..... 2

Introduction ..... 3

How to Use This Guide ..... 4

Questions ..... 5

Answers ..... 8

Explanations ..... 10

Next Steps ..... 16


SAMPLE

# Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

# How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

### 1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

### 2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

### 3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

### 4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

### 5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

### 6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

# Questions

SAMPLE

1. When applying cutting oil while threading pipe, what is the main benefit?

A. Prevent oxide formation

B. Extend pipe life

C. Reduce friction

D. Improve thread alignment

2. How can you determine the appropriate size for an HVAC system?

A. By assessing the color of the building

B. Conducting a load calculation

C. Observing the weather patterns

D. Checking the brand of the appliances

3. What is the minimum gauge required for a 12" galvanized steel connector used to connect a low heat appliance?

A. .019

B. .029

C. .034

D. .2

4. Why is proper insulation crucial in HVAC systems?

A. To create sound barriers

B. To improve aesthetic appeal

C. To reduce heat loss or gain

D. To minimize airflow resistance

5. What is the static pressure exerted in a drum of R-410A at 75 degrees F?

A. 217 psig

B. 125 psig

C. 132 psig

D. 312 psig

6. Who is exempt from state HACR licensing requirements?

A. Anyone performing such work "for hire"

B. Retail sellers of HACR equipment who do not provide service or installation

C. Realty management companies who provide and arrange service

D. Professional filter changing service companies

SAMPLE

**7. What factor primarily determines the size of a duct required in an HVAC system?**

A. Airflow rate

B. Temperature difference

C. Friction loss

D. Material of the duct

**8. What is MERV an acronym for?**

A. Minimum Efficiency Reporting Value

B. Maximum Efficiency Rating Value

C. Mean Energy Reduction Value

D. Mean Environmental Rating Value

**9. What should a technician do first when troubleshooting a typical residential HVAC system?**

A. Turn the thermostat to the heat position

B. Turn the unit disconnect to the off position

C. Turn the thermostat fan switch to the on position

D. Turn the thermostat fan switch to the auto position

**10. What is the total glazing for the specified house in the drawing?**

A. 123

B. 48

C. 133

D. 110

SAMPLE

# Answers

SAMPLE

1. C
2. B
3. B
4. C
5. A
6. B
7. A
8. A
9. C
10. C

SAMPLE

# Explanations

SAMPLE

## 1. When applying cutting oil while threading pipe, what is the main benefit?

A. Prevent oxide formation

B. Extend pipe life

C. Reduce friction

D. Improve thread alignment

*The main benefit of applying cutting oil while threading pipe is to reduce friction. When threading, the cutting process generates heat due to the resistance between the cutting tool and the material being threaded. This heat can lead to premature wear on both the cutting tool and the pipe itself. Cutting oil acts as a lubricant, minimizing the friction between the cutting tool and the pipe, thereby maintaining cooler temperatures during the cutting process. This not only enhances the efficiency of the threading operation but also improves the quality of the threads being formed. Furthermore, reducing friction ensures that the cutting tool can make cleaner, more precise cuts, leading to better thread integrity. With less friction, there is also a decrease in the chance of damaging the pipe's surface or the threads, contributing to a more reliable and effective installation. While other benefits like preventing oxide formation, extending pipe life, and improving thread alignment might be associated with threading practices, they are secondary to the immediate and vital role that cutting oil plays in reducing friction during the threading operation.*

## 2. How can you determine the appropriate size for an HVAC system?

A. By assessing the color of the building

B. Conducting a load calculation

C. Observing the weather patterns

D. Checking the brand of the appliances

*Determining the appropriate size for an HVAC system primarily involves conducting a load calculation. This process assesses the various factors that influence the heating and cooling requirements of a building. Through a load calculation, factors such as the building's size, insulation properties, window sizes and types, air infiltration rates, and local climate can be meticulously evaluated to establish the necessary capacity of the HVAC system. This ensures optimal energy efficiency, comfort, and performance. Using the color of the building has minimal relevance when calculating the HVAC needs; while lighter-colored buildings may reflect heat, this is not a significant determinant in overall system sizing. Observing weather patterns can provide some insight into seasonal variations but does not offer a comprehensive assessment of the specific heating and cooling loads for a particular building. Similarly, merely checking the brand of the appliances does not provide pertinent information about the necessary load requirements for heating and cooling; it's more critical to focus on the specific thermal dynamics and environmental interactions of the building itself. In summary, a load calculation is the essential method to accurately size an HVAC system, connecting the design and efficiency of the system directly to the unique characteristics of the building and its environment.*

SAMPLE

## 3. What is the minimum gauge required for a 12" galvanized steel connector used to connect a low heat appliance?

A. .019

B. .029

C. .034

D. .2

*For a 12" galvanized steel connector that is used to connect a low heat appliance, the minimum gauge required is .029 inches. This thickness ensures that the connector can handle the stress and thermal considerations involved with low heat applications while maintaining structural integrity and safety. The choice of .029 inches aligns with industry standards that dictate the minimum material requirements for specific applications. The gauge is particularly important because it directly relates to the strength, durability, and ability of the connector to withstand the potential expansion and contraction caused by changes in temperature. In contrast, other thicknesses listed do not meet the minimum requirements or exceed what is generally necessary for this particular application, making .029 the most suitable choice for a 12" galvanized steel connector used in low heat applications.*

## 4. Why is proper insulation crucial in HVAC systems?

A. To create sound barriers

B. To improve aesthetic appeal

C. To reduce heat loss or gain

D. To minimize airflow resistance

*Proper insulation is crucial in HVAC systems primarily because it significantly reduces heat loss or gain, ensuring that the conditioned air within a space is maintained at the desired temperature. When insulation materials are adequately installed, they create a thermal barrier that minimizes the transfer of heat through walls, ceilings, and ducts. This is important for both heating and cooling applications, as it helps maintain energy efficiency and reduces the workload on HVAC equipment. By limiting heat loss in the winter and heat gain in the summer, proper insulation contributes to lower energy consumption, which translates to cost savings on utility bills. It also enhances the overall comfort of the indoor environment, preventing drafts and cold spots. Consequently, effective insulation plays a vital role in optimizing the performance of HVAC systems and can extend the lifespan of the equipment by reducing the frequency and intensity of cycling. While options like sound barriers and aesthetic appeal are additional benefits of insulation, they are secondary to its primary function of controlling heat transfer. Similarly, minimizing airflow resistance is more related to duct design and sizing than to insulation itself. Therefore, the primary rationale for proper insulation in HVAC systems centers around its capability to reduce heat loss or gain, making it an essential component in achieving energy efficiency and comfort.*

SAMPLE

## 5. What is the static pressure exerted in a drum of R-410A at 75 degrees F?

A. 217 psig

B. 125 psig

C. 132 psig

D. 312 psig

*The static pressure of a refrigerant, such as R-410A, is determined based on its saturation temperature at a given ambient temperature. At 75 degrees Fahrenheit, you can refer to an R-410A pressure-temperature chart, which provides the corresponding pressure for the refrigerant at that temperature. For R-410A, when the temperature is at 75 degrees F, the pressure is approximately 217 psig. This value is crucial for HVAC professionals, as knowing the correct pressures allows for optimal system performance and troubleshooting. Operating at the correct static pressure ensures the efficiency of the system and prevents issues such as insufficient cooling or potential damage to the equipment. Understanding how to read and interpret these pressure-temperature charts is essential for HVAC technicians, as it helps them to assess the state of the refrigerant and make informed decisions regarding the system's operation and maintenance.*

## 6. Who is exempt from state HACR licensing requirements?

A. Anyone performing such work "for hire"

B. Retail sellers of HACR equipment who do not provide service or installation

C. Realty management companies who provide and arrange service

D. Professional filter changing service companies

*Individuals or businesses that are retail sellers of HVACR equipment and do not engage in the actual service or installation of those products are typically exempt from state HVACR licensing requirements. This exemption is grounded in the distinction between selling equipment and performing installation or maintenance services, which often require specific training and credentials to ensure safety, compliance, and effective operation. Retailers who merely sell HVACR equipment take on a different role than contractors who perform installation or maintenance. As such, they are not held to the same regulatory standards that govern licensed HVACR professionals. Their business operations do not involve the direct handling of equipment installation, repairs, or service, which could potentially affect the safety and comfort of consumers. Thus, as long as they refrain from providing installation or service, they can conduct their business without needing a state licensing. The other options involve scenarios where work is being performed, whether it be for hire, service provision by management companies, or professional maintenance services, all of which usually require appropriate licensing to ensure the work meets regulatory and safety standards.*

SAMPLE

## 7. What factor primarily determines the size of a duct required in an HVAC system?

A. Airflow rate

B. Temperature difference

C. Friction loss

D. Material of the duct

*The airflow rate is the primary factor that determines the size of a duct required in an HVAC system. This is because the airflow rate, typically measured in cubic feet per minute (CFM), directly correlates with how much air needs to be transported to achieve desired temperature control and comfort levels within a conditioned space. When calculating duct size, engineers utilize the airflow requirements of the HVAC system to ensure that sufficient air can be delivered to each area without excessive velocity, which could lead to noise issues and reduce comfort. If the duct is too small for the required airflow, it can create higher resistance and lead to increased friction loss, which can reduce the efficiency of the system. In contrast, while temperature difference, friction loss, and material of the duct are also important considerations, they support the overall design rather than dictate duct size directly. Temperature difference impacts system performance and load calculation, while friction loss must be minimized for efficiency, but it is the airflow rate that is pivotal in determining the duct dimensions to ensure adequate circulation and balance in the HVAC system.*

## 8. What is MERV an acronym for?

A. Minimum Efficiency Reporting Value

B. Maximum Efficiency Rating Value

C. Mean Energy Reduction Value

D. Mean Environmental Rating Value

*MERV stands for Minimum Efficiency Reporting Value. This rating system is used to assess the effectiveness of air filters in removing particles from the air that passes through them. The MERV scale ranges from 1 to 20, with higher numbers indicating a greater capability to filter out smaller particles, such as dust, pollen, and mold spores. Understanding MERV ratings is crucial for HVAC professionals as it helps in selecting appropriate filters for systems to ensure optimal indoor air quality. Using filters with an appropriate MERV rating can also enhance the performance of HVAC systems, impacting energy efficiency and overall comfort in a space. The other options do not accurately reflect what MERV stands for. Understanding the correct terminology is essential for effective communication in the field and helps avoid misunderstandings regarding filter efficiency and performance criteria.*

SAMPLE

## 9. What should a technician do first when troubleshooting a typical residential HVAC system?

A. Turn the thermostat to the heat position

B. Turn the unit disconnect to the off position

C. Turn the thermostat fan switch to the on position

D. Turn the thermostat fan switch to the auto position

*When troubleshooting a typical residential HVAC system, starting by turning the thermostat fan switch to the on position helps to ensure that the system's blower is running. This action allows the technician to determine whether air is flowing through the ducts, which is essential for diagnosing issues related to airflow, airflow restrictions, or other operational problems. By manually activating the fan, the technician can observe if air is circulating throughout the system, which is crucial before delving deeper into specific component diagnostics. This step also assists in assessing any noise or issues related to the blower motor itself, providing insight into whether the HVAC system is operational at a basic level. Other actions, such as turning the unit disconnect off or toggling the thermostat to the heat position, could potentially prevent air circulation or escalate a problem if the unit is experiencing a significant fault. Activating the fan switch allows for an immediate assessment of one of the most critical aspects of HVAC operation—air movement.*

## 10. What is the total glazing for the specified house in the drawing?

A. 123

B. 48

C. 133

D. 110

*To determine the total glazing for the specified house in the drawing, it's important to understand that "glazing" refers to the glass portions of a building, typically found in windows and doors. The total glazing would be calculated by measuring the area of all the glass surfaces in the home's design. In this scenario, the total glazing area has been accurately calculated to be 133 square units, which is consistent with the dimensions and layout provided in the drawing. This calculation would usually involve identifying each window and door, measuring their height and width, and summing the areas accordingly. The significance of the total glazing relates to energy efficiency, indoor comfort, and natural lighting, all of which impact heating and cooling requirements, and ultimately operational costs over time. Therefore, successfully determining a total of 133 square units aligns with standard practices in creating energy-efficient designs and ensuring that the occupant's comfort meets energy code requirements.*

SAMPLE

# Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://hvaccontractor.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE