
IJCAHPO CERTIFIED OPHTHALMIC ASSISTANT (COA) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://ijcahpocoa.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the name of the condition where the eye does not refract light equally in all directions?

A. Astigmatism

B. Myopia

C. Hyperopia

D. Presbyopia

2. How many layers comprise the tear layer?

A. 2

B. 3

C. 4

D. 5

3. Which of the following statements is incorrect regarding the Maddox rod test?

A. The test can be used to measure vertical phorias only

B. The test cannot be used to measure both vertical and horizontal phorias at a distance and near

C. The test is effective for assessing eye alignment

D. The test utilizes red and white light

4. What is the purpose of dilating the eye during an examination?

A. Reduces intraocular pressure

B. Enhances color perception

C. Allows a more complete posterior segment exam

D. Improves night vision

5. Which medication is known to have possible respiratory side effects?

A. Albuterol

B. Timolol

C. Prednisone

D. Montelukast

SAMPLE

6. What common medium is used to culture microorganisms?

A. Agar

B. Broth

C. Gelatin

D. Sabouraud

7. What is the spherical equivalent of +2.00 +5.00 X 180?

A. +3.00

B. +4.00

C. +4.50

D. +5.00

8. What can a slit lamp examine?

A. Posterior Chamber

B. Anterior Chamber

C. Vitreous Body

D. Retinal Layers

9. The calibration of the Goldmann applanation tonometer should be checked at which settings?

A. 0, 3, 6

B. 0, 1, 5

C. 0, 2, 6

D. 1, 3, 5

10. In glare testing, how many controlled degrees of light does the BAT test deliver when viewing a Snellen target?

A. 1

B. 2

C. 3

D. 4

SAMPLE

Answers

SAMPLE

1. A
2. B
3. B
4. C
5. B
6. A
7. C
8. B
9. C
10. C

SAMPLE

Explanations

SAMPLE

1. What is the name of the condition where the eye does not refract light equally in all directions?

A. Astigmatism

B. Myopia

C. Hyperopia

D. Presbyopia

Astigmatism is the condition where the eye does not refract light equally in all directions due to an irregular shape of the cornea or lens. In a normal eye, the cornea is evenly curved, allowing it to focus light uniformly onto the retina. However, in astigmatism, the curvature is uneven, leading to distorted or blurred vision at all distances. This uneven refractive power results in multiple focal points, causing difficulty in seeing clearly. Other conditions listed, such as myopia (nearsightedness), hyperopia (farsightedness), and presbyopia (age-related difficulty in focusing on close objects), are related to specific focal points and distances but do not involve the irregular curvature that characterizes astigmatism. Therefore, astigmatism uniquely describes the refractive challenge caused by unequal focus in various directions.

2. How many layers comprise the tear layer?

A. 2

B. 3

C. 4

D. 5

*The correct number of layers that comprise the tear film is three. The tear film is essential for maintaining ocular health and proper vision, and it consists of a complex structure made up of three primary layers: 1. **Lipid layer**: The outermost layer, which is produced by the meibomian glands, helps to prevent evaporation of the tears and forms a barrier to keep moisture in. 2. **Aqueous layer**: The middle layer is the thickest and is primarily composed of water along with electrolytes, proteins, and other substances. This layer is produced by the lacrimal glands and provides moisture, nourishment, and protection to the cornea. 3. **Mucin layer**: The innermost layer is produced by goblet cells in the conjunctiva and anchors the tear film to the surface of the eye, ensuring that the tear film spreads evenly over the cornea. Understanding these layers and their functions is crucial for comprehending how the tear film protects the eye, facilitates smooth vision, and maintains corneal health.*

SAMPLE

3. Which of the following statements is incorrect regarding the Maddox rod test?

A. The test can be used to measure vertical phorias only

B. The test cannot be used to measure both vertical and horizontal phorias at a distance and near

C. The test is effective for assessing eye alignment

D. The test utilizes red and white light

The Maddox rod test is a well-established clinical tool used to assess eye alignment and identify the presence of phorias, including both vertical and horizontal types. The test typically involves the use of a Maddox rod, which creates a line (or a series of lines) that the patient perceives, allowing the clinician to evaluate how the patient's eyes are working together. The correct answer highlights that the test can indeed measure both vertical and horizontal phorias at both distance and near. This is a fundamental aspect of the Maddox rod test, as it allows for the comprehensive assessment of eye alignment under different conditions. The other statements about the test also provide valid insights. For instance, the premise that the test is effective for assessing eye alignment reflects its purpose in clinical settings, while the mention of red and white light pertains to how the test is conducted, as the red light from the Maddox rod is contrasted against a white background or light source. In summary, while the statement that the Maddox rod test cannot be used to measure both vertical and horizontal phorias at varying distances is incorrect, the other statements accurately underscore the test's multifaceted capabilities in evaluating eye alignment and the methods used in its execution.

4. What is the purpose of dilating the eye during an examination?

A. Reduces intraocular pressure

B. Enhances color perception

C. Allows a more complete posterior segment exam

D. Improves night vision

The purpose of dilating the eye during an examination primarily centers around enabling a more comprehensive evaluation of the posterior segment of the eye, which includes critical structures such as the retina, optic nerve, and blood vessels. By dilating the pupil, healthcare professionals can gain better access and a clearer view of these areas, allowing for the detection of potential issues such as retinal tears, diabetic retinopathy, and other ocular diseases. While there are other possible effects of dilation, such as temporary alterations in color perception or changes in the eye's ability to focus, the primary goal remains the thorough assessment of the posterior segment. This process is essential for accurate diagnosis and management of various eye conditions, highlighting the necessity of this practice in ophthalmic examinations.

SAMPLE

5. Which medication is known to have possible respiratory side effects?

A. Albuterol

B. Timolol

C. Prednisone

D. Montelukast

Timolol is a non-selective beta-blocker that is often used in ophthalmology to reduce intraocular pressure in patients with glaucoma. While its primary use is ocular, timolol can also affect respiratory function due to its non-selective action on beta receptors, which are present in the lungs. This medication may lead to bronchoconstriction, particularly in patients with underlying respiratory issues such as asthma or chronic obstructive pulmonary disease (COPD). In contrast, the other medications listed have different profiles: Albuterol is a bronchodilator commonly used to treat asthma and other conditions by opening the airways, making it less likely to cause respiratory side effects. Prednisone, a corticosteroid, can have respiratory effects primarily related to long-term use, such as increased risk of infection, but is not typically associated with acute respiratory side effects. Montelukast is a leukotriene receptor antagonist used in asthma management and generally does not produce significant respiratory side effects. Therefore, timolol stands out as the medication with the most direct and potentially significant respiratory implications.

6. What common medium is used to culture microorganisms?

A. Agar

B. Broth

C. Gelatin

D. Sabouraud

Agar is frequently used as a solid medium for the cultivation of microorganisms due to its unique properties. As a gelatinous substance that can remain solid at a wide range of temperatures and is not easily degraded by most bacteria, it provides a stable environment for microbial growth. This medium allows for the containment of nutrients that microorganisms need for growth while also providing a solid surface for colony formation, making it easier to isolate pure cultures and observe colony characteristics. Agar is derived from red algae and can be infused with various nutrients to tailor it for specific types of microorganisms, enabling selective culture methods. Therefore, its versatility and the ability to create specific environments for different microorganisms make agar the most common and preferred medium in microbiological labs. In contrast, although broth can cultivate microorganisms as well, it is a liquid medium, which can be less effective for isolating colonies. Gelatin may also serve as a medium, but it has a lower melting point and can be digested by certain bacteria, which limits its use. Sabouraud is a specific type of agar designed for the growth of fungi, particularly yeasts and molds, but it is not as general-purpose as agar. Thus, while all choices have their applications, agar stands out as the most widely recognized

SAMPLE

7. What is the spherical equivalent of +2.00 +5.00 X 180?

A. +3.00

B. +4.00

C. +4.50

D. +5.00

To calculate the spherical equivalent of a prescription expressed in a cylindrical format, you need to adjust the spherical component based on the cylindrical component. The formula for determining the spherical equivalent from a cylindrical prescription is: Spherical Equivalent = Spherical Component + (Cylindrical Component / 2) In this case, the prescription is written as +2.00 +5.00 X 180. The spherical component is +2.00 diopters and the cylindrical component is +5.00 diopters. First, take half of the cylindrical component: 5.00 / 2 = 2.50 Next, add this value to the spherical component: +2.00 + 2.50 = +4.50 Thus, the spherical equivalent of the given prescription is +4.50. This value represents the net refractive power needed for the eye, simplifying the impact of the cylindrical correction into a single spherical value. Understanding this calculation is essential for practicing ophthalmic assistants, as it enables accurate assessment and communication of refractive errors for patient care.

8. What can a slit lamp examine?

A. Posterior Chamber

B. Anterior Chamber

C. Vitreous Body

D. Retinal Layers

The slit lamp is an essential tool in ophthalmology that is primarily used to examine the structures of the anterior segment of the eye. This includes the cornea, conjunctiva, anterior chamber, iris, and lens. The anterior chamber, which is located between the cornea and the iris, contains aqueous humor and is a critical area for assessment when diagnosing various eye conditions, including glaucoma and other anterior segment disorders. The slit lamp provides a magnified view that helps clinicians evaluate the health of these structures, allowing for detailed observation of any abnormalities such as inflammation, corneal lesions, or cataracts. While it is also important to understand that the slit lamp cannot adequately visualize the posterior chamber, vitreous body, or retinal layers directly, these areas may require other imaging techniques or tools like indirect ophthalmoscopy or ultrasound for assessment. Such methods are designed for different portions of the eye and have different capabilities compared to the slit lamp.

SAMPLE

9. The calibration of the Goldmann applanation tonometer should be checked at which settings?

A. 0, 3, 6

B. 0, 1, 5

C. 0, 2, 6

D. 1, 3, 5

The calibration of the Goldmann applanation tonometer is crucial for ensuring accurate intraocular pressure measurements. It is important to check the calibration at specific settings to ensure the device is functioning correctly across a range of pressures. The correct answer indicates that calibration should be checked at the settings 0, 2, and 6 mmHg. Setting the tonometer at 0 mmHg allows for verification of the baseline, ensuring that the instrument does not show a false pressure when there is none. At 2 mmHg, you can confirm the instrument's response to very low pressures, which is critical in clinical settings, especially for detecting ocular hypotony. Checking at 6 mmHg helps to assess the tonometer's performance in a normal range where most intraocular pressures are expected to fall during routine examinations. This combination of settings provides a comprehensive overview of the tonometer's accuracy across low and high values, ensuring that it can reliably be used for patient assessments. Other combinations of settings do not adequately cover this range, missing critical pressure benchmarks necessary for effective clinical use.

10. In glare testing, how many controlled degrees of light does the BAT test deliver when viewing a Snellen target?

A. 1

B. 2

C. 3

D. 4

The BAT (Brightness Acuity Test) is designed to assess how glare affects visual acuity. In this test, a patient views a Snellen target while being subjected to various levels of controlled glare. Specifically, the BAT test delivers three distinct degrees of light exposure to help evaluate the impact of glare on the patient's vision. These varied light levels allow practitioners to quantify changes in visual acuity under different glare conditions, which can be particularly useful in diagnosing conditions such as cataracts or other disorders that may cause sensitivity to light. By employing these three levels, the BAT effectively simulates real-world situations where glare may impair vision, enabling a more comprehensive understanding of the patient's visual capabilities.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://ijcahpocoa.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE