IMMUNITY, VACCINES, AND CANCER PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://immunityvaccinescancer.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Tamoxifen is used to treat which type of cancer?

A. Prostate cancer

B. Ovarian cancer

C. Estrogen receptor positive (ER+) metastatic breast cancer

D. Lymphoma

2. Herd immunity is

A. the immune response of an individual after receiving a vaccine

B. the immunity of a population achieved when disease is eliminated

C. the resistance to the spread of a contagious disease within a population that results if a sufficiently high proportion of individuals are immune to the disease, especially through vaccination.

D. the immunity that develops after natural infection only

3. Which scenario most clearly contraindicates live vaccines such as MMR or varicella?

A. Healthy adult

B. Patient undergoing chemotherapy

C. Teenager with a mild cold

D. Person on stable meds for acne

4. What describes the hapten-carrier effect in vaccines?

A. Small molecules (haptens) become immunogenic when conjugated to a carrier protein.

B. Haptens bind directly to T cell receptors without carriers.

C. Carriers inhibit hapten recognition.

D. Haptens are always immunogenic by themselves.

5. Which vaccine type is defined by using specific antigens, such as the hepatitis B surface antigen?

A. Live Attenuated Vaccines; Example MMR

B. Inactivated Vaccines; Example Influenza Shot

C. Subunit Vaccines; Example Hepatitis B Surface Antigen

D. Toxoid Vaccines; Example Tetanus Toxoid

SAMPLE

6. Which cancers are associated with HPV infection and can be prevented by vaccination?

A. Cervical, oropharyngeal, anal, and other HPV-associated cancers.

B. Lung cancer only

C. Pancreatic cancer only

D. Skin cancer only

7. Chemotherapy drugs are classified as which type of medication in safety terms?

A. Routine med

B. Low-risk med

C. High alert med

D. Over-the-counter med

8. Which statement best describes how peripheral tolerance helps prevent autoimmunity?

A. Clonal deletion of self-reactive T cells in the thymus

B. Peripheral tolerance includes anergy, regulatory T cell suppression, and immune privilege

C. All self-reactive cells are eliminated in the bone marrow

D. It has no role in autoimmunity

9. Melatonin is a sleep-inducing herb with what precaution?

A. Sleep-inducing herb; do not give to children under 2

B. Appetite stimulant; avoid in obesity

C. Vitamin supplement; only for adults

D. Stimulant; avoid in kids under 5

10. A major risk of immunosuppressant therapy is?

A. Liver failure

B. Kidney stones

C. A risk of cancer/infection

D. Allergic reaction

SAMPLE

Answers

SAMPLE

1. C
2. C
3. B
4. A
5. C
6. A
7. C
8. B
9. A
10. C

SAMPLE

Explanations

SAMPLE

1. Tamoxifen is used to treat which type of cancer?

A. Prostate cancer

B. Ovarian cancer

C. Estrogen receptor positive (ER+) metastatic breast cancer

D. Lymphoma

Estrogen receptor signaling drives growth in cancers that express the estrogen receptor, so blocking that pathway can slow or stop their progression. Tamoxifen is a selective estrogen receptor modulator that binds to estrogen receptors in breast tissue and acts as an antagonist, preventing estrogen from stimulating cancer cell growth. This makes it effective for estrogen receptor positive (ER+) metastatic breast cancer, where the cancer has spread but still relies on estrogen signaling. It isn't a standard treatment for cancers driven by other pathways, such as prostate cancer (which relies on androgens), ovarian cancer in general, or lymphoma (a hematologic cancer not driven by estrogen receptor signaling). In ER+ breast cancer, tamoxifen helps control disease by cutting off the estrogen signal that the cancer cells depend on, with possible side effects like hot flashes and risks related to endometrial changes or clotting.

2. Herd immunity is

A. the immune response of an individual after receiving a vaccine

B. the immunity of a population achieved when disease is eliminated

C. the resistance to the spread of a contagious disease within a population that results if a sufficiently high proportion of individuals are immune to the disease, especially through vaccination.

D. the immunity that develops after natural infection only

Herd immunity describes the resistance to the spread of a contagious disease within a population that arises when a large enough proportion of individuals are immune, especially through vaccination. When many people are immune, the chance that an infected person encounters a susceptible person is reduced, so transmission slows or stops. This protective effect extends to those who cannot be vaccinated or have weaker immune responses, because the disease has fewer opportunities to spread. The exact level of immunity needed isn't fixed; it depends on how contagious the disease is, quantified by the basic reproduction number, R0. The herd immunity threshold is roughly 1 minus 1 over R0, so more transmissible diseases require a higher proportion of immune people. Vaccination is a safe way to reach this threshold without people getting sick, though natural infection can also contribute to immunity.

3. Which scenario most clearly contraindicates live vaccines such as MMR or varicella?

A. Healthy adult

B. Patient undergoing chemotherapy

C. Teenager with a mild cold

D. Person on stable meds for acne

Live vaccines use attenuated organisms that can replicate in the body. They work well when the immune system is intact, but in people with suppressed immunity, such replication can cause disease rather than prevent it. Chemotherapy profoundly weakens the immune system, reducing the body's ability to control the live vaccine strains, so giving a live vaccine like MMR or varicella is contraindicated in that scenario. A healthy adult can receive these vaccines when not contraindicated, a mild cold does not usually prevent vaccination, and stable acne medications don't impair immune function, so none of those scenarios pose the same risk.

SAMPLE

4. What describes the hapten-carrier effect in vaccines?

A. Small molecules (haptens) become immunogenic when conjugated to a carrier protein.

B. Haptens bind directly to T cell receptors without carriers.

C. Carriers inhibit hapten recognition.

D. Haptens are always immunogenic by themselves.

The hapten-carrier effect hinges on a simple idea: tiny molecules called haptens aren't immunogenic on their own because they're too small to elicit a robust B and T cell response. When a hapten is covalently attached to a larger carrier protein, B cells that bind the hapten take up the whole conjugate and present carrier-derived peptides to helper T cells. This T cell help provides the necessary signals for the B cell to proliferate, class-switch, and improve antibody affinity, producing a strong, specific response against the hapten. So the best description is that small molecules become immunogenic when linked to a carrier protein, enabling the immune system to mount a targeted response. In contrast, haptens don't bind T cell receptors directly without a carrier, carriers don't inhibit hapten recognition but rather enable it, and haptens are not always immunogenic by themselves.

5. Which vaccine type is defined by using specific antigens, such as the hepatitis B surface antigen?

A. Live Attenuated Vaccines; Example MMR

B. Inactivated Vaccines; Example Influenza Shot

C. Subunit Vaccines; Example Hepatitis B Surface Antigen

D. Toxoid Vaccines; Example Tetanus Toxoid

Subunit vaccines rely on specific antigens from a pathogen rather than the whole organism. The hepatitis B vaccine uses the hepatitis B surface antigen as the immunizing component. This protein is produced separately (often via recombinant technology) and purified to stimulate antibodies against the virus without introducing infectious particles. Because only the defined antigen is presented, the approach tends to have a favorable safety profile, though some formulations may require adjuvants or multiple doses to achieve strong immunity. Other vaccine types involve broader components: live attenuated vaccines use a weakened whole microbe that can replicate, inactivated vaccines use a whole killed microbe, and toxoid vaccines use inactivated toxins. These strategies expose the immune system to larger or different parts of the pathogen, rather than a single defined antigen.

SAMPLE

6. Which cancers are associated with HPV infection and can be prevented by vaccination?

A. Cervical, oropharyngeal, anal, and other HPV-associated cancers.

B. Lung cancer only

C. Pancreatic cancer only

D. Skin cancer only

Human papillomavirus (HPV) infection is linked to several cancers, not just cervical cancer. Vaccines protect against the high risk HPV types that cause these cancers, so vaccination can prevent them from developing. The cancers most clearly tied to HPV include cervical cancer, as well as cancers of the oropharynx (the throat and tonsils), anal cancer, and other HPV related cancers in the genital region. By stopping infection with the high risk types, vaccines reduce the risk of these cancers arising. Lung cancer, pancreatic cancer, and skin cancer are not primarily caused by HPV infection. Lung cancer is strongly associated with smoking and other exposures; pancreatic cancer has different risk factors, and while some skin cancers relate to UV exposure, they are not mainly driven by HPV in the way HPV associated cancers are. So the vaccination's preventive impact is most relevant to cervical, oropharyngeal, anal, and other HPV related cancers.

7. Chemotherapy drugs are classified as which type of medication in safety terms?

A. Routine med

B. Low-risk med

C. High alert med

D. Over-the-counter med

Recognizing high-alert medications is the main idea here. Chemotherapy drugs are classified as high-alert medications because errors in their use can cause substantial, potentially life-threatening harm. They have narrow therapeutic indices and complex handling requirements, including careful dose calculation, specific routes and infusion rates, and meticulous preparation steps. In addition, cytotoxic agents pose risks to healthcare workers, so they demand strict safety measures, dedicated storage, proper labeling, and double-checks by clinicians before administration. Because of these factors, chemotherapy drugs require enhanced safeguards beyond routine or low-risk meds and beyond over-the-counter products.

8. Which statement best describes how peripheral tolerance helps prevent autoimmunity?

A. Clonal deletion of self-reactive T cells in the thymus

B. Peripheral tolerance includes anergy, regulatory T cell suppression, and immune privilege

C. All self-reactive cells are eliminated in the bone marrow

D. It has no role in autoimmunity

Peripheral tolerance keeps self-reactive cells under control after they exit primary lymphoid organs. It works best by making self-reactive T cells unresponsive (anergy) when they encounter self-antigen without the right costimulatory signals, by regulatory T cells that actively suppress autoreactive responses, and by immune privilege in certain tissues where immune activity is limited to prevent damage. These mechanisms prevent autoimmunity without requiring the complete removal of all self-reactive cells from the periphery. Central tolerance in the thymus handles many self-reactive T cells during development, and bone marrow processes govern B cell tolerance there, so saying all self-reactive cells are eliminated in the bone marrow isn't accurate. Overall, the combination of anergy, regulatory T cell suppression, and immune privilege best describes how peripheral tolerance helps prevent autoimmunity.

SAMPLE

9. Melatonin is a sleep-inducing herb with what precaution?

A. Sleep-inducing herb; do not give to children under 2

B. Appetite stimulant; avoid in obesity

C. Vitamin supplement; only for adults

D. Stimulant; avoid in kids under 5

Melatonin helps regulate the sleep-wake cycle, acting like a small hormonal signal that nudges the body toward sleep. Because of this hormonal nature, safety data in very young children are limited and the developing systems in the under-two age group can react differently to supplementation. The most prudent precaution with melatonin is to avoid giving it to children under two unless a pediatrician specifically directs otherwise, since long-term effects in that age range aren't well established. This is why the option about avoiding use in children under two is the best choice. Melatonin isn't an appetite stimulant, nor a vitamin supplement, and it isn't a stimulant, so those other descriptions don't apply.

10. A major risk of immunosuppressant therapy is?

A. Liver failure

B. Kidney stones

C. A risk of cancer/infection

D. Allergic reaction

Immunosuppressants work by dampening the immune system, which is essential for defending against infections and for detecting abnormal, potentially cancerous cells. When immune defenses are suppressed, the body becomes less able to fight off infections, including opportunistic pathogens, and it also loses some ability to surveil and eliminate emerging cancer cells. That combination makes infections and malignancies the major long-term risks of these therapies. While other side effects like organ toxicity or allergic reactions can occur, they are generally less central to the overall risk profile compared to the heightened susceptibility to infection and cancer.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://immunityvaccinescancer.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE