INBDE BOOTCAMP FIELDS OF DENTISTRY PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://inbdebootcampfieldsofdentistry.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which statement about ovate pontics is supported by the source?

A. It cannot be used in healing sockets

B. It cannot be used in posterior

C. It is not the best for hygiene

D. It is considered the best for hygiene

2. Which primary teeth calcify first in utero?

A. Central incisors

B. First molars

C. Lateral incisors

D. Canines

3. What is ZOE used for?

A. Analgesia

B. Luting cement

C. Distraction

D. Pulp therapy

4. Which property is a hallmark of glass ionomer cement?

A. High strength

B. Fluoride release

C. No radiopacity

D. Low bonding ability

5. Which Kennedy Classification corresponds to unilateral unbounded distal extension?

A. Kennedy Class I

B. Kennedy Class II

C. Kennedy Class III

D. Kennedy Class IV

SAMPLE

6. Which curve is the cross-arch curvature of the occlusal plane (more lingual inclination as you move distally)?

A. Curve of Spee

B. Monson's Curve

C. Lingualized Occlusion

D. Curve of Wilson

7. What is the measurement of interincisal separation in the closest speaking space during sibilant sounds?

A. 0.5 mm

B. 1-1.5 mm

C. 2-3 mm

D. 3-5 mm

8. All bone graft materials are:

A. Osteogenic

B. Osteoconductive

C. Osteoinductive

D. Osteomyelitic

9. Which statement aligns with the MRONJ management described in the source?

A. Antibiotics and debridement

B. Surgical resection

C. Hyperbaric oxygen

D. Observation

10. Fully calcified dentin associated with aging or slowly advancing caries is called?

A. Sclerotic dentin

B. Dentin sclerosis

C. Primary dentin

D. Secondary dentin

SAMPLE

Answers

SAMPLE

1. D
2. A
3. C
4. B
5. B
6. D
7. B
8. B
9. A
10. A

SAMPLE

Explanations

SAMPLE

1. Which statement about ovate pontics is supported by the source?

A. It cannot be used in healing sockets

B. It cannot be used in posterior

C. It is not the best for hygiene

D. It is considered the best for hygiene

Ovate pontics work by extending into a prepared depression in the soft tissue, creating a small concavity where the pontic rests against the gingiva. This intimate tissue contact helps preserve and shape the gingival contour, supporting a healthy seal and making it easier to maintain clean surrounding areas with regular brushing and flossing. When this design is properly executed, it promotes better hygiene around the edentulous space, which is why the source states it is the best option for hygiene. Other designs either avoid tissue contact, which can compromise gingival health, or cover the ridge in a way that makes cleansing more difficult, so they don't offer the same hygienic advantage.

2. Which primary teeth calcify first in utero?

A. Central incisors

B. First molars

C. Lateral incisors

D. Canines

Calcification timing for deciduous dentition starts in the fetal period, with the earliest mineralization occurring in the central incisors. Around the fourth month of gestation, the crowns of these front teeth begin to calcify first, reflecting their early development and simpler shape. After central incisors, the lateral incisors begin calcifying, followed by the first molars and canines, in a progressively later sequence. So the central incisors are the first primary teeth to calcify in utero.

3. What is ZOE used for?

A. Analgesia

B. Luting cement

C. Distraction

D. Pulp therapy

Zinc oxide–eugenol is valued for its soothing, analgesic effects from eugenol. When used as a temporary pulp dressing or sedative dressing, it calms irritated tissues and dampens pain signals, helping the patient stay calm and more cooperative during procedures. This calming, pain-reducing effect supports a distraction approach: by reducing discomfort and anxiety, the patient can be more easily distracted from the procedure. It's not typically used as a definitive luting cement due to weaker strength and solubility, nor as a long-term pulp therapy material in all cases.

SAMPLE

4. Which property is a hallmark of glass ionomer cement?

A. High strength

B. Fluoride release

C. No radiopacity

D. Low bonding ability

Fluoride release is the standout property of glass ionomer cement. When the material sets, it undergoes an acid-base reaction between the fluoroaluminosilicate glass powder and polyacrylic acid, which not only hardens the cement but also continuously releases fluoride ions into the surrounding tooth structure. This fluoride release can help remineralize adjacent enamel and dentin and contribute to a reduced risk of secondary caries, which is why this property is so characteristic of these cements. High strength isn't the defining trait, since glass ionomer cements have moderate strength that is generally lower than composite resins and may limit their use in high-stress posterior restorations. They are radiopaque on radiographs, so a choice claiming no radiopacity wouldn't fit. They also bond chemically to tooth structure through the polyacrylic acid's interaction with calcium in hydroxyapatite, so their bonding capability isn't considered weak.

5. Which Kennedy Classification corresponds to unilateral unbounded distal extension?

A. Kennedy Class I

B. Kennedy Class II

C. Kennedy Class III

D. Kennedy Class IV

Assessing Kennedy classifications, we describe edentulous spaces by side (unilateral vs bilateral) and whether the space is bounded by teeth on both ends. A unilateral posterior gap that extends to the end of the arch without a distal stopping tooth is an unbounded distal extension. This matches Kennedy Class II. The other patterns don't fit: bilateral posterior gaps are Class I; a single gap with teeth on both sides is Class III; a front-space crossing the midline is Class IV. So unilateral unbounded distal extension corresponds to Kennedy Class II, guiding denture design to address the unilateral distal extension and its biomechanical implications.

6. Which curve is the cross-arch curvature of the occlusal plane (more lingual inclination as you move distally)?

A. Curve of Spee

B. Monson's Curve

C. Lingualized Occlusion

D. Curve of Wilson

The cross-arch curvature of the occlusal plane is described by the Curve of Wilson. This transverse curve runs across the arch and shows how the occlusal surfaces tilt toward the tongue as you move distally to the posterior teeth. It explains the lingual inclination of the posterior occlusal surfaces in a frontal view, reflecting the lateral (buccolingual) curvature of the occlusal plane. In contrast, the Curve of Spee is the anteroposterior curvature of the occlusal surfaces seen in the sagittal plane. Monson's Curve describes a three-dimensional spherical path that combines both Spee and Wilson curves. Lingualized Occlusion is an occlusion scheme, not a curvature pattern.

SAMPLE

7. What is the measurement of interincisal separation in the closest speaking space during sibilant sounds?

A. 0.5 mm

B. 1-1.5 mm

C. 2-3 mm

D. 3-5 mm

For sibilant sounds, the front teeth should be just apart enough to create a precise, crisp hiss without touching. This closest speaking space is a small, controlled opening that lets the tongue channel air and produce the sharp "s" or "z" sound, while protecting the teeth from wear and avoiding distortion. The typical measurement you'll see is about 1 to 1.5 millimeters. If the gap were only 0.5 mm, the teeth could contact during speech, causing clipping or a harsh sound. If the gap were larger, like 2–3 mm or 3–5 mm, the sibilant noise would weaken and articulation would become less precise. So, 1 to 1.5 mm is the best balance for clear, accurate sibilant production.

8. All bone graft materials are:

A. Osteogenic

B. Osteoconductive

C. Osteoinductive

D. Osteomyelitic

The main idea is that bone graft materials are chosen for their ability to support new bone growth by acting as a scaffold. This scaffold quality—osteoconduction—provides a porous structure and surface that allow host bone cells to migrate, grow, and mineralize along the graft material. Not all grafts supply living bone-forming cells (osteogenic) or signaling factors to induce new bone formation (osteinduction); those properties can be present in some grafts but are not universal. And "osteomyelitic" isn't a graft property at all; it describes an infection of bone. So, the best way to describe most bone graft materials is that they are osteoconductive: they provide the framework that guides and supports new bone growth from the surrounding host bone.

9. Which statement aligns with the MRONJ management described in the source?

A. Antibiotics and debridement

B. Surgical resection

C. Hyperbaric oxygen

D. Observation

Managing MRONJ centers on controlling infection and removing necrotic bone while preserving healthy tissue. In most cases, initial care is conservative: antimicrobial therapy to treat secondary infection and debridement to excise nonviable bone, aiming to reduce the bacterial load and enable healing. This aligns with the described management of antibiotics with debridement, making it the best match. Other approaches exist in certain situations but are not the standard primary strategy in the described scenario: surgical resection is more aggressive and typically reserved for advanced or nonhealing cases; hyperbaric oxygen has inconsistent evidence and is not routinely used as primary treatment; observation alone would not address the infected necrotic bone and would risk progression.

SAMPLE

10. Fully calcified dentin associated with aging or slowly advancing caries is called?

A. Sclerotic dentin

B. Dentin sclerosis

C. Primary dentin

D. Secondary dentin

Sclerotic dentin occurs when dentinal tubules become filled with mineral deposits, a response commonly seen with aging or slowly progressing caries. This tubule occlusion makes the dentin more mineralized and less permeable, often giving it a more translucent or radiopaque appearance and reducing fluid flow and sensitivity. This description fits the term sclerotic dentin (dentin sclerosis). Primary dentin is the dentin formed before eruption, and secondary dentin is dentin laid down after eruption in response to stimuli but not specifically defined by tubule mineralization, so they don't describe this fully calcified, aging-associated change.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://inbdebootcampfieldsofdentistry.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE