
INDIANA CERTIFIED NURSING ASSISTANT (CNA) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://indianacna.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. How long should a resident remain upright after eating?

A. At least 15 minutes

B. At least 30 minutes

C. At least 1 hour

D. At least 2 hours

2. What should a CNA do if they notice a resident has suddenly become very withdrawn?

A. Monitor the behavior and wait for it to pass

B. Ignore it, as it's a normal behavior

C. Report it to a supervisor to assess the situation

D. Speak privately to the resident to ask about their feelings

3. Which stage indicates very mild symptoms, where the resident may experience memory lapses?

A. Stage 2

B. Stage 3

C. Stage 4

D. Stage 1

4. In which position should a resident be placed for proper oral care?

A. Flat on their back

B. Fowler's position

C. Sitting reclined

D. Standing upright

5. Which of the following is a disease of the respiratory system?

A. Arthritis

B. COPD (chronic obstructive pulmonary disease)

C. Kidney stones

D. Brittle bone disease

SAMPLE

6. What are the key components of a nursing care plan?

A. Daily schedules and medication lists

B. Patient assessment, diagnosis, interventions, and evaluation

C. Family involvement and social activities

D. Physical therapy and nutrition plans

7. How often should a CNA typically check on a patient?

A. Every 30 minutes

B. Every hour

C. Every 2 hours or as specified in the care plan

D. Every 4 hours

8. What does it mean to provide "person-centered care"?

A. Tailoring care to individual needs

B. Following strict medical protocols

C. Ensuring uniform treatment for all residents

D. Focusing solely on medical records

9. What is the implication of neglecting the resident's need for positioning following meals?

A. Increased appetite

B. Potential for aspiration

C. Faster digestion

D. Lower risk of complications

10. What are contractures?

A. Temporary stiffness of muscles

B. Permanently shortened muscles with taut tendons and ligaments

C. Flexibility of joints during rehabilitation

D. Reversible muscular spasms

SAMPLE

Answers

SAMPLE

1. B
2. C
3. A
4. B
5. B
6. B
7. C
8. A
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. How long should a resident remain upright after eating?

A. At least 15 minutes

B. At least 30 minutes

C. At least 1 hour

D. At least 2 hours

The recommendation for a resident to remain upright after eating for at least 30 minutes is based on promoting digestion and reducing the risk of complications such as aspiration or reflux. Keeping the resident upright helps the food move through the digestive system more effectively and minimizes discomfort. Remaining upright allows gravity to assist in the digestive process, which can be particularly important for elderly residents or those with specific health concerns. After eating, the body's focus shifts to digestion, and lying down too soon can hinder this process and even lead to nausea or other gastrointestinal issues. While 15 minutes may help, especially in less acute cases, the 30-minute guideline strikes a good balance to ensure adequate digestion and comfort. Options suggesting longer durations can sometimes be excessive for routine meals, as most healthy individuals may not require an extended upright position after eating unless dictated by specific medical conditions.

2. What should a CNA do if they notice a resident has suddenly become very withdrawn?

A. Monitor the behavior and wait for it to pass

B. Ignore it, as it's a normal behavior

C. Report it to a supervisor to assess the situation

D. Speak privately to the resident to ask about their feelings

In the scenario where a resident has suddenly become very withdrawn, reporting the behavior to a supervisor is essential for several reasons. First, sudden changes in a resident's behavior can indicate underlying issues such as emotional distress, health problems, or reactions to changes in their environment or routine. By informing a supervisor, appropriate assessments and interventions can be initiated to ensure the resident's well-being. The supervisor has the training and resources to evaluate the situation more thoroughly, which may include consulting with healthcare professionals or arranging for necessary support services. Such actions can lead to timely identification of any issues and effective strategies to assist the resident. Other responses may not adequately address the concern. Monitoring the behavior alone might delay important interventions, and ignoring it could lead to worsening conditions. While speaking privately to the resident could be beneficial, it might not be enough on its own to address any serious underlying problems that may need formal assessment by trained staff. Therefore, reporting the change serves as a proactive measure in facilitating proper care and support for the resident.

SAMPLE

3. Which stage indicates very mild symptoms, where the resident may experience memory lapses?

A. Stage 2

B. Stage 3

C. Stage 4

D. Stage 1

The stage indicating very mild symptoms, where the resident may experience memory lapses, is indeed Stage 1. This stage is characterized by subtle changes that might not be immediately noticeable to friends and family. Individuals may occasionally forget names or appointments but can typically recall them later. In this stage, the changes are often not severe enough to interfere with daily activities, which aligns well with the description of very mild symptoms and memory lapses. In contrast, the other stages refer to more advanced symptoms and cognitive decline. Stage 2 generally involves mild cognitive impairment, where forgotten tasks become more frequent, and daily functioning may be slightly affected. Stage 3 exhibits moderate cognitive decline with more significant memory losses and difficulties in problem-solving. Stage 4 represents a more severe level of cognitive decline, where the individual requires assistance with daily living and has trouble with basic tasks and severe memory issues. Understanding these stages is crucial for recognizing the progression of cognitive decline and providing appropriate care and support.

4. In which position should a resident be placed for proper oral care?

A. Flat on their back

B. Fowler's position

C. Sitting reclined

D. Standing upright

Fowler's position is optimal for providing proper oral care to a resident because it allows the individual to be seated at an angle that promotes comfort, reduces the risk of aspiration, and facilitates easier access for the caregiver. In this position, the head and upper body are elevated, which helps prevent choking and promotes swallowing during oral hygiene activities. The elevated posture enhances visibility and allows the caregiver to maneuver more effectively to clean the mouth and teeth. It also encourages the resident to participate more actively in their oral care, making the process smoother and more effective. Other positions, such as lying flat on their back, may restrict airflow and make it challenging to manage oral care properly. Sitting reclined provides some elevation but may not be adequate for full access and can be less comfortable for some individuals. Standing upright typically isn't safe for oral care, as it increases the risk of choking and makes it challenging for the caregiver to deliver thorough care.

SAMPLE

5. Which of the following is a disease of the respiratory system?

A. Arthritis

B. COPD (chronic obstructive pulmonary disease)

C. Kidney stones

D. Brittle bone disease

Chronic obstructive pulmonary disease (COPD) is a significant respiratory condition that primarily affects the lungs and airways. It encompasses progressive lung diseases such as emphysema and chronic bronchitis. Individuals with COPD experience difficulty breathing due to airflow obstruction, often caused by long-term exposure to irritating gases or particulate matter, most commonly from smoking. The progressive nature of COPD leads to decreased lung function, making it harder for individuals to engage in daily activities. In contrast, arthritis is a joint disease affecting the musculoskeletal system, not the respiratory system. Kidney stones are a renal issue related to the urinary system, involving the formation of small, painful mineral deposits in the kidneys. Brittle bone disease, or osteoporosis, is a condition that affects bone density and structure, which falls under the category of skeletal system diseases, rather than the respiratory system. Thus, COPD is the only option listed that directly pertains to diseases of the respiratory system.

6. What are the key components of a nursing care plan?

A. Daily schedules and medication lists

B. Patient assessment, diagnosis, interventions, and evaluation

C. Family involvement and social activities

D. Physical therapy and nutrition plans

The key components of a nursing care plan encompass four critical elements: patient assessment, diagnosis, interventions, and evaluation. This structured approach ensures that the care provided is tailored to the individual needs of the patient. First, patient assessment involves gathering comprehensive information about the patient's physical, emotional, and social health status. This assessment provides the foundation for understanding the patient's unique needs. Next, the diagnosis phase uses the information collected during the assessment to identify potential or actual health problems. This step is crucial as it helps to clarify what the nursing priorities should be. Following diagnosis, the nursing interventions are developed. These interventions outline the specific actions the healthcare team will take to address the identified issues, ensuring that each care measure is targeted and appropriate for the patient's condition. Finally, evaluation involves assessing the effectiveness of the interventions and determining whether the patient's condition has improved or if adjustments to the plan are required. This continuous feedback loop allows for the care plan to be dynamic and responsive to the patient's evolving needs. While daily schedules, medication lists, family involvement, social activities, and specific therapy plans can be important aspects of patient care, they do not encompass the comprehensive framework of a formal nursing care plan as outlined in the correct choice.

SAMPLE

7. How often should a CNA typically check on a patient?

A. Every 30 minutes

B. Every hour

C. Every 2 hours or as specified in the care plan

D. Every 4 hours

The correct response emphasizes the importance of individualized care plans in nursing practice. A CNA typically checks on a patient every two hours or as specified in the care plan because each patient's needs can vary significantly based on their health condition, treatment requirements, and the specifics outlined by their healthcare team. Regular monitoring is crucial for assessing the patient's status, identifying any changes in their condition, and ensuring their safety and comfort. While the frequency of checks can be influenced by the nature of the patient's illness, level of activity, and overall treatment goals, adhering to the care plan ensures that the care is tailored to the patient's specific needs. This approach promotes effective communication among the healthcare team and helps maintain the quality of care. In practice, some patients may require more frequent checks based on their conditions, and some may have less frequent monitoring needs, thereby reinforcing the idea that following the care plan is fundamental in providing proper patient care.

8. What does it mean to provide "person-centered care"?

A. Tailoring care to individual needs

B. Following strict medical protocols

C. Ensuring uniform treatment for all residents

D. Focusing solely on medical records

Providing "person-centered care" means tailoring care to individual needs, preferences, and values of each resident. This approach emphasizes the importance of recognizing and honoring the unique backgrounds and life experiences of individuals receiving care. In person-centered care, caregivers engage with residents to understand their specific preferences, support their goals, and encourage autonomy. This could involve personalized care plans that reflect not only the medical needs but also the personal interests and desires of the individual, fostering a sense of dignity and respect. This approach stands in contrast to other methods, such as strictly following medical protocols or ensuring uniform treatment for all residents, which may overlook the unique aspects of each person's situation. Relying solely on medical records also misses the critical component of understanding the whole person behind those records. Therefore, the essence of person-centered care is fundamentally about creating a supportive and individualized experience for each person in a care setting.

SAMPLE

9. What is the implication of neglecting the resident's need for positioning following meals?

A. Increased appetite

B. Potential for aspiration

C. Faster digestion

D. Lower risk of complications

Neglecting the resident's need for proper positioning following meals can significantly increase the risk of aspiration. Aspiration occurs when food, liquid, or other substances enter the airway instead of the esophagus, which can lead to serious complications such as pneumonia, choking, and respiratory distress. Proper positioning, typically ensuring the resident is sitting upright or at an appropriate angle, helps facilitate safe swallowing and minimizes the likelihood of food entering the airway. A good position after eating helps the digestive process but is primarily aimed at preventing aspiration and ensuring the resident's safety. Faster digestion and increased appetite are not direct consequences of positioning; rather, they can be influenced by various other factors, such as the type of food consumed and the individual's overall health. Additionally, neglecting proper positioning increases the likelihood of complications rather than lowering it, making aspiration the most pertinent concern in this context.

10. What are contractures?

A. Temporary stiffness of muscles

B. Permanently shortened muscles with taut tendons and ligaments

C. Flexibility of joints during rehabilitation

D. Reversible muscular spasms

Contractures refer to the condition where muscles, tendons, or ligaments become permanently shortened, which leads to limited movement around the joints. This occurs due to various factors, such as prolonged immobilization, neurological conditions, or muscle atrophy, resulting in the affected joints being unable to achieve their full range of motion. When tissues are in a shortened position for an extended period, the muscle fibers and surrounding connective tissues adapt by contracting and tightening, leading to the characteristic rigidity associated with contractures. In contrast, the other options describe conditions that are not long-lasting or permanent. Temporary stiffness of muscles and reversible muscular spasms indicate situations that can resolve over time with proper movement or treatment, while flexibility of joints during rehabilitation describes a goal of treatment rather than a pathological condition. Thus, the correct understanding of contractures encompasses their permanence and the resultant impact on mobility.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://indianacna.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE