INDIVIDUAL READINESS ASSURANCE TEST (IRAT) 4 HEAD AND NECK PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://irat4headandneck.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which muscle forms the floor of the mouth?

A. Mylohyoid

B. Geniohyoid

C. Digastric (anterior belly)

D. Stylohyoid

2. Which of the following is NOT a possible cervical injury in this context?

A. Hangman fracture

B. Pillar fracture

C. Facet distraction

D. L4 disc

3. Through which canal does the internal carotid artery enter the skull?

A. Carotid canal

B. Foramen lacerum

C. Jugular foramen

D. Foramen ovale

4. Which nerve, a branch of the mandibular division of the trigeminal nerve, supplies sensation to the cheek?

A. Lingual nerve

B. Infraorbital nerve

C. Long buccal nerve (branch of V3)

D. Zygomatic nerve

5. The taste sensation from the posterior one-third of the tongue is carried by which nerve?

A. Glossopharyngeal nerve (CN IX)

B. Facial nerve

C. Vagus nerve

D. Trigeminal nerve

SAMPLE

6. CRPS type II is distinguished from type I by which feature?

A. Overt damage to a peripheral nerve.

B. It typically follows injury.

C. It affects only the upper limbs.

D. It has no autonomic changes.

7. Waldeyer's ring includes which lymphoid tissues?

A. Palatine tonsils, pharyngeal tonsil (adenoids), and lingual tonsils

B. Adenoids only

C. Palatine tonsils and lingual tonsils

D. Pharyngeal tonsil only

8. To locate the sensory component affected in numbness or tingling, which option is NOT recommended?

A. Evaluate sensory testing beginning at the distal extremity

B. Map dermatomal distributions

C. Compare symmetry

D. Test pinprick and light touch

9. Which nerve supplies all intrinsic laryngeal muscles except the cricothyroid?

A. Recurrent laryngeal nerve (branch of CN X)

B. External branch of the superior laryngeal nerve

C. Internal branch of the superior laryngeal nerve

D. Glossopharyngeal nerve (CN IX)

10. The auriculotemporal nerve, which carries postganglionic parasympathetic fibers to the parotid gland, is a branch of which division of the trigeminal nerve?

A. Ophthalmic division (V1)

B. Vestibulocochlear nerve

C. Mandibular division (V3)

D. Maxillary division (V2)

SAMPLE

Answers

SAMPLE

1. A
2. D
3. A
4. C
5. A
6. A
7. A
8. B
9. A
10. C

SAMPLE

Explanations

SAMPLE

1. Which muscle forms the floor of the mouth?

A. Mylohyoid

B. Geniohyoid

C. Digastric (anterior belly)

D. Stylohyoid

The floor of the mouth is formed by the mylohyoid muscles, which run from the inner surface of the mandible (the mylohyoid line) downward and medially to insert into the body of the hyoid bone. These paired muscles meet at the midline to create a muscular diaphragm that supports the tongue and separates the oral cavity from the neck. Because they lie directly beneath the tongue and form the foundational floor, they are the primary structures defining the bottom boundary of the mouth. The other muscles mentioned are positioned differently: the geniohyoid sits above the mylohyoid, connecting the genial (genial) tubercles of the mandible to the hyoid and helping elevate the hyoid or pull it forward, but it does not form the floor. The anterior belly of the digastric lies more superficially and helps move the mandible or hyoid but isn't the floor itself. The stylohyoid elevates the hyoid and also does not constitute the floor.

2. Which of the following is NOT a possible cervical injury in this context?

A. Hangman fracture

B. Pillar fracture

C. Facet distraction

D. L4 disc

The question tests recognizing which injuries belong to the cervical spine. Hangman fracture is a classic cervical injury involving the C2 pars interarticularis from hyperextension with axial load. Pillar fracture refers to a fracture through the lateral masses of the axis (C2), another pattern seen in the cervical region. Facet distraction is an injury where the cervical facet joints are distracted or displaced due to flexion-distraction forces, again a cervical mechanism. The L4 disc, however, is a lumbar spinal structure (between L4 and L5) and is not a cervical injury. So the lumbar disc is not a possible cervical injury in this context.

3. Through which canal does the internal carotid artery enter the skull?

A. Carotid canal

B. Foramen lacerum

C. Jugular foramen

D. Foramen ovale

The entry point for the internal carotid artery into the skull is the carotid canal, which sits in the petrous part of the temporal bone. This canal provides a dedicated passage from the neck into the cranial cavity, after which the artery proceeds upward toward the cavernous sinus to supply the brain and orbital structures. The other openings are for different structures: the foramen lacerum is a base-of-skull opening that's largely filled with cartilage and not a true conduit for the artery in life; the jugular foramen transmits the internal jugular vein and cranial nerves IX–XI; and the foramen ovale transmits the mandibular division of the trigeminal nerve.

SAMPLE

4. Which nerve, a branch of the mandibular division of the trigeminal nerve, supplies sensation to the cheek?

A. Lingual nerve

B. Infraorbital nerve

C. Long buccal nerve (branch of V3)

D. Zygomatic nerve

This question tests which branch of the mandibular division (V3) supplies sensation to the cheek. The long buccal nerve is a sensory branch of V3 that travels along the cheek to innervate the skin over the buccinator area and the adjacent buccal mucosa, providing sensation to the cheek. The lingual nerve, also from V3, supplies sensation to the anterior two-thirds of the tongue and floor of the mouth, not the cheek. The infraorbital nerve comes from V2 and supplies midface regions near the orbit, not a V3 branch. The zygomatic nerve is a V2 branch supplying parts of the cheek/temple region but not from V3. Thus, the long buccal nerve best fits both criteria: a branch of V3 that supplies the cheek.

5. The taste sensation from the posterior one-third of the tongue is carried by which nerve?

A. Glossopharyngeal nerve (CN IX)

B. Facial nerve

C. Vagus nerve

D. Trigeminal nerve

Taste from the posterior one-third of the tongue travels with the glossopharyngeal nerve. This cranial nerve carries the special sensory (taste) fibers from that region to the brain, via the nucleus of the solitary tract. By contrast, taste for the anterior two-thirds is carried by the facial nerve (via the chorda tympani), the vagus nerve provides taste from areas like the epiglottis, and the trigeminal nerve handles only general sensation (not taste). So the posterior third's taste is carried by the glossopharyngeal nerve.

6. CRPS type II is distinguished from type I by which feature?

A. Overt damage to a peripheral nerve.

B. It typically follows injury.

C. It affects only the upper limbs.

D. It has no autonomic changes.

The main concept is that CRPS type II, also known as causalgia, is defined by an identifiable peripheral nerve injury. In this type, there is overt damage to a peripheral nerve, and the pain and symptoms correspond to the distribution of that nerve. This contrasts with CRPS type I, where there is no confirmed nerve lesion despite similar regional pain and autonomic changes after injury. So the distinguishing feature is the presence of a known nerve injury, which is what makes CRPS type II different from type I. The other statements aren't correct because pain after injury, involvement of autonomic changes, and involvement of limbs can occur in CRPS in general, and CRPS can affect more than just the upper limbs.

SAMPLE

7. Waldeyer's ring includes which lymphoid tissues?

A. Palatine tonsils, pharyngeal tonsil (adenoids), and lingual tonsils

B. Adenoids only

C. Palatine tonsils and lingual tonsils

D. Pharyngeal tonsil only

Waldeyer's ring is a circular collection of lymphoid tissue in the pharynx that acts as the first line of immune defense for inhaled or ingested pathogens. It is formed by three main tonsillar sites: the palatine tonsils located in the oropharynx on either side between the palatoglossal and palatopharyngeal arches; the pharyngeal tonsil on the roof of the nasopharynx (the adenoids); and the lingual tonsils at the posterior aspect of the tongue. Together, these tissues form a ring around the openings of the nasal and oral cavities, enabling rapid immune surveillance and response. Some references also mention tubal tonsils near the openings of the Eustachian tubes, but the classic description highlights these three major components: palatine, pharyngeal, and lingual tonsils.

8. To locate the sensory component affected in numbness or tingling, which option is NOT recommended?

A. Evaluate sensory testing beginning at the distal extremity

B. Map dermatomal distributions

C. Compare symmetry

D. Test pinprick and light touch

When assessing numbness or tingling, focus on characterizing the sensory loss by testing across modalities and along the limb, then comparing sides to see the pattern. Start testing at the farthest (distal) points to find the extent of involvement, and use multiple modalities—such as pinprick to assess pain pathway and light touch to assess larger-fiber touch/pressure—to determine which sensory systems are affected and whether the deficit is diffuse or focal. Mapping dermatomal distributions is not the preferred way to locate the sensory component here because sensory loss often does not line up neatly with dermatomes. Dermatomes can vary between individuals and patterns can be non-dermatomal, especially in polyneuropathies or central lesions. Relying on dermatomal maps can mislead you about the exact location and nature of the sensory deficit. Use this mapping only as supplementary context after you've characterized the sensory loss with direct modality testing and symmetry checks.

9. Which nerve supplies all intrinsic laryngeal muscles except the cricothyroid?

A. Recurrent laryngeal nerve (branch of CN X)

B. External branch of the superior laryngeal nerve

C. Internal branch of the superior laryngeal nerve

D. Glossopharyngeal nerve (CN IX)

The main idea is how intrinsic laryngeal muscles are innervated. The recurrent laryngeal nerve, a branch of the vagus, provides motor innervation to nearly all intrinsic laryngeal muscles—those that move the vocal folds and control their tension and position. The one exception is the cricothyroid muscle, which is innervated by the external branch of the superior laryngeal nerve (also from the vagus). The internal branch of the superior laryngeal nerve carries sensory fibers to the laryngeal mucosa above the vocal cords, not motor. The glossopharyngeal nerve doesn't supply intrinsic laryngeal muscles. So, the nerve that supplies all intrinsic laryngeal muscles except the cricothyroid is the recurrent laryngeal nerve.

SAMPLE

10. The auriculotemporal nerve, which carries postganglionic parasympathetic fibers to the parotid gland, is a branch of which division of the trigeminal nerve?

A. Ophthalmic division (V1)

B. Vestibulocochlear nerve

C. Mandibular division (V3)

D. Maxillary division (V2)

The important point is that the parotid gland's secretomotor (parasympathetic) fibers travel along a branch of the trigeminal nerve that arises from the lower division, not the upper ones. The auriculotemporal nerve is a branch of the mandibular division of the trigeminal nerve (the lower division, V3). This division provides sensory innervation to the lower face and, importantly, gives off the auriculotemporal nerve, which serves as the conduit for the postganglionic parasympathetic fibers to reach the parotid gland. Those parasympathetic fibers originate in the glossopharyngeal pathway (via the otic ganglion) and then hitchhike along the auriculotemporal nerve to reach the parotid. The other divisions of the trigeminal nerve—ophthalmic (V1) and maxillary (V2)—are purely sensory and do not give rise to the auriculotemporal nerve. The vestibulocochlear nerve (CN VIII) is a separate cranial nerve altogether. Therefore, the branch carrying the parotid parasympathetics is from the mandibular division.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://irat4headandneck.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE