INFECTIOUS DISEASE PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://infectiousdisease.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the most likely finding on microscopic examination of cells from the base of a blister treated with Giemsa stain?

A. Atypical lymphocytes

B. Multinucleated giant cells

C. Polymorphonuclear leukocytes

D. Squamous epithelial cells

2. How is Lyme disease most commonly transmitted to humans?

A. Airborne particles

B. Food contamination

C. Tick bites

D. Direct contact with infected individuals

3. Which condition requires a higher CD4 count for safe treatment of opportunistic infections?

A. Tuberculosis

B. HIV

C. Hepatitis B

D. COVID-19

4. What is the appropriate treatment for pinworm infection?

A. Albendazole or mebendazole for the entire family

B. Pyrantel pamoate for symptomatic relief

C. Metronidazole as a first-line treatment

D. Over-the-counter antifungal cream

5. What is the common complication in the acute phase of rabies?

A. Seizures

B. Hydrophobia

C. Paralysis

D. Hemorrhage

SAMPLE

6. Which disease is characterized by high fever and severe headache, caused by a virus?

A. Malaria

B. Dengue fever

C. Typhoid fever

D. Chikungunya

7. What condition is often referred to as trismus?

A. Lockjaw

B. Candidiasis

C. Lyme disease

D. Rabies

8. What is the vector for the West Nile virus?

A. Bats

B. Ticks

C. Mosquitoes

D. Flies

9. What is a common consequence of untreated streptococcal throat infection?

A. Pneumonia

B. Scarlet fever

C. Congestive heart failure

D. Chronic cough

10. In what population is the prevalence of toxoplasmosis particularly high?

A. Children under 5 years old

B. Immunocompromised individuals

C. Pregnant women

D. All of the above

SAMPLE

Answers

SAMPLE

1. B
2. C
3. A
4. A
5. B
6. B
7. A
8. C
9. B
10. D

SAMPLE

Explanations

SAMPLE

1. What is the most likely finding on microscopic examination of cells from the base of a blister treated with Giemsa stain?

A. Atypical lymphocytes

B. Multinucleated giant cells

C. Polymorphonuclear leukocytes

D. Squamous epithelial cells

In the context of blistering diseases, Giemsa stain is a specific histological technique that helps identify various cell types in tissue samples. When examining the base of a blister under microscopic conditions, the presence of multinucleated giant cells is most frequently associated with viral infections, particularly those caused by herpes simplex virus (HSV) or varicella-zoster virus (VZV). These multinucleated giant cells arise due to the fusion of several infected cells, a direct consequence of viral replication. This feature is key in diagnosing certain blistering conditions and infections and highlights the immune response driven by these viral agents. In diseases like herpes simplex, the clinical presentation may include blisters that are filled with fluid and cellular debris, which upon examination, reveals these characteristic multinucleated giant cells. Other findings, such as atypical lymphocytes, polymorphonuclear leukocytes, and squamous epithelial cells, may not be as definitive in the context of viral blistering diseases and are associated with different inflammatory or neoplastic processes. The presence of multinucleated giant cells therefore uniquely points to viral etiology in the assessment of blistering lesions.

2. How is Lyme disease most commonly transmitted to humans?

A. Airborne particles

B. Food contamination

C. Tick bites

D. Direct contact with infected individuals

Lyme disease is primarily transmitted to humans through the bites of infected black-legged ticks, often referred to as deer ticks. These ticks are typically found in wooded, grassy, and brushy areas where they can easily latch onto humans or animals passing by. The bacterium responsible for Lyme disease, Borrelia burgdorferi, is present in the tick's saliva, which is injected into the host during the tick's feeding process. Understanding this mode of transmission is crucial because it emphasizes the importance of tick prevention strategies, such as using insect repellent, wearing protective clothing, and performing thorough tick checks after spending time outdoors. The nature of tick bites makes them the primary vector for Lyme disease, contrasting sharply with the other methods listed. For example, airborne particles or food contamination do not play any role in the transmission of this disease, nor can it be spread through direct contact with infected individuals, since Lyme disease is not transmitted from person to person. Thus, recognizing tick bites as the main transmission route underscores the need for awareness and preventive measures when in tick-prone areas.

SAMPLE

3. Which condition requires a higher CD4 count for safe treatment of opportunistic infections?

A. Tuberculosis

B. HIV

C. Hepatitis B

D. COVID-19

Tuberculosis (TB) is an opportunistic infection that poses significant risks to individuals with compromised immune systems, particularly those living with HIV. When treating TB in patients with HIV, the CD4 count is a critical factor because it reflects the strength of the individual's immune response. For effective treatment of TB and to prevent disseminated disease, a higher CD4 count is generally required, typically above 350 cells/mm³. This is because TB is a progressive infection that can rapidly worsen in immunocompromised individuals. If the CD4 count is low, there is a higher risk of severe disease and complications during treatment, including the chance of drug interactions and immune reconstitution inflammatory syndrome (IRIS). In contrast, while HIV itself is crucial to consider in terms of CD4 counts, it is generally the primary infection that leads to a compromised immune state, not an opportunistic infection like TB which directly demands consideration of CD4 thresholds for treatment safety. Hepatitis B and COVID-19 are also significant infectious diseases but don't typically require the same stringent CD4 count parameters for the initiation of treatment concerning opportunistic infections. Thus, the emphasis on a higher CD4 count is particularly relevant in the context of managing tuberculosis in individuals with HIV.

4. What is the appropriate treatment for pinworm infection?

A. Albendazole or mebendazole for the entire family

B. Pyrantel pamoate for symptomatic relief

C. Metronidazole as a first-line treatment

D. Over-the-counter antifungal cream

The appropriate treatment for pinworm infection, commonly caused by Enterobius vermicularis, is indeed albendazole or mebendazole, and it is recommended to treat the entire household. This is because pinworm infections are highly contagious, with the eggs being easily spread through contaminated hands, clothing, bedding, or surfaces. Treating all family members helps to effectively eradicate the infection, preventing reinfection and a cycle of transmission. Albendazole and mebendazole act by inhibiting glucose uptake in the adult worms, leading to their death, and both are well-tolerated and effective. Although pyrantel pamoate can provide symptomatic relief, it is not as effective in eliminating the infection compared to the previously mentioned treatments. Metronidazole is not indicated for pinworm infections, as it is primarily used to treat anaerobic bacterial infections and protozoal infections rather than helminthic infections. Over-the-counter antifungal creams are also inappropriate, as they are designed to treat fungal infections, not helminth infestations.

SAMPLE

5. What is the common complication in the acute phase of rabies?

A. Seizures

B. Hydrophobia

C. Paralysis

D. Hemorrhage

Hydrophobia, or the fear of water, is a common complication during the acute phase of rabies due to the involvement of the central nervous system. As the rabies virus progresses, it causes inflammation in the brain, which can lead to significant neurological symptoms. One of these symptoms is difficulty swallowing and severe spasms of the throat muscles. This can make it painful and distressing for the infected individual to drink or even see water, thus leading to the sensation of hydrophobia. This phenomenon is particularly notable because it can occur even in the absence of conscious fear, showcasing the profound effects of the rabies virus on neural pathways that control autonomic responses. It's an essential symptom in diagnosing rabies in clinically ill patients, reflecting the severe nature of the disease as it progresses towards its critical phases.

6. Which disease is characterized by high fever and severe headache, caused by a virus?

A. Malaria

B. Dengue fever

C. Typhoid fever

D. Chikungunya

Dengue fever is characterized by high fever and severe headache, and it is specifically caused by the dengue virus, which is transmitted primarily by Aedes mosquitoes. After the initial infection, dengue can cause a range of symptoms, and often presents with a sudden onset of high fever, severe headaches, pain behind the eyes, joint and muscle pain, and rash. The fever can be quite high, often reaching 104°F (40°C), which is significant for diagnosis. In contrast, while illnesses like malaria and chikungunya can also present with fever and headache, malaria is caused by Plasmodium parasites, and chikungunya is associated with severe joint pain but is less prominently characterized by high fever and headache. Typhoid fever is caused by Salmonella typhi and typically presents with prolonged fever and gastrointestinal symptoms, rather than the acute symptoms associated with dengue. Thus, the features of high fever and severe headache align most closely with dengue fever as the correct answer.

7. What condition is often referred to as trismus?

A. Lockjaw

B. Candidiasis

C. Lyme disease

D. Rabies

Trismus, commonly known as lockjaw, is characterized by a reduced ability to open the mouth due to muscle stiffness or spasms in the jaw. This condition is often associated with tetanus, infections, and some dental issues, which can lead to pain and limited mouth movement. It is primarily related to the muscles of mastication, which are affected by spasm or rigidity, making normal jaw function difficult. The other conditions mentioned have distinct characteristics that do not align with the definition of trismus. Candidiasis is a fungal infection typically affecting mucous membranes, Lyme disease is a tick-borne illness that can cause various systemic symptoms, and rabies is a viral infection that impacts the nervous system and can lead to neurological symptoms, but not specifically the lockjaw characteristic that defines trismus. Hence, referring to trismus as lockjaw is accurate and reflects the underlying muscular etiology involved in this condition.

SAMPLE

8. What is the vector for the West Nile virus?

A. Bats

B. Ticks

C. Mosquitoes

D. Flies

The vector for the West Nile virus is indeed mosquitoes. This virus is primarily transmitted to humans and other animals through the bite of infected mosquitoes, particularly those in the Culex genus. When these mosquitoes feed on the blood of an infected bird, they become carriers of the virus and can subsequently transmit it to humans and other animals. Understanding the role of mosquitoes as vectors is crucial for public health efforts to control the spread of West Nile virus. It highlights the importance of mosquito control measures, such as eliminating standing water, using insect repellent, and employing protective clothing, especially in areas where the virus is known to be present. This vector-host relationship is a key element in preventing outbreaks and managing the risks associated with West Nile virus infections.

9. What is a common consequence of untreated streptococcal throat infection?

A. Pneumonia

B. Scarlet fever

C. Congestive heart failure

D. Chronic cough

Untreated streptococcal throat infections, commonly known as strep throat, can lead to a variety of complications. One of the well-known complications that can arise from these infections is scarlet fever. Scarlet fever occurs when the strains of streptococcus bacteria responsible for strep throat produce a toxin that leads to a distinctive rash, fever, and other systemic symptoms. The condition is characterized by a bright red rash that typically starts on the neck and face and then spreads across the body, along with a sore throat and high fever. Other potential complications of untreated strep throat include rheumatic fever and post-streptococcal glomerulonephritis, but in the context of this question, scarlet fever is the most direct consequence attributable to the infection itself. The rapid progression of symptoms and the clear association of the rash and systemic effects with the streptococcal infection underscore the relevance of recognizing and treating strep throat promptly to prevent complications like scarlet fever.

SAMPLE

10. In what population is the prevalence of toxoplasmosis particularly high?

A. Children under 5 years old

B. Immunocompromised individuals

C. Pregnant women

D. All of the above

The prevalence of toxoplasmosis is particularly high in all of the populations mentioned, making the answer comprehensive. Immunocompromised individuals, such as those with HIV/AIDS, cancer patients undergoing chemotherapy, or organ transplant recipients, are at a greater risk of severe toxoplasmosis. Their weakened immune systems struggle to control infections that a healthy person might manage without significant issues. Pregnant women are also a key population of concern because contracting toxoplasmosis during pregnancy can lead to serious consequences for the developing fetus, including congenital infections that may result in miscarriage or neurological damage. Children under 5 years old can be more susceptible to infections in general, but they specifically may have higher exposure due to play behaviors, such as being more likely to come into contact with contaminated soil or cat litter, which are common sources of Toxoplasma gondii. Recognizing the vulnerability of these groups underscores the importance of preventive measures and awareness of transmission routes for toxoplasmosis. Thus, the overall prevalence is indeed notably high among all these populations.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://infectiousdisease.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE