INFRARED TRAINING CENTER LEVEL 1 PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://infraredtrainingcenterlevel1.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which energy type involves atomic nuclei and changes within the nucleus?

A. Nuclear

B. Electrical

C. Chemical

D. Thermal

2. At what temperature can visible heat be seen?

A. Before 100 C

B. At 100 C

C. After 500 C

D. After 1000 C

3. If the viewing angle to the target exceeds 60 degrees, which statement is true?

A. Emissivity increases and reflectivity decreases.

B. Emissivity decreases and reflectivity increases.

C. Both emissivity and reflectivity remain constant.

D. Emissivity increases and reflectivity increases.

4. What is the process of gas turning into a liquid?

A. Evaporation

B. Condensation

C. Sublimation

D. Deposition

5. Near-infrared lies between visible light and mid-infrared on the spectrum.

A. It lies between visible light and mid-infrared

B. It lies beyond mid-infrared

C. It lies within the ultraviolet range

D. It is outside the infrared range

6. What unit is used to express midwave and longwave inbands?

A. Nanometers

B. Micrometers

C. Angstroms

D. Meters

SAMPLE

7. Infrared readings show cooler apparent temperature for surfaces with which combination?

A. High emissivity and low reflectivity

B. High reflectivity and low emissivity

C. Low reflectivity and low emissivity

D. Low emissivity and high reflectivity

8. Infrared thermography identifies outliers by detecting differences in temperature.

A. Humidity

B. Temperature

C. Color

D. Pressure

9. What term describes a surface whose emissivity is less than 1?

A. High Emissivity Surface

B. Blackbody Surface

C. Superconductive Surface

D. Low Emissivity Surface

10. Can an infrared inspection be performed in an idle house that shows no temperature difference from the outside?

A. No

B. Yes

C. Sometimes with Controlled Lighting

D. Only If There Is Moisture Difference

SAMPLE

Answers

SAMPLE

1. A
2. C
3. B
4. B
5. A
6. B
7. B
8. B
9. D
10. A

SAMPLE

Explanations

SAMPLE

1. Which energy type involves atomic nuclei and changes within the nucleus?

A. Nuclear

B. Electrical

C. Chemical

D. Thermal

Nuclear energy refers to energy stored in and released from atomic nuclei, through changes inside the nucleus such as fission or fusion. In fission, a heavy nucleus splits into smaller nuclei, releasing a large amount of energy; in fusion, light nuclei join to form heavier ones, also releasing energy. These processes involve the strong nuclear force and mass–energy conversion, which is why the energy comes from the nucleus itself. This distinguishes it from electrical energy, which comes from moving charges; chemical energy, which arises from bonds between atoms and electrons; and thermal energy, which relates to the random motion of particles and temperature.

2. At what temperature can visible heat be seen?

A. Before 100 C

B. At 100 C

C. After 500 C

D. After 1000 C

Visible heat comes from an object emitting light in the visible spectrum as it gets hotter. At lower temperatures, most of the radiation is in the infrared, which we can't see. When the temperature climbs to about five hundred degrees Celsius, the glow starts to appear in the visible range, so you can actually see the heat. So, the moment you begin to see a glow is around 500°C. Temperature lower than that won't show visible glow, and at very high temperatures the glow becomes even brighter, but the threshold where visible light first appears is around 500°C.

3. If the viewing angle to the target exceeds 60 degrees, which statement is true?

A. Emissivity increases and reflectivity decreases.

B. Emissivity decreases and reflectivity increases.

C. Both emissivity and reflectivity remain constant.

D. Emissivity increases and reflectivity increases.

When you look at a surface from a steep angle, it starts acting more like a mirror than a heat emitter. The infrared camera picks up two things: what the surface itself emits and what is reflected from the surroundings. As the viewing angle grows beyond around 60 degrees, the amount of radiation coming from the surface's own emission toward the camera decreases, while more ambient radiation from the surroundings is reflected into the camera. This happens because reflectivity rises with angle due to Fresnel effects, and for opaque surfaces the relationship emissivity + reflectivity ≈ 1 means that a drop in emissivity corresponds to a rise in reflectivity. So the true trend is that emissivity decreases and reflectivity increases.

SAMPLE

4. What is the process of gas turning into a liquid?

A. Evaporation

B. Condensation

C. Sublimation

D. Deposition

Condensation is the process where a gas loses enough energy to become a liquid. When gas molecules cool down or are compressed, they slow down and come closer together, forming a liquid and releasing energy in the process. A familiar example is water vapor in the air turning into liquid water on a cool surface or forming clouds. The other transformations involve different directions of phase change: evaporation is liquid turning into a gas, sublimation is solid turning into a gas, and deposition is gas turning directly into a solid.

5. Near-infrared lies between visible light and mid-infrared on the spectrum.

A. It lies between visible light and mid-infrared

B. It lies beyond mid-infrared

C. It lies within the ultraviolet range

D. It is outside the infrared range

Near-infrared sits between visible light and mid-infrared on the electromagnetic spectrum because wavelengths increase as you move from visible into infrared. The visible range covers roughly 0.38 to 0.75 micrometers; near-infrared starts just beyond the visible end and typically spans about 0.75 to 2.5 micrometers (definitions vary). Following that, mid-infrared roughly covers about 2.5 to 25 micrometers. So near-infrared is the portion of infrared closest to visible light, occupying the gap between visible and mid-infrared. Ultraviolet has shorter wavelengths than visible, so it lies before visible, not between visible and mid-infrared. Far-infrared lies beyond mid-infrared, not between visible and mid-infrared.

6. What unit is used to express midwave and longwave inbands?

A. Nanometers

B. Micrometers

C. Angstroms

D. Meters

The key idea is that midwave and longwave infrared wavelengths fall in the micrometer range. MWIR is typically about 3–5 μm and LWIR about 8–14 μm, so expressing these bands in micrometers aligns with how these wavelengths are measured and discussed in infrared imaging and detector technology. Nanometers are used for visible or near-infrared ranges (hundreds to a few thousand nm), and angstroms are far too small for IR scales. Meters are far too large to represent these wavelengths. So micrometers is the natural and standard unit for expressing midwave and longwave inbands.

SAMPLE

7. Infrared readings show cooler apparent temperature for surfaces with which combination?

A. High emissivity and low reflectivity

B. High reflectivity and low emissivity

C. Low reflectivity and low emissivity

D. Low emissivity and high reflectivity

Infrared readings are determined by both what the surface emits and what it reflects from the surroundings. The camera detects radiance that is a mix of the surface's own emission and any ambient radiation it reflects. Emissivity controls how much a surface emits versus reflects: a high-emissivity surface is a strong emitter and largely reflects its own temperature, while a low-emissivity surface emits little and reflects more of the environment. When a surface is highly reflective (low emissivity), it tends to pick up the ambient infrared from its surroundings. If those surroundings are cooler than the surface, the reflected radiation makes the apparent temperature drop. That's why the combination of high reflectivity and low emissivity yields a cooler apparent temperature on infrared readings. In contrast, surfaces that emit more (high emissivity) or reflect less of the surroundings will show readings closer to their true temperature.

8. Infrared thermography identifies outliers by detecting differences in temperature.

A. Humidity

B. Temperature

C. Color

D. Pressure

Infrared thermography relies on measuring the heat emitted by surfaces. The camera translates infrared energy into a temperature map, so each pixel represents a temperature value. Outliers show up as regions that are noticeably hotter or cooler than their surroundings, making temperature the key factor for identifying anomalies. Humidity isn't what the camera directly measures, color is just a visual representation of temperature data, and pressure isn't what infrared thermography detects.

9. What term describes a surface whose emissivity is less than 1?

A. High Emissivity Surface

B. Blackbody Surface

C. Superconductive Surface

D. Low Emissivity Surface

Emissivity quantifies how well a surface emits infrared energy compared with a perfect blackbody. Any real surface has an emissivity between 0 and 1, and when it is less than 1, the surface is described as a low emissivity surface. This means it emits less infrared radiation than a blackbody at the same temperature and tends to reflect more infrared from its surroundings. A blackbody surface has emissivity of 1, so it would not be described as low emissivity. The term high emissivity would refer to a surface with emissivity close to 1, not below 1, and superconductive surfaces aren't a radiative-emittance term.

SAMPLE

10. Can an infrared inspection be performed in an idle house that shows no temperature difference from the outside?

A. No

B. Yes

C. Sometimes with Controlled Lighting

D. Only If There Is Moisture Difference

Infrared inspection relies on detecting differences in surface temperature to reveal heat flow patterns and hidden problems. When a house is idle and indoor temperature matches outdoor temperature, there's no thermal gradient for the camera to visualize. Insulation gaps, air leaks, or moisture-related issues don't stand out because all surfaces are at similar temperatures, so nothing abnormal appears in the infrared image. To uncover problems, you must create a temperature difference, such as by actively heating or cooling parts of the building or using a diagnostic test that drives heat flow through the envelope. Lighting changes won't produce the needed thermal contrast, and moisture differences alone don't overcome the lack of a gradient. So, you cannot perform a meaningful infrared inspection under those idle conditions.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://infraredtrainingcenterlevel1.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE