INITIAL TOWER CAB PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://initialtowercab.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **An FAA wind-direction indicator is out of tolerance when it differs from another indicator on the same sensor by how many degrees?**

   A. 3

   B. 5

   C. 6

   D. 4

2. **SWA210, a B737, departs runway 28R. A C550 is waiting to depart at an intersection. What is the required wake turbulence separation?**

   A. 2 minutes after SWA210 rotates

   B. 3 minutes after C550 rotates

   C. 3 minutes after SWA210 rotates

   D. 4 minutes after SWA210 rotates

3. **The minimum distance required for a Category I departing behind a Category III on the same runway is ___ feet.**

   A. 4,000

   B. 6,000

   C. 2,000

   D. 8,000

4. **Which of the following is an example of the correct phraseology used to request an aircraft to hold short of a runway?**

   A. CESSNA FOUR NOVEMBER BRAVO, HOLD AT RUNWAY TWO EIGHT LEFT AT TAXIWAY ALPHA

   B. AMERICAN SIX THIRTEEN, STOP AT RUNWAY ONE ZERO LEFT AT TAXIWAY FOXTROT

   C. CHEYENNE THREE FOUR TANGO, HOLD SHORT OF RUNWAY TWO EIGHT RIGHT AT TAXIWAY CHARLIE FOR LANDING TRAFFIC

   D. PIPER SIX PAPA MIKE, STOP SHORT OF RUNWAY ONE ZERO RIGHT AT TAXIWAY GOLF

5. **An example of phraseology used to achieve proper spacing is _____.**

   A. EXTEND DOWNWIND

   B. EXTEND UPWIND

   C. MAKE SHORT APPROACH

   D. EXTEND DOWNWIND

SAMPLE

6. Local Control must ensure that the runway is free of all known vehicles, equipment, and personnel before a ___.

A. Landing

B. Takeoff

C. Touch-and-go

D. Go-around

7. Who must assure emergency vehicles has radio capability on Ground Control frequency or are escorted to/from accident scene?

A. ATC Supervisor

B. Emergency Services

C. Airport Management

D. Fire Chief

8. Which action is an example of a spacing technique commonly used on final?

A. have an aircraft make a left/right three-sixty

B. have an aircraft hold altitude and wait

C. have an aircraft descend and maintain speed

D. have an aircraft extend upwind

9. Which command yields a flight plan readout for N23317?

A. FP N23317

B. FR N23317

C. SR N23317 AAC AACT

D. RS N23317

10. At a tower that is not combined with a radar approach control, the Certified Tower Radar Display may be used for ____

A. advising weather

B. recording communications

C. transmitting IFR clearances

D. providing suggested headings to VFR aircraft

SAMPLE

Answers

SAMPLE

1. B
2. C
3. B
4. C
5. B
6. B
7. C
8. A
9. B
10. D

SAMPLE

Explanations

SAMPLE

1. An FAA wind-direction indicator is out of tolerance when it differs from another indicator on the same sensor by how many degrees?

A. 3

B. 5

C. 6

D. 4

Wind-direction indicators are checked against a second indicator on the same sensor to ensure accuracy. The two readings must agree within five degrees. If the difference reaches five degrees, it's considered out of tolerance and the system should be serviced or recalibrated. This five-degree limit is a balance between precision and practical instrument drift, providing a reliable cross-check without demanding unrealistically tight alignment. The other numbers would imply stricter or looser limits than what the standard specifies, so five degrees is the threshold used here.

2. SWA210, a B737, departs runway 28R. A C550 is waiting to depart at an intersection. What is the required wake turbulence separation?

A. 2 minutes after SWA210 rotates

B. 3 minutes after C550 rotates

C. 3 minutes after SWA210 rotates

D. 4 minutes after SWA210 rotates

Wake turbulence separation is determined by the wake categories of the aircraft involved and is measured from the moment the leading aircraft rotates. In this case, the Southwest 737 is a Heavy, and the following Cessna 550 is a Medium. A following Medium must wait three minutes after the Heavy begins its rotation before it rotates, to ensure the wake has dissipated. The two-minute interval would apply if the follower were Light, which isn't the case here. The four-minute figure would apply to a Light following a Heavy in some guidelines, and waiting for the follower's rotation isn't the rule here since separation is defined from the lead's rotation.

3. The minimum distance required for a Category I departing behind a Category III on the same runway is ___ feet.

A. 4,000

B. 6,000

C. 2,000

D. 8,000

Wake turbulence separation is the key idea here. A Category III aircraft is a heavier, more powerful plane, and it leaves stronger wake vortices than a Category I aircraft. When a lighter Category I follows on the same runway, it needs extra distance behind the preceding aircraft to ensure those vortices drift away from the path and lose strength before the trailing aircraft reaches takeoff or rollout. The minimum required separation for this pairing is 6,000 feet, which is enough time for the wake to decay and for the trailing aircraft to have a safe takeoff. Shorter distances wouldn't provide adequate clearance, while larger distances aren't necessary as the standard minimum.

SAMPLE

4. Which of the following is an example of the correct phraseology used to request an aircraft to hold short of a runway?

A. CESSNA FOUR NOVEMBER BRAVO, HOLD AT RUNWAY TWO EIGHT LEFT AT TAXIWAY ALPHA

B. AMERICAN SIX THIRTEEN, STOP AT RUNWAY ONE ZERO LEFT AT TAXIWAY FOXTROT

C. CHEYENNE THREE FOUR TANGO, HOLD SHORT OF RUNWAY TWO EIGHT RIGHT AT TAXIWAY CHARLIE FOR LANDING TRAFFIC

D. PIPER SIX PAPA MIKE, STOP SHORT OF RUNWAY ONE ZERO RIGHT AT TAXIWAY GOLF

The main concept is using standard phraseology to tell a pilot to hold short of a runway. The instruction must specify the hold point, the runway designator, and, if needed, the reason for the hold. In the correct example, the instruction tells the pilot to hold short of runway 28R at taxiway Charlie, and to do so for landing traffic. This gives the exact location of the hold (the hold line at Charlie) and the reason (there is landing traffic on that runway), which helps prevent runway incursions and keeps traffic flow clear. The runway is spoken as two eight right, matching aviation practice of spelling out numbers and using letters for runway designators, so there is no confusion about which runway is involved. Why the others aren't as good: they either omit the "short" part or use nonstandard terms like "stop," or they don't include the traffic context, which reduces clarity about why the hold is being enforced.

5. An example of phraseology used to achieve proper spacing is _____.

A. EXTEND DOWNWIND

B. EXTEND UPWIND

C. MAKE SHORT APPROACH

D. EXTEND DOWNWIND

Maintaining safe spacing in a traffic pattern is achieved by communicating how you'll adjust your leg length. Extending the upwind leg is the clear way to increase the distance between you and other traffic by staying longer on the leg away from the runway before you turn toward the downwind and then base and final. This option directly communicates that you intend to widen the gap, which helps ensure you enter the pattern at an appropriate distance. Extending downwind would change spacing on the opposite side and isn't the standard move to gain the needed separation in this scenario. Making a short approach would reduce distance and defeat the spacing goal.

6. Local Control must ensure that the runway is free of all known vehicles, equipment, and personnel before a ___.

A. Landing

B. Takeoff

C. Touch-and-go

D. Go-around

The safety check here is about preparing for departures. Local Control must ensure the runway is free of all known vehicles, equipment, and personnel before a takeoff because the takeoff roll happens at high speed and any obstruction on the runway could lead to a collision during acceleration and liftoff. Clearing the runway prevents runway incursions and protects the aircraft as it speeds up and climbs away. While the runway also needs to be clear for landing and for maneuvers like touch-and-go or go-around, the scenario described focuses on the departure phase, so ensuring a clear runway before a takeoff is the appropriate requirement.

SAMPLE

7. Who must assure emergency vehicles has radio capability on Ground Control frequency or are escorted to/from accident scene?

A. ATC Supervisor

B. Emergency Services

C. Airport Management

D. Fire Chief

The event hinges on who has the responsibility for coordinating access to the airfield and ensuring proper radio communications for emergency responders. On the ground, Ground Control handles taxiing and movement area operations, so any emergency vehicles that need to operate on that frequency must be equipped to communicate with Ground Control, or be escorted by an approved authority when access is granted. Airport Management (airport operations) is the part of the organization that sets and enforces the procedures for airfield access, communication interoperability, and coordination with air traffic control during incidents. They ensure that emergency vehicles either have radio capability on the Ground Control frequency or are escorted in and out of the accident scene to maintain safety and orderly movement on the movement area. This role centralizes the operational policies and liaison with ATC needed during emergencies. The other roles—ATC supervisors, emergency services, and the fire chief—play crucial hands-on roles in the incident, but the policy and provisioning for radio capability and escorted access on the airfield fall under airport management's responsibilities.

8. Which action is an example of a spacing technique commonly used on final?

A. have an aircraft make a left/right three-sixty

B. have an aircraft hold altitude and wait

C. have an aircraft descend and maintain speed

D. have an aircraft extend upwind

Spacing on final is achieved by turning around the final approach course in a 360-degree maneuver to create distance between aircraft without losing the intended approach path. Doing a one-full-turn circuit lets a following aircraft gain time and space as the lead continues toward the runway, while you re-intercept the final approach with a safe gap. This technique is favored because it preserves the stability of the approach and avoids abrupt changes in altitude or speed. Holding altitude and waiting isn't specifically a spacing maneuver on final and can disrupt the approach flow. Descending and maintaining speed can alter your approach profile and may reduce or unpredictably change spacing. Extending upwind is a pattern maneuver used earlier in the workup and is not a standard spacing technique on final.

9. Which command yields a flight plan readout for N23317?

A. FP N23317

B. FR N23317

C. SR N23317 AAC AACT

D. RS N23317

The command that yields the flight plan readout is the one that uses the readout request syntax: FR N23317. In this system, FR is the action that retrieves or displays the current flight plan for the specified aircraft, here identified as N23317. That makes it the direct way to view the flight plan. The other commands do not specifically request a readout of the existing flight plan. FP N23317 would typically be used to file or prepare a flight plan rather than display the current one, SR N23317 AAC AACT adds extra route detail or waypoints and targets a different function, and RS N23317 corresponds to another operation entirely.

SAMPLE

10. At a tower that is not combined with a radar approach control, the Certified Tower Radar Display may be used for ____

A. advising weather

B. recording communications

C. transmitting IFR clearances

D. providing suggested headings to VFR aircraft

The key idea is that a Certified Tower Radar Display in a tower that isn't paired with radar approach control is used to help manage VFR traffic by providing the controller with a visual picture of nearby aircraft and offering suggested headings to pilots to avoid conflicts and keep traffic flowing smoothly. It supports traffic sequencing and separation for VFR aircraft around the airport. It isn't a tool for weather advisories, it isn't a recorder for communications, and it isn't the means by which IFR clearances are transmitted. Those functions come from other systems and procedures outside this display.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://initialtowercab.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE