INSTRUMENT REFRESHER COURSE (IRC) PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://instrumentrefresher.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. If an Initial Approach Fix (IAF) is displayed by name only on an IAP, what should a pilot do?

A. Refer to sectional charts only

B. Look for additional procedures in the pilot's handbook

C. Check enroute and terminal charts for information

D. Contact ATC for clarification

2. What responsibility do pilots have when operating in VMC?

A. Reliance on Air Traffic Control for separation

B. Ability to see and avoid other traffic, terrain, and obstacles

C. Only comply with IFR restrictions

D. Rely solely on instruments for navigation

3. Which instruments are classified as performance instruments?

A. Instruments that allow for adjustments to flight controls

B. Instruments that measure environmental factors

C. Instruments that indicate the results of pilot control input

D. Instruments used for navigational purposes

4. What is the importance of reporting simulated flameout procedures?

A. To maintain communication with ground crew

B. To enhance practice of emergency readiness

C. To comply with safety regulations

D. To alert others of a potential fire hazard

5. If a TACAN fails during radar vectors to an ILS, what must pilots do according to standard procedures?

A. Continue the approach without changes

B. Request a TACAN backup from ATC

C. Obtain alternate missed approach instructions

D. Switch to VFR conditions immediately

SAMPLE

6. What is the consequence of initiating a descent too rapidly during an instrument approach?

A. Risk of losing altitude awareness

B. Potential insufficient obstacle clearance

C. An increase in fuel consumption

D. Increased time to destination

7. What capability must primary flight instrumentation provide?

A. Alternate modes of operation

B. Indications of fuel levels

C. Immediately discernible attitude recognition capability

D. Emergency signals for distress

8. What must an aircraft have in terms of usable fuel before takeoff?

A. Enough to reach the alternate airport without reserves

B. A specified minimum for overnight flight

C. Enough fuel to complete the flight to the final landing plus reserves

D. No specific fuel requirement

9. The point where a normal descent from MDA to the runway may begin is known as?

A. Missed Approach Point

B. Decision Height

C. Visual Descent Point

D. Glideslope Intercept

10. If you have approval to change altitude from FL 250 to FL 310, how should you report?

A. Report "Climbing to FL 310"

B. Report "Leaving FL 250 for FL 310"

C. Report "Transitioning to FL 310"

D. Report "Currently at FL 250"

SAMPLE

Answers

SAMPLE

1. C
2. B
3. C
4. B
5. C
6. B
7. C
8. C
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. If an Initial Approach Fix (IAF) is displayed by name only on an IAP, what should a pilot do?

A. Refer to sectional charts only

B. Look for additional procedures in the pilot's handbook

C. Check enroute and terminal charts for information

D. Contact ATC for clarification

When an Initial Approach Fix (IAF) is displayed by name only on an Instrument Approach Procedure (IAP), it indicates that there might be specific information related to that IAF that is essential for safely executing the approach. Checking enroute and terminal charts for information is the appropriate action because these sources may provide additional details about the fix, such as waypoint coordinates, altitude restrictions, and any associated procedures. Enroute charts can also help pilots identify navigation facilities and landmarks that may assist in situational awareness as they make their approach. Terminal charts can provide key information relevant to arrival routes, airspace structures, and any necessary approach procedures that are not explicitly defined on the IAP itself. This action ensures that pilots have a comprehensive understanding of the approach and surrounding airspace, thereby improving safety and precision during their operation.

2. What responsibility do pilots have when operating in VMC?

A. Reliance on Air Traffic Control for separation

B. Ability to see and avoid other traffic, terrain, and obstacles

C. Only comply with IFR restrictions

D. Rely solely on instruments for navigation

Pilots operating in Visual Meteorological Conditions (VMC) have the primary responsibility for their situational awareness and maintaining separation from other aircraft, terrain, and obstacles. This involves visual flight rules, where pilots are expected to use their ability to see the surrounding environment to avoid collisions and navigate safely. In VMC, pilots should maintain a clear visual reference to the ground and remain aware of their surroundings, allowing for proactive reactions to potential hazards. This fundamental aspect of pilot responsibility is crucial because it emphasizes the role of the pilot in actively monitoring and responding to their environment rather than relying solely on instruments or air traffic control. While IFR (Instrument Flight Rules) restrictions are important in controlled airspace, VMC allows pilots to operate visually, and solely relying on instruments does not align with the responsibilities in these conditions.

3. Which instruments are classified as performance instruments?

A. Instruments that allow for adjustments to flight controls

B. Instruments that measure environmental factors

C. Instruments that indicate the results of pilot control input

D. Instruments used for navigational purposes

Performance instruments are specifically designed to provide real-time feedback about how the aircraft responds to pilot inputs. These instruments indicate the results of maneuvers performed by the pilot, reflecting changes in the aircraft's performance and behavior, such as altitude, airspeed, and rate of climb or descent. They are crucial for assessing and managing the aircraft's performance characteristics during flight. By focusing on the results of pilot control input, performance instruments play a vital role in flight safety and efficiency. Understanding the feedback from these instruments allows pilots to make informed decisions during various phases of flight.

SAMPLE

4. What is the importance of reporting simulated flameout procedures?

A. To maintain communication with ground crew

B. To enhance practice of emergency readiness

C. To comply with safety regulations

D. To alert others of a potential fire hazard

The importance of reporting simulated flameout procedures primarily lies in enhancing the practice of emergency readiness. When pilots and crews engage in these simulated situations, they effectively prepare for the possibility of real-life emergencies. This training helps to ensure that all personnel involved are familiar with how to react appropriately in the event of an actual flameout. Through these simulations, crews can practice their responses, improve their decision-making skills under pressure, and refine their coordination with one another. This preparedness is crucial for maintaining safety during flight operations, as it allows teams to respond swiftly and effectively if an actual flameout were to occur. Such readiness not only instills confidence in the crew's abilities but also enhances the overall safety culture within the aviation environment.

5. If a TACAN fails during radar vectors to an ILS, what must pilots do according to standard procedures?

A. Continue the approach without changes

B. Request a TACAN backup from ATC

C. Obtain alternate missed approach instructions

D. Switch to VFR conditions immediately

When a TACAN (Tactical Air Navigation) system fails during radar vectors to an Instrument Landing System (ILS), standard procedures require pilots to obtain alternate missed approach instructions. This is because TACAN provides critical navigational information that pilots rely on for continued safe flight and approach execution. If this system fails, it can compromise the pilot's ability to accurately navigate, especially during the crucial phases of descent and approach. Obtaining alternate missed approach instructions ensures that pilots have a clear understanding of what to do if they cannot land as planned due to the loss of TACAN information. It allows them to safely execute the missed approach procedure based on the latest, most relevant guidance from air traffic control (ATC), ensuring safety and compliance with standard operating protocols. While other options might suggest continuing the approach or assuming conditions will allow visual flight rules (VFR), those may not adhere to the safety regulations and standard operating procedures that prioritize structured responses to navigational system failures.

SAMPLE

6. What is the consequence of initiating a descent too rapidly during an instrument approach?

A. Risk of losing altitude awareness

B. Potential insufficient obstacle clearance

C. An increase in fuel consumption

D. Increased time to destination

Initiating a descent too rapidly during an instrument approach can lead to potential insufficient obstacle clearance. During an approach, pilots are required to maintain awareness of terrain and obstacles in order to ensure safety. A rapid descent can reduce the time available to assess altitude in relation to the ground, which may lead to a situation where the aircraft descends below the minimum safe altitude for the current flight phase. This is critical as pilots must be able to clear all obstacles in the area, particularly in environments where terrain or man-made structures pose risks. Maintaining a controlled and gradual descent allows pilots to effectively monitor their altitude and make any necessary corrections, ensuring compliance with approach procedures and maintaining safety margins. It is also essential for addressing any unexpected circumstances or changes in the approach path without compromising safety.

7. What capability must primary flight instrumentation provide?

A. Alternate modes of operation

B. Indications of fuel levels

C. Immediately discernible attitude recognition capability

D. Emergency signals for distress

Primary flight instrumentation is essential for providing pilots with the necessary information to operate the aircraft safely and effectively. One of the most critical capabilities of primary flight instruments is to offer immediately discernible attitude recognition. This refers to the ability of the pilot to easily and quickly determine the aircraft's orientation relative to the Earth's horizon, which includes understanding whether the plane is climbing, descending, or maintaining level flight. The attitude indicator is a key instrument in this regard. It displays the aircraft's pitch and roll, fundamentally crucial for maintaining control, especially under conditions of low visibility or during unusual maneuvers. Accurate attitude information helps pilots make prompt decisions to ensure the safety of the flight. In contrast, while alternate modes of operation, indications of fuel levels, and emergency signals are all important aspects of broader aircraft operations and safety, they do not serve the same critical role in facilitating immediate situational awareness about the aircraft's attitude. Consequently, the primary flight instruments must prioritize providing clear and swift recognition of attitude to support effective decision-making in flight.

SAMPLE

8. What must an aircraft have in terms of usable fuel before takeoff?

A. Enough to reach the alternate airport without reserves

B. A specified minimum for overnight flight

C. Enough fuel to complete the flight to the final landing plus reserves

D. No specific fuel requirement

The requirement for an aircraft to have enough usable fuel before takeoff is that it must be capable of completing the flight to the final landing point while also maintaining an adequate reserve. This is crucial for ensuring the safety of the flight, as it accounts for variations in weather, potential diversions, and any unforeseen circumstances that may arise during flight. The policy is generally in place to ensure that pilots are not only prepared for their intended destination but also have enough fuel to safely manage a potential go-around or to reach an alternative airport if needed. Meeting this fuel requirement safeguards against situations where running low on fuel could lead to critical emergencies, making it essential for all flights to adhere to the principle of having sufficient fuel reserves in addition to what is needed for the planned journey. The minimum fuel requirements are typically defined by aviation regulations and standards.

9. The point where a normal descent from MDA to the runway may begin is known as?

A. Missed Approach Point

B. Decision Height

C. Visual Descent Point

D. Glideslope Intercept

The point where a normal descent from Minimum Descent Altitude (MDA) to the runway typically begins is identified as the Visual Descent Point (VDP). This point is determined based on a visual approach and provides a visual reference as the pilot descends from the MDA in a controlled manner towards landing. The VDP is designed to ensure that the aircraft can descend to the runway while still being at a safe altitude, allowing the pilots to maintain a clear view of the runway environment. Establishing the Visual Descent Point helps pilots determine if they have adequate visual cues to continue for a landing. If the VDP is reached and the pilot has not established visual references to continue the approach safely, they should execute a missed approach. In contrast, the other terms refer to different aspects of approach or landing procedures. The Missed Approach Point is where a pilot must decide to continue the approach or execute a missed approach if the required visual references are not established. Decision Height is a specific altitude in an instrument approach at which a decision must be made to either continue the landing or go around. Glideslope Intercept refers to the point where the aircraft intercepts the electronic guidance provided by the instrument landing system (ILS), which assists pilots in

SAMPLE

10. If you have approval to change altitude from FL 250 to FL 310, how should you report?

A. Report "Climbing to FL 310"

B. Report "Leaving FL 250 for FL 310"

C. Report "Transitioning to FL 310"

D. Report "Currently at FL 250"

When reporting a change in altitude for an aircraft, it is essential to communicate clearly and accurately to air traffic control. The correct phrasing, such as "Leaving FL 250 for FL 310," provides specific information about both your current altitude and your intended altitude. This helps ATC understand your altitude status and intentions, which is critical for maintaining safe separation between aircraft in busy airspace. The phrase "Leaving FL 250" indicates that you are at the current altitude and are in the process of moving to a higher flight level. Additionally, including "for FL 310" informs ATC of your target altitude, ensuring they have full situational awareness of your flight profile. This level of detail is necessary for proper tracking and coordination. Other options, such as simply stating "Climbing to FL 310" or "Transitioning to FL 310", do not convey your current altitude, potentially leading to misunderstandings about your position in the climb. Stating "Currently at FL 250" lacks the important element of your intended movement to the new altitude, which is critical for ATC operations. Thus, the selected phrasing ensures clarity and compliance with standard reporting protocols in aviation communication.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://instrumentrefresher.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE