# INTERNACHI ROOFING PRACTICE EXAM (SAMPLE)

## STUDY GUIDE



## SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

**VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE**

https://internachiroofing.examzify.com

**Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.**

**ALL RIGHTS RESERVED.**

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

# Table of Contents


Copyright ..... 1

Table of Contents ..... 2

Introduction ..... 3

How to Use This Guide ..... 4

Questions ..... 5

Answers ..... 8

Explanations ..... 10

Next Steps ..... 15


SAMPLE

# Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

# How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

### 1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

### 2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

### 3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

### 4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

### 5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

### 6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

# Questions

SAMPLE

**1. What can ridge flashings on asphalt shingle roofs be made from?**

A. High-grade shingles
B. Standard 3 tap shingles
C. Thin metal sheets
D. Custom shingles

**2. Which materials are commonly used for siding?**

A. Wood and vinyl
B. Fiberglass and concrete
C. Metals like steel, aluminum, and copper
D. Plastic and straw

**3. What can happen if sheathing is fitted too closely together?**

A. It enhances structural integrity
B. It can lead to moisture damage
C. It prevents air circulation
D. It reduces weight on the roof

**4. Why is a steel roof considered a bad match with an aluminum vent?**

A. Physical weight difference
B. Appearance issues
C. Galvanic reaction
D. Cost differences

**5. What is a common ridge issue associated with older homes?**

A. Gable end
B. Saddle/Swayback
C. Flat roof
D. Hipped roof

**6. Where is the drip edge fitted between?**

A. The roof covering and the insulation
B. The roof decking and the underlayment
C. The roof decking and the roof covering
D. The fascia and the soffit

SAMPLE

**7. What defines open valleys in roofing?**

A. Roof plane materials that overlap completely

B. Flashings that are readily visible

C. Roof plane coverings that do not overlap each other across the valley center

D. Shingles that are interwoven across the valley

**8. A "step" in the ridge may indicate what?**

A. Improper ventilation

B. Structural problems

C. Roof misalignment

D. Weather damage

**9. The layers that make up a built-up roof are called what?**

A. Sheets

B. Layers

C. Plys

D. Levels

**10. What should be included in a flashing system to ensure effective water diversion?**

A. Only base flashings

B. A combination of various flashings

C. Just counter flashings

D. Single-step flashings

SAMPLE

# Answers

SAMPLE

1. B
2. C
3. B
4. C
5. B
6. C
7. C
8. B
9. C
10. B

SAMPLE

# Explanations

SAMPLE

## 1. What can ridge flashings on asphalt shingle roofs be made from?

A. High-grade shingles

B. Standard 3 tap shingles

C. Thin metal sheets

D. Custom shingles

*Ridge flashings on asphalt shingle roofs can effectively be made from standard 3 tap shingles because these shingles are designed to match the roofing material used on the rest of the roof, ensuring a cohesive and aesthetically pleasing appearance. The 3-tap design allows for overlapping, which helps with water shedding and provides a seamless look at the ridge line of the roof. Using standard 3 tap shingles for ridge flashing is practical as they are readily available and cost-effective, making them a common choice among roofing professionals. Additionally, they integrate well with the overall roofing system and maintain the functionality of the roof by providing adequate protection against water infiltration at the ridges. Other materials like high-grade shingles, thin metal sheets, or custom shingles can be used in certain applications, but they may not provide the same compatibility and seamless integration as standard 3 tap shingles, which are the most commonly used for this purpose.*

## 2. Which materials are commonly used for siding?

A. Wood and vinyl

B. Fiberglass and concrete

C. Metals like steel, aluminum, and copper

D. Plastic and straw

*The option that includes metals such as steel, aluminum, and copper is commonly used for siding due to their durability, low maintenance requirements, and aesthetic appeal. Metal siding is resistant to rot, insect damage, and fire, making it an excellent choice for both residential and commercial buildings. Steel is often used because of its strength and versatility, while aluminum offers a lightweight and rust-resistant option. Copper, although more expensive, is admired for its unique aging characteristics and distinctive appearance. While wood and vinyl are traditional siding materials that offer certain advantages, they do not encompass the full range of materials available. Fiberglass and concrete, while durable in some applications, are not typically used as siding materials in the same way that metals are. Plastic and straw might seem unusual as well, as they are not standard choices for modern siding options due to their lack of durability compared to metal. Thus, the inclusion of metals like steel, aluminum, and copper highlights their significance and common use in contemporary siding solutions.*

SAMPLE

## 3. What can happen if sheathing is fitted too closely together?

A. It enhances structural integrity

B. It can lead to moisture damage

C. It prevents air circulation

D. It reduces weight on the roof

*When sheathing is fitted too closely together, it can lead to moisture damage. This occurs because wood sheathing, typically made from materials like plywood or OSB (oriented strand board), needs a certain amount of space for expansion and contraction due to changes in temperature and humidity. If the sheathing is installed too tightly, it may not have the room to expand, leading to buckling or warping over time. This can create gaps where moisture can penetrate, which can result in rot, mold, and other forms of structural damage. Proper spacing allows for movement and helps maintain the integrity of the sheathing, safeguarding against moisture-related issues in the building envelope. The other choices do not accurately reflect the consequences of tightly fitted sheathing. Enhanced structural integrity is not a result of close fitting; in fact, it can compromise the roof's overall stability. Similarly, air circulation cannot be effectively prevented solely by sheathing fit, as other factors in the roofing system influence airflow. Lastly, the weight on the roof from sheathing does not correlate with the fitting of the panels; sheathing primarily contributes to the structural support and its weight is constant regardless of how tightly the pieces are joined together.*

## 4. Why is a steel roof considered a bad match with an aluminum vent?

A. Physical weight difference

B. Appearance issues

C. Galvanic reaction

D. Cost differences

*A steel roof is considered a bad match with an aluminum vent primarily due to the potential for a galvanic reaction. When two different metals, such as steel and aluminum, are in direct contact in the presence of moisture, there is a risk of galvanic corrosion. This occurs because the more noble metal (in this case, aluminum) can corrode more quickly when in contact with a less noble metal (like steel). Over time, this reaction can compromise the integrity of the materials, leading to deterioration and potential leaks or failures in the roofing system. Understanding the principles of galvanic corrosion is essential for roofing professionals, as it highlights the importance of compatible materials to ensure durability and longevity of roofing installations. This knowledge directly impacts material selection during the design and repair phases of roofing systems.*

## 5. What is a common ridge issue associated with older homes?

A. Gable end

B. Saddle/Swayback

C. Flat roof

D. Hipped roof

*The common ridge issue associated with older homes is often referred to as the saddle/swayback problem. This occurs when the ridge of the roof takes on a bow shape, either ascending or descending in the center when looking from the ends. This issue can arise due to the aging of the framing materials, deterioration of structural integrity, or improper installation during the original construction. As roofs age, the materials used may settle or shift, leading to this characteristic sagging or bending at the peak. This can result in an uneven distribution of weight and water accumulation, potentially leading to leaks or further structural issues. Identifying and addressing a saddle/swayback condition is crucial for maintaining the integrity of the roof and the home overall, making it a vital aspect of roof inspection and maintenance for older structures.*

SAMPLE

## 6. Where is the drip edge fitted between?

A. The roof covering and the insulation

B. The roof decking and the underlayment

C. The roof decking and the roof covering

D. The fascia and the soffit

*The drip edge is a crucial component in roofing systems, specifically designed to direct water away from the fascia and into the gutters, preventing water damage and promoting proper drainage. It is fitted along the edges of the roof. In the context of its positioning, the drip edge is installed between the roof decking and the roof covering. The roof decking provides a solid base for the roofing materials, while the roof covering (such as shingles, tiles, or metal) serves as the primary barrier against weather elements. By placing the drip edge in this location, it effectively allows water that runs down the roof to flow over the edge of the decking and into the gutter system, bypassing the vulnerable areas of the underlying roofing structure. This placement is essential for maintaining the structural integrity of the roofing system and ensuring longevity, as it minimizes the potential for water infiltration that can lead to issues such as rot or mold. It also plays a role in enhancing the overall aesthetic of the roof by providing a neat and finished edge.*

## 7. What defines open valleys in roofing?

A. Roof plane materials that overlap completely

B. Flashings that are readily visible

C. Roof plane coverings that do not overlap each other across the valley center

D. Shingles that are interwoven across the valley

*Open valleys in roofing are characterized by roof plane coverings that do not overlap each other across the valley center. This means that instead of utilizing a method where roofing materials are layered over one another, the open valley approach allows for a clear, visible channel where the valley's flashing and structural materials can be seen. This style not only serves an aesthetic purpose but also enhances drainage, as water flows directly into the valley without interruption from overlapping materials. The absence of overlapping materials also helps prevent water from being trapped, thereby reducing the potential for leaks and other water-related issues. In contrast, other methods such as interwoven shingles or complete overlaps can lead to potential obstructions in water flow and may not be as effective at managing runoff. The visibility of flashings is more about the installation technique rather than the definition of an open valley itself.*

## 8. A "step" in the ridge may indicate what?

A. Improper ventilation

B. Structural problems

C. Roof misalignment

D. Weather damage

*A "step" in the ridge of a roof typically indicates structural problems. This phenomenon can occur when there is settlement or shifting in the building's structure, which may affect the roof's alignment and integrity. It may also suggest issues such as an inadequate design of the framing or support system that can lead to uneven load distribution, causing the ridge to sag or misalign. In many cases, a step in the ridge could point to underlying problems that may require further investigation, such as compromised structural members or improperly installed framing components. It is crucial for a roof inspector to assess this sign carefully, as it can provide insight into the overall health and longevity of the roofing system and indicate the need for potential repairs or reinforcement to prevent further damage.*

SAMPLE

## 9. The layers that make up a built-up roof are called what?

A. Sheets

B. Layers

C. Plys

D. Levels

*The layers that make up a built-up roof are referred to as "plys." In roofing terminology, "ply" denotes a single layer within a multi-layer system, particularly relevant for built-up roofs (BURs), which consist of multiple layers of bitumen and reinforcing fabrics. Each ply is crucial for providing the roof with additional strength, durability, and waterproofing properties. These layers work together to create a robust and weather-resistant roofing system. Understanding the term "ply" is essential for roof installation and maintenance professionals, as it directly relates to the construction and performance characteristics of built-up roofs. This knowledge helps ensure proper application techniques and effective repairs, which are vital for extending the lifespan of the roofing system.*

## 10. What should be included in a flashing system to ensure effective water diversion?

A. Only base flashings

B. A combination of various flashings

C. Just counter flashings

D. Single-step flashings

*An effective flashing system is critical for ensuring proper water diversion on a roofing structure. A combination of various flashings is essential because different areas of a roof may require different types of flashing to effectively manage and redirect water. For instance, base flashings are used where roofing meets vertical surfaces, while counter flashings are utilized to protect the joints between the roof and these vertical surfaces. Additionally, step flashings are often necessary at the juncture between the roof and the wall or in valleys where water is more likely to accumulate. By employing a variety of flashing types, the system can address the specific needs of various sections of the roof, thereby enhancing its overall waterproofing effectiveness. The necessity for this combination arises because relying solely on one type of flashing, such as just base or just counter flashings, does not provide comprehensive protection against water infiltration, which can lead to leaks and water damage. Each type of flashing serves a distinct purpose, ensuring that every potential entry point for water is adequately protected.*

SAMPLE

# Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://internachiroofing.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE