INTERNATIONAL BACCALAUREATE (IB) MATHEMATICS PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://ibmaths.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which statement correctly relates conditional probability and independence?

A. If A and B are independent, then P(A | B) = P(A)

B. If A and B are dependent, then P(A | B) = 0

C. P(A | B) is always greater than P(A)

D. Independence means P(A B) is always zero

2. What does extrapolated data refer to?

A. Data projected from the original data set

B. Data collected from a controlled experiment

C. Data inferred from outside the original data set

D. Data representing a sample of a larger population

3. Which symbol is used to represent the complement of a set?

A.

B.

C. '

D.

4. What are complementary events?

A. Events that always happen simultaneously

B. The outcome of one event happening and that outcome not happening

C. Events that are dependent on one another

D. Events with equal probability

5. How is a monotonic relationship defined in the context of Spearman's rank correlation coefficient?

A. Only strictly increasing or decreasing

B. Constant across all data points

C. Having equal intervals

D. Fluctuating values with no trend

SAMPLE

6. What does standard deviation measure?

A. The total number of data points

B. The average distance of data points from the median

C. The average distance away from the mean

D. The highest value in a data set

7. What does the formula P(A B) = 0 indicate?

A. Events A and B are independent

B. Events A and B are never supposed to happen

C. Events A and B are mutually exclusive

D. Events A and B always happen together

8. What does the complement symbol (A') signify in set theory?

A. All elements in set A

B. The elements not in set A

C. The intersection of set A with the universal set

D. The union of set A with the universal set

9. What is the probability P(A B) when A and B are mutually exclusive?

A. 1

B. 0

C. 0.5

D. Depends on the events

10. How does symmetry about the line y=x affect the classification of a function?

A. It defines it as an exponential function

B. It denotes that it is many to one

C. It confirms that it is one to one

D. It has no effect on classification

SAMPLE

Answers

SAMPLE

1. A
2. C
3. C
4. B
5. A
6. C
7. C
8. B
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. Which statement correctly relates conditional probability and independence?

A. If A and B are independent, then P(A | B) = P(A)

B. If A and B are dependent, then P(A | B) = 0

C. P(A | B) is always greater than P(A)

D. Independence means P(A B) is always zero

*The correct statement is that if events A and B are independent, then the conditional probability of A given B, denoted as P(A | B), is equal to the probability of A, or P(A). This scenario reflects the nature of independence in probability theory, which states that the occurrence of one event does not affect the occurrence of the other. Mathematically, this relationship can be expressed as: \[P(A | B) = \frac{P(A \cap B)}{P(B)} \] Since the events are independent, the joint probability P(A B) can be expressed as the product of their individual probabilities, P(A) * P(B). This implies that: \[P(A | B) = \frac{P(A) \cdot P(B)}{P(B)} = P(A) \] This reinforces the concept that the knowledge of event B occurring does not change the probability of event A occurring, confirming that their relationship is independent. Other statements don't accurately describe the relationship between conditional probability and independence. For example, saying that if A and B are dependent then P(A | B) = 0 would only be true in a very specific case where knowing B guarantees that A cannot happen, which is*

2. What does extrapolated data refer to?

A. Data projected from the original data set

B. Data collected from a controlled experiment

C. Data inferred from outside the original data set

D. Data representing a sample of a larger population

Extrapolated data refers to information that is inferred or estimated beyond the range of the original data set. This involves taking the observed patterns or trends within a data set and extending them to predict values outside the known data points. For example, if you have a series of measurements taken over time and you want to estimate values at future time points, you would extrapolate from the existing data to make predictions. In this context, extrapolation goes beyond the original range of data, relying on the assumption that the identified trends will continue. This makes option C the appropriate choice, as it highlights the relationship between extrapolation and the original data set, distinguishing this concept from other methods of data analysis, such as sampling or controlled experimentation.

3. Which symbol is used to represent the complement of a set?

A.

B.

C. '

D.

The complement of a set is represented by the symbol that is commonly used as a prime notation, denoted as an apostrophe ('). This symbol indicates all the elements not in the specified set, relative to a universal set in which the sets are defined. For example, if you have a set A, then the complement of set A, written as A', includes all elements in the universal set that are not in A. Understanding the concept of a complement is critical in set theory, as it allows for the identification of outside elements in relation to defined sets. The other symbols represent different set operations: intersection ( ) shows elements common to both sets, union ( ) combines elements from both sets, and the empty set ( ) indicates a set with no elements. These operations differ fundamentally from the concept of a complement, highlighting why the prime notation is the correct choice for representing the complement of a set.

EXAMPLE

4. What are complementary events?

A. Events that always happen simultaneously

B. The outcome of one event happening and that outcome not happening

C. Events that are dependent on one another

D. Events with equal probability

Complementary events are defined as two outcomes that together encompass all possible outcomes for a given scenario. This means that if one event occurs, the other cannot occur, thereby highlighting the relationship between them. For instance, in the context of flipping a coin, the two complementary events are "getting heads" and "not getting heads," which is equivalent to "getting tails." Identifying these events is crucial in probability as they help in calculating the likelihood of an event occurring by understanding that the sum of the probabilities of complementary events is equal to 1. Thus, if you know the probability of one event, you can easily determine its complement. The other choices misunderstand this concept. Events that happen simultaneously do not describe complementary events, as complementary events cannot occur at the same time. Dependent events are those that affect each other's outcomes, which is not the case for complementary events. Lastly, having equal probability applies to certain scenarios but isn't a defining feature of complementary events in general.

5. How is a monotonic relationship defined in the context of Spearman's rank correlation coefficient?

A. Only strictly increasing or decreasing

B. Constant across all data points

C. Having equal intervals

D. Fluctuating values with no trend

A monotonic relationship in the context of Spearman's rank correlation coefficient is defined as a relationship where, as one variable increases, the other variable either consistently increases or consistently decreases. This means that the relationship does not have to be linear but must maintain a single direction—either upward or downward—throughout the range of data. This characteristic distinguishes monotonic relationships from linear ones, as they can include curves as long as they do not reverse direction. In the case of a strictly increasing or strictly decreasing relationship, the values either always rise or always fall as you move along the dataset, showcasing that one variable is consistently associated with another in an ordered manner. The other options do not accurately capture the essence of a monotonic relationship. For example, being constant across all data points would mean there is no variability or relationship at all. Having equal intervals refers to a scale of measurement rather than a type of relationship. Fluctuating values indicate a lack of consistent direction, which does not align with the definition of monotonicity. Hence, the correct characterization of a monotonic relationship aligns with the notion of it being strictly increasing or decreasing.

SAMPLE

6. What does standard deviation measure?

A. The total number of data points

B. The average distance of data points from the median

C. The average distance away from the mean

D. The highest value in a data set

Standard deviation measures the average distance of each data point from the mean of the data set. It quantifies how spread out the data points are in relation to the mean, highlighting the degree of variability or dispersion within the data. A low standard deviation indicates that the data points tend to be close to the mean, while a high standard deviation signifies that there is a wide range of values. In calculating standard deviation, each data point's deviation from the mean is squared to remove any negative signs, and these values are then averaged (in a specific manner depending on whether it's population or sample standard deviation), followed by taking the square root to bring it back to the original units of measurement. This process ultimately results in a value that provides insight into the distribution of the data relative to the average. The other options do not accurately describe what standard deviation measures. Counting data points or identifying the highest value provides no information about variability or dispersion, and measuring distance from the median is not relevant in the context of standard deviation, which specifically relates to the mean.

7. What does the formula P(A B) = 0 indicate?

A. Events A and B are independent

B. Events A and B are never supposed to happen

C. Events A and B are mutually exclusive

D. Events A and B always happen together

The formula P(A B) = 0 signifies that the probability of both events A and B occurring simultaneously is zero. This indicates that if one event occurs, the other cannot happen at the same time. This situation is characteristic of mutually exclusive events. When events are mutually exclusive, the occurrence of one event excludes the possibility of the other event occurring, leading to a probability of intersection that equals zero. In contrast, if events were independent, it would be possible for both A and B to happen, and the intersection would not be zero. Therefore, the manifestation of an intersection probability of zero confirms that events A and B are mutually exclusive.

8. What does the complement symbol (A') signify in set theory?

A. All elements in set A

B. The elements not in set A

C. The intersection of set A with the universal set

D. The union of set A with the universal set

The complement symbol (A') in set theory denotes the set of all elements that are not in set A, meaning it represents everything in the universal set that does not belong to set A. This concept is fundamental in understanding how sets interact and can be visualized within the context of a universal set, which contains all possible elements under consideration. When we refer to the complement, it allows us to make distinctions between what is included in a specific set versus what lies outside of it, thereby providing a way to explore various relationships between sets. For example, if the universal set includes all integers and set A includes only even integers, the complement A' would include all odd integers, effectively showing the "opposite" of set A within the universal context. Understanding this idea is crucial in set theory as it lays the foundation for operations such as unions, intersections, and further analysis of set relationships.

SAMPLE

9. What is the probability P(A B) when A and B are mutually exclusive?

A. 1

B. 0

C. 0.5

D. Depends on the events

In probability theory, when two events are described as mutually exclusive, it means that they cannot happen at the same time. If event A occurs, event B cannot occur, and vice versa. Therefore, the intersection of these two events, denoted as P(A B), represents the probability that both events occur simultaneously. Since A and B cannot happen at the same time, the probability of both events occurring together is zero. Thus, P(A B) equals 0. This concept is fundamental in probability, highlighting the relationship between complementary events where the occurrence of one excludes the possibility of the other. Given that P(A B) is the case of mutually exclusive events, the only logical conclusion is that the probability is indeed 0. This fits perfectly with the definition of mutually exclusive events, solidifying the understanding of how probabilities work in this context.

10. How does symmetry about the line y=x affect the classification of a function?

A. It defines it as an exponential function

B. It denotes that it is many to one

C. It confirms that it is one to one

D. It has no effect on classification

When a function exhibits symmetry about the line \(y = x\), this indicates that the function is indeed one-to-one. A one-to-one function is defined such that each value in the range corresponds to exactly one value in the domain. In more technical terms, if a function \(f\) has a unique inverse \(f^{-1}\), it can be reflected in the line \(y = x\) such that if \(f(a) = b\), then \(f^{-1}(b) = a\). This reflection implies that for every output value, there is only one corresponding input value, which is the hallmark of a one-to-one function. The property that defines a one-to-one function is that it passes the horizontal line test—no horizontal line can intersect the graph of the function more than once. When a function is symmetric about the line \(y = x\), this property is guaranteed, confirming the function's one-to-one nature. Thus, functions that are symmetric about this line are indeed one-to-one, verifying the correctness of the chosen option.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://ibmaths.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE