INTRODUCTION TO MOBILE CRANES PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://introtomobilecranes.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. How are crane brakes tested during operation, and what are warning signs of brake failure?

A. Brakes are tested via controlled slowdown and hold checks; warnings include spongy or unresponsive pedals, continued creep when brakes are applied, unusual noise, or overheating

B. Brakes are tested by gradually increasing engine RPM while the brake is fully applied

C. Brakes are not tested during operation unless there's a fault

D. Brake tests are optional and can be skipped

2. Which safety feature protects workers from rotating gears or chains on a crane?

A. Guards

B. Shields

C. Barriers

D. Covers

3. What must the ground conditions be for the load rating to apply?

A. Level and firm enough to keep the load level when the load is lifted throughout the entire lift

B. Soft and uneven ground

C. Wet ground

D. Sloped ground

4. In terms of stability, which configuration yields a greater margin of safety for a wheeled truck crane?

A. On tires

B. On outriggers

C. In transit

D. With a suspended load

5. As offset angle increases, capacity and strength of the jib:

A. Increase; Decreases

B. Decrease; Increases

C. Increase; Increase

D. Decrease; Decrease

SAMPLE

6. What is the function of the crane trolley on a mobile crane?

A. It rotates the crane base

B. The trolley moves the hook along the boom for lateral positioning; enables precise load placement but requires careful control to avoid collisions and overloading

C. It raises the boom

D. It powers the crane's stabilizers

7. The slab weighed 3,200 lbs according to the source; which statement reflects that?

A. The slab weighs 3,200 lbs

B. The slab weighs 2,000 lbs

C. The slab weighs 6,400 lbs

D. The slab weighs 4,000 lbs

8. The operator's version of the communication device must be hands free.

A. True

B. False

C. Optional

D. Not required

9. Blocking can be placed under outrigger beam.

A. True

B. False

C. Only under supervision

D. Only in dry conditions

10. Which scenario indicates the use of a signal person?

A. When you can see the load clearly

B. When you can't see the load

C. During routine checks

D. Only at night

SAMPLE

Answers

SAMPLE

1. A
2. A
3. A
4. B
5. A
6. B
7. A
8. A
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. How are crane brakes tested during operation, and what are warning signs of brake failure?

A. Brakes are tested via controlled slowdown and hold checks; warnings include spongy or unresponsive pedals, continued creep when brakes are applied, unusual noise, or overheating

B. Brakes are tested by gradually increasing engine RPM while the brake is fully applied

C. Brakes are not tested during operation unless there's a fault

D. Brake tests are optional and can be skipped

Brakes on a mobile crane must be checked while the crane is in operation so you know they will perform under real loads and conditions. A practical approach is to slow down in a controlled way and then apply the brakes to see if the crane can be held at a stop without creeping. This confirms the braking force is adequate, the system responds promptly, and the control is reliable when you need to stop or hold a position. Notice warning signs that brake performance may be failing: a pedal that feels spongy or unresponsive, meaning hydraulic or mechanical components aren't transferring force properly; the crane continues to creep or move slowly even when you're applying the brakes; unusual noises like grinding, squealing, or binding, which can indicate worn parts or misalignment; and overheating, which shows the brakes are dragging or are overworked and could fail soon. If you observe any of these signs, stop and have maintenance inspect and service the braking system before continuing. These checks are essential because braking performance directly affects control of the load and overall safety during operation.

2. Which safety feature protects workers from rotating gears or chains on a crane?

A. Guards

B. Shields

C. Barriers

D. Covers

Guards provide the protective barrier around moving parts to prevent access to rotating gears and chains. By enclosing the dangerous area, they stop hands, clothing, or tools from reaching into the gears while the crane is operating, which directly reduces the risk of entanglement, pinch points, and crush injuries. Shields are typically just plates to deflect objects, barriers are about keeping people out of a zone, and covers may hide the parts or be removable; none of these consistently prevent access in the same way guards do.

3. What must the ground conditions be for the load rating to apply?

A. Level and firm enough to keep the load level when the load is lifted throughout the entire lift

B. Soft and uneven ground

C. Wet ground

D. Sloped ground

Level and firm ground is required for the load rating to apply because crane capacities are calculated assuming a stable, even base. When the base is level and solid, the outriggers contact the ground evenly and the crane stays upright, keeping the load level throughout the lift. If the ground is soft, uneven, wet, or sloped, outriggers can sink, the crane can tilt, and the load may shift or become unlevel. That stability change means the published load rating no longer applies, so you'd need to improve the footing (mats or cribbing), reduce the load, or choose a different setup to stay within safe limits.

SAMPLE

4. In terms of stability, which configuration yields a greater margin of safety for a wheeled truck crane?

A. On tires

B. On outriggers

C. In transit

D. With a suspended load

Deploying outriggers provides the greatest margin of safety because they widen the crane's base and transfer the lifting forces to the ground through sturdy pads, creating a much larger resisting moment against tipping. When the crane is on its tires or in transit, the footprint is narrow and stability is limited, making lifting riskier. A suspended load adds dynamic forces and lever arm effects that further reduce stability. With outriggers fully deployed on solid, level ground, the lifting setup becomes significantly more stable and safer.

5. As offset angle increases, capacity and strength of the jib:

A. Increase; Decreases

B. Decrease; Increases

C. Increase; Increase

D. Decrease; Decrease

Increasing the offset angle changes how the load path sits relative to the jib, creating a trade-off in the crane's behavior. As you offset more, the geometry can allow a larger load to be carried at the lifting point in that configuration, so the apparent capacity goes up. At the same time, the same offset tends to put more bending stress into the jib structure itself, reducing the strength margin of the jib because it has to resist greater moments and bending with that offset. In short, a larger offset can raise the usable capacity in that setup while simultaneously weakening the jib's structural strength, so always refer to the crane's load chart for the exact numbers in a given configuration.

6. What is the function of the crane trolley on a mobile crane?

A. It rotates the crane base

B. The trolley moves the hook along the boom for lateral positioning; enables precise load placement but requires careful control to avoid collisions and overloading

C. It raises the boom

D. It powers the crane's stabilizers

The main idea is how the hoist gets positioned along the boom to place the load precisely. The crane trolley is the carriage that travels along the length of the boom and carries the hoist and hook. By moving on the boom, it provides horizontal or lateral positioning of the load, so you can set the load down exactly where it's needed without moving the entire crane or rotating the base. This precise placement is why the trolley is essential. It must be operated smoothly and within the crane's rated capacity at the chosen boom position to avoid overloading or striking nearby objects. The trolley's job is not to rotate the crane base (that is done by slewing), not to raise the boom, and not to power the stabilizers.

SAMPLE

7. The slab weighed 3,200 lbs according to the source; which statement reflects that?

A. The slab weighs 3,200 lbs

B. The slab weighs 2,000 lbs

C. The slab weighs 6,400 lbs

D. The slab weighs 4,000 lbs

The main idea is to reproduce the exact data given by the source. Since the source states the slab weighs 3,200 pounds, the statement that says the slab weighs 3,200 pounds directly reflects that information. That precise value is what the source reports, so it's the correct choice. The other options assign different weights (2,000; 6,400; 4,000 pounds), which do not match the source and thus aren't correct representations of the provided data. If you come across similar questions, always mirror the exact figure and units as stated.

8. The operator's version of the communication device must be hands free.

A. True

B. False

C. Optional

D. Not required

In crane operation, staying fully in control of the machinery is essential for safety. The operator needs to communicate without breaking grip on the crane controls, so the device used must be hands free. This setup allows the operator to hear and convey instructions while keeping both hands on levers or controls, enabling immediate response to signals and changing load conditions. A hands-free system reduces the chance of losing control or making an unintended movement due to fumbling with a handheld radio or similar device. Therefore, the statement is true: the operator's communication device must be hands free. A non-hands-free option would introduce distraction and delay, which is not acceptable in lifting operations.

9. Blocking can be placed under outrigger beam.

A. True

B. False

C. Only under supervision

D. Only in dry conditions

Outriggers are meant to transfer the lift load through their pads to a solid ground surface. The outrigger beam is a structural part of the crane, and blocking under that beam changes how the load is transmitted and can create instability, binding, or tipping as the system is loaded or moved. If the ground under an outrigger is soft or uneven, the correct approach is to place rated cribbing or mats under the outrigger pads themselves to create a stable, level bearing, not under the outrigger beam. Always ensure outriggers rest on solid, level ground and are cribbed according to manufacturer guidelines.

SAMPLE

10. Which scenario indicates the use of a signal person?

A. When you can see the load clearly

B. When you can't see the load

C. During routine checks

D. Only at night

The key idea is that a signal person is needed whenever the operator cannot clearly see the load or the load's path. When you can't see the load, a trained signal person provides the necessary guidance so the operator knows exactly how to move, swing, and lift the load, and can stop immediately if anything hazards appears. This person relays signals in a standardized way (hand signals or radios) and helps keep people and obstacles out of the load's path, ensuring coordinated, safe movements. If the load is visible to the operator, direct communication is usually sufficient and a signal person isn't required. Scenarios like routine checks or signals being needed only at night aren't the defining rule; the fundamental requirement is the operator's lack of visibility of the load.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://introtomobilecranes.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE