INTRODUCTION TO PHYSICAL AGENTS FOR PHYSICAL THERAPIST ASSISTANT (PTA) PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://introtophysicalagentsforpta.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Laser therapy is typically used to treat which musculoskeletal conditions?

A. Tendinopathies, Ligamentous or Muscular Strains, Osteoarthritis, and Wound Healing

B. Fractures

C. Acute Infections

D. Hypertensive Disorders

2. Healing of ligaments is similar to healing of which tissue?

A. Cartilage

B. Nerves

C. Tendons

D. Bone

3. Which are common contraindications to diathermy?

A. Allergic reactions to latex

B. Implanted metal or electronic devices, pregnancy, fever, open wounds, and metal implants near the treatment area

C. Recent sleep deprivation

D. Dehydration

4. C fiber mediated pain is commonly associated with which autonomic signs?

A. Sweating, nausea, and vital changes.

B. Rapid, localized pain.

C. Immediate motor withdrawal.

D. Non-nociceptive input.

5. What drives wound contraction during the proliferation phase?

A. Myofibroblasts attach to wound margins

B. Keratinocyte migration

C. Collagen cross-linking

D. Increased inflammation

SAMPLE

6. Which safety checks should be performed prior to applying any modality?

A. Obtain consent and verify patient education.

B. Inspect the room temperature and lighting.

C. Only verify patient education.

D. Review contraindications, obtain consent, inspect equipment and skin, verify patient education, and ensure proper settings.

7. Which of the following are the three types of physical agent modalities?

A. Thermal, Electromagnetic, Acoustic

B. Thermal, Mechanical, Electromagnetic

C. Mechanical, Electromagnetic, Acoustic

D. Thermal, Mechanical, Acoustic

8. Which scenario would best indicate using cervical traction?

A. Acute cervical fracture

B. Open wound on the neck

C. Cervical radiculopathy with no contraindications

D. Pregnancy

9. Which of the following is a contraindication to therapeutic ultrasound?

A. Recent vaccination

B. Pregnancy

C. Regular exercise

D. Hypotension

10. Elastin presence in scar tissue is described as which of the following?

A. Elastin is present in scar tissue

B. Elastin is not present in scar tissue

C. Elastin increases scar tissue elasticity

D. Elastin is degraded during remodeling

SAMPLE

Answers

SAMPLE

1. A
2. C
3. B
4. A
5. A
6. D
7. B
8. C
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. Laser therapy is typically used to treat which musculoskeletal conditions?

A. Tendinopathies, Ligamentous or Muscular Strains, Osteoarthritis, and Wound Healing

B. Fractures

C. Acute Infections

D. Hypertensive Disorders

Low-level laser therapy works by delivering light energy to tissues to boost cellular energy, modulate inflammation, and promote tissue repair. In musculoskeletal care, this translates to reduced pain, less swelling, and faster healing of soft tissues. Tendinopathies and muscle or ligament strains involve soft tissue injury with inflammation, so laser therapy helps manage pain and supports recovery. It also benefits osteoarthritis by lowering pain and improving function, and it aids wound healing through enhanced collagen synthesis and tissue repair. Fractures center on bone healing, which is not the typical primary target of laser therapy in standard physical therapy practice. Acute infections require antimicrobial approaches rather than localized biostimulation, and hypertensive disorders affect systemic physiology rather than a local musculoskeletal treatment. So the described uses align with how laser therapy is commonly employed to support soft tissue healing, pain relief, and wound repair in musculoskeletal care.

2. Healing of ligaments is similar to healing of which tissue?

A. Cartilage

B. Nerves

C. Tendons

D. Bone

Ligaments and tendons heal through very similar processes because they are both dense regular connective tissues rich in type I collagen produced by fibroblasts. When injured, they pass through the same sequence of healing: an inflammatory phase, a repair phase where collagen is laid down, and a remodeling phase where the fibers reorient along the direction of the tensile load. Their limited blood supply slows healing, so the repair tissue is initially weaker and tends to form a scar that gradually becomes more organized with proper loading. This combination of tissue type, slow but ongoing remodeling, and scar formation is why ligament healing is essentially like tendon healing. Cartilage, by contrast, is largely avascular and relies on diffusion for nutrients, so its healing is much more limited. Nerves heal by axonal regrowth and neurotrophic support, a process different from connective tissue repair. Bone heals via fracture callus formation and mineralized remodeling, following its own distinct pathway.

3. Which are common contraindications to diathermy?

A. Allergic reactions to latex

B. Implanted metal or electronic devices, pregnancy, fever, open wounds, and metal implants near the treatment area

C. Recent sleep deprivation

D. Dehydration

Diathermy uses electromagnetic energy to raise tissue temperature, so safety hinges on avoiding conditions that could overheat tissues or disrupt nearby devices. The main contraindications are when metal or electronic implants are present in or near the treatment area, because the energy can cause local heating, burns, or interfere with implanted devices. Pregnancy is avoided to protect fetal tissues from heating effects. Fever signals infection and heightened tissue sensitivity, making additional heating potentially harmful. Open wounds are unsuitable for heating since heat can worsen tissue damage and delay healing. Metal implants near the treatment area also pose a risk of focused heating and burns. Other factors like latex allergy, sleep deprivation, or dehydration aren't standard contraindications for diathermy in typical practice.

SAMPLE

4. C fiber mediated pain is commonly associated with which autonomic signs?

A. Sweating, nausea, and vital changes.

B. Rapid, localized pain.

C. Immediate motor withdrawal.

D. Non-nociceptive input.

C fiber–mediated pain is the slow, dull, burning type of nociception that tends to be diffuse and long-lasting. Because these unmyelinated fibers conduct signals slowly and engage broader autonomic pathways, the experience is often accompanied by autonomic arousal—things like sweating, nausea, and changes in vital signs (heart rate, blood pressure, etc.). This contrasts with fast, sharp pain produced by A-delta fibers, which is usually well localized and doesn't typically come with strong autonomic symptoms. Immediate motor withdrawal is a rapid reflex mediated by spinal circuits and quick motor pathways, not a hallmark of C fiber–driven pain. Non-nociceptive input refers to signals from mechanoreceptors or other modalities that aren't pain pathways, so they don't describe the autonomic changes tied to C fibers.

5. What drives wound contraction during the proliferation phase?

A. Myofibroblasts attach to wound margins

B. Keratinocyte migration

C. Collagen cross-linking

D. Increased inflammation

Wound contraction in the proliferation phase is driven by myofibroblasts. These specialized fibroblasts differentiate during this stage and attach to the wound margins, forming a contractile apparatus that pulls the edges toward the center of the wound. This mechanical pulling shortens the wound gap and is the primary process reducing wound size during proliferation. Keratinocyte migration is mainly about re-epithelialization—covering the wound surface with new epithelial cells—rather than pulling the wound edges together. Collagen cross-linking happens later, during the remodeling phase, to increase tensile strength of the scar rather than drive contraction. Inflammation is part of the early phases to clear debris and signal healing but does not drive the contractile step that shrinks the wound.

6. Which safety checks should be performed prior to applying any modality?

A. Obtain consent and verify patient education.

B. Inspect the room temperature and lighting.

C. Only verify patient education.

D. Review contraindications, obtain consent, inspect equipment and skin, verify patient education, and ensure proper settings.

Before applying any modality, safety relies on a thorough pre-treatment check. The best approach includes reviewing contraindications, obtaining informed consent, inspecting the equipment and the skin area to be treated, verifying that the patient understands what to expect and how to respond to any adverse sensations, and ensuring the device settings are appropriate for the plan. Each part matters: contraindications help avoid risks tied to the patient's condition; consent and education support patient autonomy and safety; equipment and skin checks prevent device malfunctions and skin injury while confirming the treatment area is suitable; and proper settings ensure the modality delivers the intended therapeutic dose without causing harm. Skipping any of these steps can lead to harm or ineffective therapy—for example, not checking contraindications, or failing to confirm settings, or neglecting patient understanding—so a comprehensive safety check is essential.

SAMPLE

7. Which of the following are the three types of physical agent modalities?

A. Thermal, Electromagnetic, Acoustic

B. Thermal, Mechanical, Electromagnetic

C. Mechanical, Electromagnetic, Acoustic

D. Thermal, Mechanical, Acoustic

Physical agent modalities are organized by energy type. The three main categories used in most PTA contexts are thermal, mechanical, and electromagnetic. This is why the best answer combines those three. Thermal modalities change tissue temperature to influence pain, circulation, and tissue extensibility—think cold for reducing swelling and hot procedures for relaxing muscles and increasing ROM. Mechanical modalities involve applying physical forces or movement to tissues, such as traction to separate joint surfaces or compression to manage edema and assist circulation, with hydrotherapy also applying pressure and buoyancy effects. Electromagnetic modalities deliver energy in electrical or electromagnetic forms to affect nerves, muscles, or healing processes, including electrical stimulation (like TENS or NMES) and diathermy, as well as other electromagnetic interventions. Ultrasound is an acoustic modality and is typically considered part of the mechanical/acoustic domain rather than a separate main category, which is why a choice listing acoustic as a third category wouldn't align with this standard classification.

8. Which scenario would best indicate using cervical traction?

A. Acute cervical fracture

B. Open wound on the neck

C. Cervical radiculopathy with no contraindications

D. Pregnancy

Cervical traction is used to relieve nerve-root compression when cervical radiculopathy is present and no contraindications exist. The idea is to apply a gentle longitudinal pull to increase the space available for the exiting nerve roots, which can reduce pressure on the nerve and alleviate symptoms such as radiating pain, numbness, or weakness. In this scenario, symptoms point to nerve-root irritation from the cervical spine without contraindications, making traction a reasonable modality. Traction would be inappropriate in the case of an acute cervical fracture because pulling on an unstable spine could worsen injury or cause spinal cord damage. An open wound on the neck poses infection risk and tissue disruption, making traction unsafe. Pregnancy is a precautionary concern, as traction can be uncomfortable and is generally avoided unless clearly indicated and supervised. So, the radiculopathy scenario aligns with the therapeutic goal of traction and safe practice when there are no contraindications.

9. Which of the following is a contraindication to therapeutic ultrasound?

A. Recent vaccination

B. Pregnancy

C. Regular exercise

D. Hypotension

Therapeutic ultrasound delivers energy to tissues to promote healing by heating tissue and producing mechanical effects. Because of this energy, there are safety limits on where it can be used. Pregnancy is a contraindication because heating tissues in the abdomen or pelvic area could affect fetal development. For that reason, ultrasound is avoided in pregnant patients, especially over the uterus. The other options don't represent standard contraindications. A recent vaccination isn't a reason to withhold ultrasound, and being physically active isn't a barrier to treatment. Hypotension isn't listed as a general contraindication to ultrasound; the clinician would monitor and adjust treatment as needed if a patient's blood pressure is a concern.

SAMPLE

10. Elastin presence in scar tissue is described as which of the following?

A. Elastin is present in scar tissue

B. Elastin is not present in scar tissue

C. Elastin increases scar tissue elasticity

D. Elastin is degraded during remodeling

Elastin provides elasticity and recoil in normal tissue, but during scar formation the repair process lays down a dense collagen matrix and little to no elastin is reconstituted. This means scar tissue has minimal elastin content, contributing to its reduced elasticity compared with normal tissue. While remodeling involves matrix turnover, elastin fibers are not significantly regenerated, so describing elastin as present or as increasing elasticity doesn't fit scar tissue.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://introtophysicalagentsforpta.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE