
JBL AIRWAY PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://jblairway.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Why is it necessary to continuously reassess the airway?

A. To determine the patient's recovery

B. To maintain a record of vital signs

C. To respond to changes in airway patency or distress

D. To monitor medication effects

2. In what way can positioning aid in airway clearance?

A. Positioning has no impact on airway clearance

B. Proper positioning can help gravity assist in the removal of secretions

C. Positioning is only necessary during suctioning

D. Patients should always be upright to maintain airway clearance

3. For a patient with an oxygen saturation of 84%, what is the most appropriate treatment?

A. Supplemental oxygen with a nonrebreathing mask

B. A nasopharyngeal airway and assisted ventilations

C. A nasopharyngeal airway and supplemental oxygen

D. A nasal cannula with the flowmeter set at 4 to 6 L/min

4. What is one purpose of using a checklist during airway management?

A. To provide entertainment during procedures

B. To ensure necessary equipment is prepared

C. To speed up the procedure unnecessarily

D. To allow a single person to manage all equipment

5. What can cause an inaccurate pulse oximetry reading?

A. Severe peripheral vasoconstriction

B. Excessive red blood cell production

C. Heat illnesses, such as heatstroke

D. A heart rate greater than 100 beats/min

SAMPLE

6. If resistance is met when ventilating an unresponsive apneic patient, what should you do?

A. Begin CPR immediately

B. Reposition the airway and reattempt to ventilate

C. Suction the oropharynx

D. Assume that a foreign body is blocking the airway

7. Why is it important to use the correct size airway devices for pediatric patients?

A. It ensures the procedure is quicker

B. It minimizes the risk of trauma and improves efficacy

C. It allows for a one-size-fits-all approach

D. It reduces the amount of equipment needed

8. Which intervention should be avoided in a patient with an intact gag reflex?

A. Inserting a nasopharyngeal airway

B. Performing suctioning if needed

C. Performing a head tilt-chin lift

D. Inserting an oropharyngeal airway

9. What could most likely cause a reduction in tidal volume?

A. Flaring of the nostrils.

B. Accessory muscle use.

C. Unequal chest expansion.

D. Increased minute volume.

10. What is an alternative airway management device commonly used in emergencies?

A. Endotracheal tube

B. Bag-valve mask

C. Laryngeal Mask Airway (LMA)

D. Tracheostomy tube

SAMPLE

Answers

SAMPLE

1. C
2. B
3. A
4. B
5. A
6. B
7. B
8. D
9. C
10. C

SAMPLE

Explanations

SAMPLE

1. Why is it necessary to continuously reassess the airway?

A. To determine the patient's recovery

B. To maintain a record of vital signs

C. To respond to changes in airway patency or distress

D. To monitor medication effects

Continuously reassessing the airway is crucial for responding to changes in airway patency or distress. The airway can be dynamic, with factors such as swelling, trauma, secretions, and the patient's level of consciousness affecting its status over time. Regular reassessment allows a practitioner to identify any potential obstructions or deterioration in the airway, enabling prompt intervention. Ensuring that the airway remains clear is essential for adequate ventilation and oxygenation, making it a top priority in patient care, especially in emergency situations. This ongoing evaluation helps prevent complications that could arise from airway irregularities, ensuring that appropriate measures can be taken swiftly to secure the airway if issues are detected.

2. In what way can positioning aid in airway clearance?

A. Positioning has no impact on airway clearance

B. Proper positioning can help gravity assist in the removal of secretions

C. Positioning is only necessary during suctioning

D. Patients should always be upright to maintain airway clearance

Proper positioning plays a crucial role in airway clearance by facilitating the natural movement of secretions. When a patient is positioned appropriately, gravity can assist in draining mucus from the lungs or airways, making it easier to expel. For instance, positioning the patient in a way that allows secretions to flow down towards the larger airways can enhance the effectiveness of coughing or suctioning techniques used to clear these secretions. This principle underlies the mechanics of postural drainage, where specific positions are used to target different lung segments, optimizing the effects of gravity and encouraging the movement of mucus towards the trachea, from where it can be coughed out or suctioned. The proper utilization of gravity in this manner can significantly improve the patient's ability to clear secretions, thereby supporting better respiratory function. In contrast, the other options do not accurately reflect the importance of positioning in airway clearance. While positioning might not be necessary during every procedure, such as suctioning, it is beneficial overall in respiratory therapy. Also, stating that patients should always be upright overlooks the fact that various positions may be more effective for different anatomical areas of the lungs depending on the individual's specific condition.

SAMPLE

3. For a patient with an oxygen saturation of 84%, what is the most appropriate treatment?

A. Supplemental oxygen with a nonrebreathing mask

B. A nasopharyngeal airway and assisted ventilations

C. A nasopharyngeal airway and supplemental oxygen

D. A nasal cannula with the flowmeter set at 4 to 6 L/min

When a patient presents with an oxygen saturation of 84%, this indicates a significant level of hypoxemia, which requires immediate and effective intervention to increase the oxygen levels in the blood. The most appropriate treatment in this scenario is the use of supplemental oxygen delivered through a nonrebreathing mask. A nonrebreathing mask is designed to deliver a high concentration of oxygen (up to 90% or more), which is crucial in cases of severe hypoxemia. It has one-way valves that prevent exhaled air from re-entering the mask, ensuring that the patient receives primarily oxygen-enriched air. This approach is particularly effective in emergency situations where rapid improvement in oxygen saturation is necessary. In contrast, other options, while they may be beneficial in different circumstances, do not provide the same level of immediate oxygenation. For example, using a nasopharyngeal airway with assisted ventilations or supplemental oxygen may help in certain cases, but the focus should first be on addressing the low oxygen saturation directly. Likewise, nasal cannulas, while useful for delivering oxygen, typically do not provide sufficient oxygen concentration for patients with such low saturation levels. Therefore, the nonrebreathing mask stands out as the best choice for this critically low

4. What is one purpose of using a checklist during airway management?

A. To provide entertainment during procedures

B. To ensure necessary equipment is prepared

C. To speed up the procedure unnecessarily

D. To allow a single person to manage all equipment

Using a checklist during airway management serves a critical function, particularly in ensuring that all necessary equipment is prepared before the procedure begins. In high-stakes environments, such as those involving airway management, effective preparation is essential to reduce the risk of complications and enhance patient safety. A well-structured checklist helps healthcare providers confirm that all required tools, such as intubation devices, suction equipment, and emergency medications, are readily available and functioning. This not only streamlines the process but also helps to instill confidence in the team, knowing that they have covered all necessary steps. In contrast, other options do not align with the primary objective of using a checklist. Being involved in entertainment during procedures does not serve any clinical purpose, speeding up the procedure could lead to done work being rushed and potentially harmful, and allowing one person to manage all equipment may lead to oversights and is contrary to the collaboration that's critical in airway management. Therefore, the use of checklists emphasizes thorough preparation, which is vital in any medical setting, especially when dealing with airway management challenges.

SAMPLE

5. What can cause an inaccurate pulse oximetry reading?

A. Severe peripheral vasoconstriction

B. Excessive red blood cell production

C. Heat illnesses, such as heatstroke

D. A heart rate greater than 100 beats/min

An inaccurate pulse oximetry reading can be significantly influenced by severe peripheral vasoconstriction. This condition refers to the narrowing of blood vessels, which can occur due to factors such as cold exposure or certain medical conditions. When peripheral vasoconstriction occurs, it reduces blood flow to the extremities, where pulse oximeters typically measure oxygen saturation. This diminished blood flow can lead to inadequate readings because the sensor may not detect enough pulsatile blood flow, resulting in erroneously low or inaccurate oxygen saturation levels. In contrast, while excessive red blood cell production could theoretically impact oxygen transport, it does not directly interfere with the measurement of oxygen saturation by a pulse oximeter. Heat illnesses may lead to changes in vascular function but do not inherently cause inaccuracies in pulse oximetry readings. A heart rate above 100 beats per minute may suggest increased cardiac activity, but pulse oximeters are capable of functioning in patients with elevated heart rates, making this less relevant to inaccurate readings. Thus, the influence of severe peripheral vasoconstriction on blood flow makes it the prominent factor leading to inaccurate pulse oximetry readings.

6. If resistance is met when ventilating an unresponsive apneic patient, what should you do?

A. Begin CPR immediately

B. Reposition the airway and reattempt to ventilate

C. Suction the oropharynx

D. Assume that a foreign body is blocking the airway

Repositioning the airway and reattempting to ventilate is often the most effective first step when resistance is encountered during ventilation of an unresponsive apneic patient. In many cases, proper positioning can alleviate airway obstructions caused by the tongue or an improper head position. By adjusting the head, for instance, you may be able to create a clearer passage for air, allowing for successful ventilation without the need for more invasive measures. It's essential to recognize that resistance can occasionally indicate an issue with the airway's patency, and re-evaluating the position can often resolve the problem without further complications. If the airway remains obstructed after repositioning, other interventions may be necessary, but assessing and correcting the initial positioning should always be prioritized.

SAMPLE

7. Why is it important to use the correct size airway devices for pediatric patients?

A. It ensures the procedure is quicker

B. It minimizes the risk of trauma and improves efficacy

C. It allows for a one-size-fits-all approach

D. It reduces the amount of equipment needed

Using the correct size airway devices for pediatric patients is crucial because it minimizes the risk of trauma and improves efficacy. Pediatric airways are anatomically different from adult airways; they are smaller, softer, and more prone to injury. If an improper size is used, it can lead to complications such as airway obstruction, trauma to the delicate structures of the airway, and ineffective ventilation. A properly sized device ensures that the airway is maintained with minimal risk of injury, facilitating effective breathing and reducing the likelihood of additional medical issues. In pediatric care, the anatomical differences necessitate individualized approaches rather than a one-size-fits-all strategy. Correct sizing is not just about convenience; it's about safety and success in providing care to vulnerable young patients, who may have significantly different physiological responses compared to adults.

8. Which intervention should be avoided in a patient with an intact gag reflex?

A. Inserting a nasopharyngeal airway

B. Performing suctioning if needed

C. Performing a head tilt-chin lift

D. Inserting an oropharyngeal airway

Inserting an oropharyngeal airway is the correct intervention to avoid in a patient with an intact gag reflex because this type of airway can stimulate the gag reflex. The oropharyngeal airway is designed to keep the airway open by preventing the tongue from occluding it, but if the patient has an intact gag reflex, inserting this device can trigger coughing or gagging, potentially leading to airway compromise or aspiration. In contrast, interventions like inserting a nasopharyngeal airway or performing suctioning can be appropriate even in patients with an intact gag reflex, as they do not typically stimulate the gag reflex. Additionally, a head tilt-chin lift is a maneuver used to maintain airway patency that does not involve inserting an airway device and is safe for patients regardless of their gag reflex status. Therefore, avoiding the oropharyngeal airway in such cases is critical to ensure patient safety and maintain a clear airway.

SAMPLE

9. What could most likely cause a reduction in tidal volume?

A. Flaring of the nostrils.

B. Accessory muscle use.

C. Unequal chest expansion.

D. Increased minute volume.

A reduction in tidal volume, which is the amount of air inhaled or exhaled during a normal breath, can be caused by several factors related to lung mechanics and respiratory function. Unequal chest expansion directly relates to the inability of one or both lungs to fully inflate. This can happen due to conditions like atelectasis, pleural effusion, or significant muscle weakness, all of which can prevent the lungs from expanding properly and thus result in a lower tidal volume. When one side of the chest does not move as well as the other, it effectively limits the amount of air that can enter the lungs on that side, leading to an overall decrease in tidal volume. This issue can also cause compensatory mechanisms in the body to kick in, but the fundamental problem is the mechanical restriction leading to reduced air movement during inhalation. The other choices relate more to the body's response to respiratory demands or conditions that may not directly reduce tidal volume. For example, flaring of the nostrils typically indicates increased airflow demand rather than reduced tidal volume. Accessory muscle use signifies the body is trying to increase ventilation in response to a need, rather than indicating less air is being taken in. Increased minute volume suggests that the total volume of air exchanged in

10. What is an alternative airway management device commonly used in emergencies?

A. Endotracheal tube

B. Bag-valve mask

C. Laryngeal Mask Airway (LMA)

D. Tracheostomy tube

The Laryngeal Mask Airway (LMA) is an alternative airway management device frequently employed in emergency situations due to its unique design and effectiveness in various circumstances. It is specifically created to fit snugly over the laryngeal opening, which allows for the maintenance of an open airway without the need for intubation. One of the primary advantages of the LMA is its ease of placement, requiring minimal training and practice compared to more complex methods like endotracheal intubation. This makes it particularly valuable in emergency settings where time is critical and other airway management options may not be feasible. Moreover, the LMA can provide ventilation and oxygenation in patients who may not be able to maintain their airway independently, yet do not require a tracheostomy or full intubation. Its use helps facilitate positive pressure ventilation, which is essential in various medical emergencies where respiratory failure or obstruction is present. Considering the context of emergencies, the choice of the LMA highlights its efficacy and practicality, making it a preferred option in many critical care situations.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://jblairway.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE