

JONES & BARTLETT LEARNING (JBL) MODULE 6 PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR
THE FULL VERSION STUDY GUIDE

<https://jblmodule6.examzify.com>



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. Which pair of structures are folds of tissue that surround the urethral and vaginal openings?**
 - A. Labia majora; Labia minora
 - B. Perineum; Anus
 - C. Vagina; Cervix
 - D. Fallopian tubes; Uterus

- 2. Which structure serves as the passage through which menstrual blood exits the uterus?**
 - A. Vagina
 - B. Oviduct
 - C. Cervix
 - D. Uterus

- 3. Which symptom is typical of cholinergic overstimulation seen in organophosphate exposure?**
 - A. Mydriasis
 - B. Urinary retention
 - C. Excessive salivation
 - D. Tremors only

- 4. During care for a 46-year-old male with chest pain, after an ALS unit arrives and you start an IV, what should you do?**
 - A. Clear space and, if necessary, explain the procedure to the patient.
 - B. Move out of the ALS provider's way and clear the scene.
 - C. Ensure that enough assessments have been done to justify the decision.
 - D. Acknowledge that it is no longer your patient and stand back, allowing the ALS provider to work.

- 5. Which of the following activities is typically coordinated by the medical branch within the Incident Command System?**
 - A. Extrication
 - B. Dispatching units
 - C. Securing the perimeter
 - D. Treatment

- 6. Which statement best describes the cushion of safety in ambulance operations?**
- A. It applies only on highways.
 - B. It is achieved by driving at high speed to reach patients quickly.
 - C. It includes maintaining a safe distance and awareness of blind spots.
 - D. It requires staying in the rightmost lane at all times.
- 7. For every emergency request, which piece of information is NOT routinely gathered?**
- A. Location of the patient(s).
 - B. Nature of the call.
 - C. Caller's phone number.
 - D. Patient's medical history.
- 8. Returning the emergency unit to service is part of which phase?**
- A. Support phase
 - B. Transfer phase
 - C. Termination phase
 - D. Hazard-control phase
- 9. A pregnant trauma patient may lose a significant amount of blood before showing signs of shock because which is true?**
- A. pregnant patients have an overall increase in blood volume
 - B. pregnancy causes vasodilation and a lower blood pressure
 - C. blood is shunted to the uterus and fetus during major trauma
 - D. pregnant patients can dramatically increase their heart rate.
- 10. The process of preparing an agent for field use, including methods of dissemination and delivery, is called:**
- A. Dissemination.
 - B. Incubation.
 - C. Weaponization.
 - D. Aerosolization.

Answers

SAMPLE

1. D
2. C
3. C
4. A
5. D
6. C
7. D
8. C
9. A
10. C

SAMPLE

Explanations

SAMPLE

1. Which pair of structures are folds of tissue that surround the urethral and vaginal openings?

- A. Labia majora; Labia minora
- B. Perineum; Anus
- C. Vagina; Cervix
- D. Fallopian tubes; Uterus**

The folds surrounding the urethral and vaginal openings are the labia majora and labia minora. These two sets of skin folds form the external lips of the vulva: the labia majora are the outer, thicker, skin-covered lips, and the labia minora are the thinner, inner folds. They frame the vestibule, the space that contains the urethral opening and the vaginal opening, providing protection and tactile sensation. Other choices don't fit because the perineum is a region between the vaginal opening and the anus, not a pair of folds around the openings; and the vagina with the cervix or the Fallopian tubes with the uterus are internal structures that do not enclose the urethral or vaginal openings with folds.

2. Which structure serves as the passage through which menstrual blood exits the uterus?

- A. Vagina
- B. Oviduct
- C. Cervix**
- D. Uterus

The key structure is the cervix, which acts as the gateway between the uterus and the vagina. Menstrual blood comes from the shedding lining inside the uterus and must pass through the uterine cavity into the cervical canal. From there it exits through the external opening of the cervix into the vagina and out of the body. The cervix has an internal opening (to the uterus) and an external opening (to the vagina), making it the direct passage that carries menstrual flow from the uterus. The other structures aren't the passage through which the blood leaves the uterus: the oviducts are for egg transport, and the uterus is the site of shedding, while the vagina is the final channel for external exit.

3. Which symptom is typical of cholinergic overstimulation seen in organophosphate exposure?

- A. Mydriasis
- B. Urinary retention
- C. Excessive salivation**
- D. Tremors only

Organophosphate exposure blocks acetylcholinesterase, so acetylcholine builds up at both muscarinic and nicotinic receptors. The muscarinic effects drive the classic cholinergic overactivation, including increased secretions such as salivation (along with lacrimation, sweating, bronchorrhea, bronchospasm, miosis, and GI/urinary changes). Excessive salivation is the most recognizable sign of this muscarinic overstimulation. Pupil dilation would be unlikely because muscarinic activity causes pupil constriction (miosis). Urinary retention would not be typical of the cholinergic surge, as these effects promote bladder contraction and urination. Tremors can occur from nicotinic receptor stimulation, but they're not as representative of the overall cholinergic overdrive as excessive salivation.

4. During care for a 46-year-old male with chest pain, after an ALS unit arrives and you start an IV, what should you do?

- A. Clear space and, if necessary, explain the procedure to the patient.
- B. Move out of the ALS provider's way and clear the scene.
- C. Ensure that enough assessments have been done to justify the decision.
- D. Acknowledge that it is no longer your patient and stand back, allowing the ALS provider to work.

When a more advanced EMS provider arrives and you've started an IV, the priority is to clear the area so the ALS team can access the patient quickly and safely. Removing clutter and positioning yourself to allow unobstructed assessment and treatment helps the patient receive timely care without delays or interference. Explaining the procedure to the patient, if needed, supports informed consent and helps reduce anxiety during a stressful chest-pain scenario. This shows teamwork in action and keeps the patient informed about what's happening as care transitions to the ALS level. It's not about stepping completely out of the scene or implying you're no longer involved, nor is it about fixing a minimum number of assessments in that moment; the focus is on enabling the ALS providers to work efficiently while maintaining patient comfort and safety.

5. Which of the following activities is typically coordinated by the medical branch within the Incident Command System?

- A. Extrication
- B. Dispatching units
- C. Securing the perimeter
- D. Treatment

In the Incident Command System, the medical branch is responsible for on-scene patient care, including setting up the treatment area, performing triage, providing medical interventions, and coordinating transport to hospitals. Because coordinating treatment directly falls under organizing and delivering medical care to casualties, it's the activity that aligns best with the medical branch's role. Extrication, perimeter security, and unit dispatch are handled by other parts of the ICS structure (operations/rescue for extrication, safety for perimeter, and communications/logistics for dispatch), not the medical branch.

6. Which statement best describes the cushion of safety in ambulance operations?

- A. It applies only on highways.
- B. It is achieved by driving at high speed to reach patients quickly.
- C. It includes maintaining a safe distance and awareness of blind spots.
- D. It requires staying in the rightmost lane at all times.

The cushion of safety in ambulance operations is about keeping a protective buffer around the vehicle so you have time to react to other drivers and road hazards. The best way to build that buffer is to maintain a safe following distance and continuously monitor for blind spots in surrounding traffic. Speed isn't the goal here; maintaining space gives you room to slow or maneuver if the unexpected happens, which is crucial when you're moving quickly but still need to stay in control and avoid crashes. This concept applies on all roads, not just highways, and your lane position should help you keep that space and a clear path, rather than sticking to a rigid rule like always staying in the rightmost lane.

7. For every emergency request, which piece of information is NOT routinely gathered?

- A. Location of the patient(s).
- B. Nature of the call.
- C. Caller's phone number.

D. Patient's medical history.

In emergency response, the first goal is to get fast, actionable information to direct help where it's needed. Dispatchers routinely gather where the patient is located, what happened (the nature of the call), and a way to contact or verify details via the caller's phone number. These pieces are essential for rapid response and safety. The patient's medical history, however, is not routinely collected during every emergency request. It may not be available at the moment, isn't immediately necessary to start life-saving actions, and asking for it can delay the urgent steps. Medical history becomes more relevant later, when on-scene assessment or medical records are accessed, but it isn't a standard parameter in the initial dispatch data. So the information not routinely gathered is the patient's medical history.

8. Returning the emergency unit to service is part of which phase?

- A. Support phase
- B. Transfer phase
- C. Termination phase**
- D. Hazard-control phase

Winding things down and restoring readiness happens in the termination phase. After the incident is under control and active operations are finishing, units are demobilized: personnel are released from that assignment, equipment is inspected and restocked, and gear is returned to service. This phase closes the active response and gets resources back to a ready state for future calls, with any necessary post-incident checks and documentation. Hazard-control happens during the active response to reduce risks; transfer involves handing control or resources to another unit or agency; support covers ongoing logistical and medical support during the response.

9. A pregnant trauma patient may lose a significant amount of blood before showing signs of shock because which is true?

- A. pregnant patients have an overall increase in blood volume**
- B. pregnancy causes vasodilation and a lower blood pressure
- C. blood is shunted to the uterus and fetus during major trauma
- D. pregnant patients can dramatically increase their heart rate.

The key idea is that pregnancy increases the circulating blood volume. In pregnancy, plasma volume expands substantially—roughly along the order of 40–50%—while red blood cell mass rises too, though not as quickly. This expanded volume provides a reserve that allows the body to absorb a larger amount of blood loss before perfusion becomes insufficient and shock signs appear. In other words, the maternal circulation starts with more volume to compensate, so significant hemorrhage can occur before hypotension or other shock indicators become obvious. While other factors play a role—pregnancy can lower baseline blood pressure due to vasodilation, and heart rate may rise as a compensatory response—these are not the main reason for the delayed shock signs. The notion of blood being preferentially shunted to the uterus/fetus during trauma isn't the primary mechanism either.

10. The process of preparing an agent for field use, including methods of dissemination and delivery, is called:

- A. Dissemination.
- B. Incubation.
- C. Weaponization.**
- D. Aerosolization.

Weaponization is the process of turning an agent into a form that can be released or delivered in the field. It covers not just having the agent, but shaping and packaging it so it can be effectively deployed—choosing the form, stabilizing it, and integrating it with a delivery or dissemination system. That makes it the best fit for describing preparation for field use, including how it would be disseminated. Dissemination refers to the spread of the agent after release, not how it's prepared for field use. Aerosolization is a specific method of dissemination (turning a substance into airborne particles) and can be part of weaponization, but it's not the overarching process by itself. Incubation is the time between exposure and effect and is unrelated to preparation or delivery.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://jblmodule6.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE