JTED CPR PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://jtedcpr.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Why is complete chest recoil important during high-quality CPR?

A. To allow air to enter the lungs

B. To increase the heart's oxygen supply

C. To enable the heart to adequately refill between compressions

D. To maintain effective blood flow to the brain

2. Define cardiac arrest.

A. Unconsciousness with weak pulse

B. No pulse, not breathing

C. Irregular heartbeat with gasping

D. Difficulty breathing and fainting

3. During two-rescuer CPR, how often should rescuers switch roles?

A. Every minute

B. Every 2 minutes

C. Every 4 minutes

D. When fatigued

4. What is important to remember about AED pad placement for infants?

A. One pad in the front, one on the back

B. Both pads on the front

C. Only one pad is needed

D. Never use pads on infants

5. What is the first action to take after you call 911 when witnessing a sudden collapse?

A. Check for responsiveness

B. Start CPR

C. Look for an AED

D. Move the person to a safe area

6. What special circumstances should a rescuer consider when using an AED?

A. On a wet surface, the rescuer should avoid using it

B. On a hairy chest, shock delivery may fail

C. Only use it on adult victims after 8 years old

D. Only use it if there is a visible injury

SAMPLE

7. Why is it crucial to start chest compressions within 10 seconds of recognizing cardiac arrest?

A. To keep the person company

B. To improve the chances of survival

C. Because it reduces the risk of injury

D. To lessen panic in bystanders

8. What should be done if the person begins to breathe normally during CPR?

A. Immediately stop CPR and leave the person alone

B. Carefully monitor their breathing and position them in the recovery position

C. Continue CPR until emergency services arrive

D. Move the person to a sitting position

9. When performing CPR on an infant, how should you perform chest compressions?

A. Using the heel of one hand

B. With two fingers and compress about 1.5 inches (4 cm) deep

C. With both hands, compressing about 2 inches (5 cm) deep

D. Using the flat of your palm

10. How long should you continue CPR if the person has not shown signs of life?

A. Until you feel tired

B. Continue until emergency services arrive or an AED is available

C. Until a doctor arrives

D. For a minimum of 10 minutes

SAMPLE

Answers

SAMPLE

1. C
2. B
3. B
4. A
5. B
6. B
7. B
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. Why is complete chest recoil important during high-quality CPR?

A. To allow air to enter the lungs

B. To increase the heart's oxygen supply

C. To enable the heart to adequately refill between compressions

D. To maintain effective blood flow to the brain

Complete chest recoil during high-quality CPR is crucial because it allows the heart to adequately refill with blood between compressions. When the chest is compressed during CPR, blood is pushed out of the heart and into the arteries, helping to circulate oxygenated blood to vital organs. However, if there is incomplete recoil, the heart cannot fully expand, which means it doesn't have the capacity to refill effectively with blood. This reduction in filling diminishes the volume of blood that can be pumped out during the next compression, resulting in less effective overall circulation. The heart requires this refilling phase to restore its blood volume before the next compression. This cycle is essential for providing sufficient oxygen to the brain and other organs. Therefore, maximizing chest recoil is a fundamental component of effective CPR that enhances the chances of survival for the victim.

2. Define cardiac arrest.

A. Unconsciousness with weak pulse

B. No pulse, not breathing

C. Irregular heartbeat with gasping

D. Difficulty breathing and fainting

Cardiac arrest specifically refers to a condition in which the heart has stopped beating effectively, resulting in the absence of a pulse and the cessation of breathing. This critical situation is characterized by the failure of the heart to pump blood, which can lead to death if not treated promptly. When a person is in cardiac arrest, they will not exhibit signs of circulation, meaning there will be no pulse detectable at major arteries. Additionally, without effective heart function, oxygenated blood is not delivered to the brain and other vital organs, leading to loss of consciousness and respiratory failure. The urgency of recognizing cardiac arrest lies in the necessity of immediate intervention, such as CPR and defibrillation, to restore normal heart function and increase the chances of survival. The other options describe different medical conditions or symptoms but do not accurately define cardiac arrest. For instance, unconsciousness with a weak pulse or irregular heartbeat indicates other cardiac issues, while difficulty breathing and fainting can result from various causes not limited to cardiac arrest.

3. During two-rescuer CPR, how often should rescuers switch roles?

A. Every minute

B. Every 2 minutes

C. Every 4 minutes

D. When fatigued

In two-rescuer CPR, it is recommended to switch roles approximately every 2 minutes. This practice helps maintain high-quality compressions. Over time, fatigue can set in for the rescuer performing chest compressions, potentially leading to decreased effectiveness in their technique. By rotating every 2 minutes, both rescuers can maintain optimal performance, ensuring consistent and effective compressions. Switching roles is essential because high-quality chest compressions involve proper technique, depth, and rate. If one rescuer becomes fatigued, their ability to deliver effective compressions may diminish, which can negatively impact the victim's chances of survival. Therefore, the two-minute interval acts as a guideline to help maintain the highest standard of care during CPR, allowing each rescuer to perform at their best while ensuring the continuous flow of compressions.

SAMPLE

4. What is important to remember about AED pad placement for infants?

A. One pad in the front, one on the back

B. Both pads on the front

C. Only one pad is needed

D. Never use pads on infants

When using an Automated External Defibrillator (AED) on infants, it is crucial to place one pad on the front of the chest and the other pad on the back. This placement maximizes the effectiveness of the electrical shock delivered by the AED, as it creates a pathway through the heart that can restore a normal rhythm. This technique for infants differs from that used on adults and children, where pads can typically be placed on the chest in a front-to-front manner. The front-and-back placement is especially important for infants due to their smaller size and the anatomical differences compared to older children or adults. Adhering to this method ensures the safe and effective use of the AED in a pediatric emergency, greatly enhancing the chances of a successful resuscitation. While there are options suggesting the use of both pads on the front, only one pad, or avoiding the use of pads altogether, these do not align with the best practices established for treating infants with an AED. Proper pad placement is essential for maximizing the potential to save a life in the critical moments following a cardiac event.

5. What is the first action to take after you call 911 when witnessing a sudden collapse?

A. Check for responsiveness

B. Start CPR

C. Look for an AED

D. Move the person to a safe area

After you call 911 during a sudden collapse, the immediate priority is to start CPR, especially if the person is unresponsive and not breathing normally. This action is critical because effective chest compressions can help maintain blood flow to vital organs until emergency medical services arrive. CPR dramatically increases the chances of survival in cases of cardiac arrest by restoring circulation and oxygenation to the brain and other essential organs. Calling for emergency assistance ensures that professional help is on the way, but the first steps in providing care, specifically initiating CPR, are vital within the first few minutes of a cardiac event. This response aligns with the guidelines set forth by CPR training organizations, which emphasize that starting chest compressions as soon as possible is key to improving outcomes in cardiac emergencies. While checking for responsiveness and locating an AED are also important, they can take time that should be spent on performing CPR in cases where the individual is in distress. Moving the person should only be considered if they are in a dangerous location, but that is not a priority immediately after calling for help. The focus must be on providing lifesaving measures to stabilize the individual.

SAMPLE

6. What special circumstances should a rescuer consider when using an AED?

A. On a wet surface, the rescuer should avoid using it

B. On a hairy chest, shock delivery may fail

C. Only use it on adult victims after 8 years old

D. Only use it if there is a visible injury

When it comes to using an Automated External Defibrillator (AED), it is crucial for the rescuer to be aware of specific circumstances that can impact its effectiveness. The correct answer highlights the importance of the surface condition of the chest where the pads are applied. In the case of a hairy chest, the pads may not adhere properly to the skin, which can interfere with the delivery of the electrical shock needed for defibrillation. Adequate contact between the pads and the skin is essential for the AED to function correctly. If there is a significant amount of hair, it may prevent the pads from making a good connection, potentially leading to a failed shock delivery. If this situation arises, rescuers may need to quickly shave the area or use an alternative method to ensure proper pad placement. This understanding underscores the need for rescuers to assess the condition of the victim's chest before using the AED, ensuring that they maximize the chances of effective treatment during a cardiac emergency.

7. Why is it crucial to start chest compressions within 10 seconds of recognizing cardiac arrest?

A. To keep the person company

B. To improve the chances of survival

C. Because it reduces the risk of injury

D. To lessen panic in bystanders

Starting chest compressions within 10 seconds of recognizing cardiac arrest is crucial because it significantly improves the chances of survival for the victim. When a person experiences cardiac arrest, their heart stops pumping blood effectively, leading to a rapid decline in oxygen supply to vital organs, especially the brain. Immediate chest compressions help maintain circulation, providing some level of oxygenated blood to the heart and brain, which is vital for minimizing damage and increasing the likelihood of a successful resuscitation. The brain can only survive without oxygen for a few minutes before irreversible damage occurs, so swift action is key. The effectiveness of chest compressions is greatly enhanced when initiated promptly, making it a critical component of the chain of survival in emergency situations. Other options do not address the life-saving importance of timely intervention in the context of a cardiac arrest scenario, which is why they do not convey the same sense of urgency and impact as improving survival chances does.

SAMPLE

8. What should be done if the person begins to breathe normally during CPR?

A. Immediately stop CPR and leave the person alone

B. Carefully monitor their breathing and position them in the recovery position

C. Continue CPR until emergency services arrive

D. Move the person to a sitting position

When someone begins to breathe normally during CPR, it is crucial to ensure their safety and maintain their airway. The correct response is to carefully monitor their breathing while positioning them in the recovery position. This position is essential because it helps keep the airway clear and prevents choking if the person vomits or has any residual fluid in their mouth. Additionally, placing the individual in the recovery position allows for better oxygenation and provides comfort until emergency services arrive. Continuing CPR is unnecessary once the person is breathing normally, as it could cause injury. Stopping CPR abruptly without ensuring the individual's safety may lead to complications. Simply leaving the person alone can be dangerous, as they may need assistance. Moving the person to a sitting position is not advised because it could compromise their airway or cause further distress. Therefore, monitoring their breathing while ensuring they are in a safe position is the best approach.

9. When performing CPR on an infant, how should you perform chest compressions?

A. Using the heel of one hand

B. With two fingers and compress about 1.5 inches (4 cm) deep

C. With both hands, compressing about 2 inches (5 cm) deep

D. Using the flat of your palm

When performing CPR on an infant, using two fingers to deliver chest compressions is essential because their small chest size requires a gentler approach compared to adults. The appropriate depth of about 1.5 inches (4 cm) ensures that the compressions are effective in generating enough pressure to circulate blood, while also being shallow enough to avoid injury to the infant's fragile ribcage and internal organs. The technique specifically designed for infants emphasizes the use of two fingers positioned just below the nipple line on the breastbone, allowing for both control and precision. This method is crucial to maintaining the safety and efficacy of the procedure, thereby enhancing the chances of revival in a critical situation.

SAMPLE

10. How long should you continue CPR if the person has not shown signs of life?

A. Until you feel tired

B. Continue until emergency services arrive or an AED is available

C. Until a doctor arrives

D. For a minimum of 10 minutes

Continuing CPR until emergency services arrive or an Automated External Defibrillator (AED) is available is critical because effective, uninterrupted CPR significantly increases the chances of survival for someone experiencing cardiac arrest. Cardiopulmonary resuscitation helps maintain blood flow to vital organs and sustains oxygenation while waiting for advanced medical interventions. Emergency responders can provide advanced care that CPR alone cannot deliver, including medications and sophisticated life support techniques. Similarly, an AED can assess the heart's rhythm and, if necessary, deliver a shock to restore a normal heartbeat. Therefore, sustaining CPR until these vital resources are on the scene ensures the best chance for a positive outcome. The other options do not provide the urgency and necessity that CPR should be maintained until professional help arrives. For instance, stopping when feeling tired could lead to interrupted care, lowering the person's chance of survival. Similarly, waiting specifically for a doctor to arrive or setting a strict time limit without regard for the victim's condition might not address the immediate need for continuous care.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://jtedcpr.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE