KAPLAN OBSTETRICS (OB) PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://kaplanobstetrics.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What begins the third stage of labor?

A. Delivery of the neonate

B. Delivery of the placenta

C. Delivery of the amniotic sac

D. Initial contractions

2. What are common symptoms of Gonorrhea in pregnant women?

A. Vision changes

B. Preterm labor and sepsis

C. Weight gain

D. Skin rashes

3. How often should prenatal visits be conducted for a patient from conception to delivery?

A. Every week until delivery

B. Every 2 weeks until delivery

C. Every 4 weeks until 28 weeks, every 2 weeks until 26 weeks, then weekly

D. Every month for the entire pregnancy

4. At what developmental stage does the fetal heart begin to beat?

A. 2 weeks

B. 4 weeks

C. 8 weeks

D. 12 weeks

5. What marks the end of the second stage of labor?

A. Delivery of the placenta

B. Full dilation of the cervix

C. Delivery of the neonate

D. Separation of the placenta

SAMPLE

6. What is the maximum dosage of Oxytocin that can be given as part of labor management?

A. 10-20 mU

B. 20-30 mU

C. 20-40 mU

D. 30-50 mU

7. What is an expected outcome of Oxytocin administration during labor?

A. Increased maternal pain experience

B. Successful delivery of the fetus

C. Decreased incidence of contractions

D. Increased amniotic fluid volume

8. What is one method to facilitate a baby's latching on during breastfeeding?

A. Hold the baby upright

B. Position the baby's mouth over the areola

C. Feed the baby while lying down on the back

D. Use a pacifier to calm the baby

9. Which symptom indicates a potential issue with the perineum postpartum?

A. Faint bruising

B. Signs of infection

C. Absence of pain

D. Normal swelling

10. What is a key benefit of breastfeeding to infants?

A. It reduces the chance of genetic diseases

B. It aids in building immunity

C. It prevents all allergic reactions

D. It guarantees larger future growth

SAMPLE

Answers

SAMPLE

1. A
2. B
3. C
4. B
5. C
6. C
7. B
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What begins the third stage of labor?

A. Delivery of the neonate

B. Delivery of the placenta

C. Delivery of the amniotic sac

D. Initial contractions

The third stage of labor is initiated by the delivery of the neonate. This stage follows the expulsion of the baby, during which the placenta is delivered. The transition from the second to the third stage marks a significant moment in the birthing process, as it represents the completion of one of the most critical aspects of childbirth – the birth of the baby. After the neonate is delivered, the body undergoes various physiological changes that trigger the subsequent contractions and processes leading to the separation and expulsion of the placenta. Understanding this sequence is important in obstetrical practice, as it helps healthcare professionals monitor the mother and newborn effectively and manage the care during this transitional phase. Delivery of the amniotic sac and the initial contractions occur earlier in the labor process. The separation of the placenta is essential, but it comes after the baby is born and thus cannot be the event that starts the third stage of labor.

2. What are common symptoms of Gonorrhea in pregnant women?

A. Vision changes

B. Preterm labor and sepsis

C. Weight gain

D. Skin rashes

Gonorrhea is a sexually transmitted infection that can have serious implications for pregnant women and their infants. One of the significant concerns is that the infection can lead to preterm labor, which is the onset of labor before 37 weeks of gestation. This premature delivery can significantly impact the health and development of the neonate. Additionally, pregnant women with untreated gonorrhea are at a greater risk of developing sepsis, a severe and potentially life-threatening response to infection that can spread throughout the body. This risk is heightened in pregnant individuals due to changes in their immune response during pregnancy. Sepsis can also affect the fetus, leading to adverse outcomes. Thus, recognizing and understanding these symptoms is crucial for ensuring appropriate medical intervention and management during pregnancy, allowing for safer outcomes for both the mother and the baby. Other symptoms related to gonorrhea, such as the ones listed in the other options, are less directly associated with the risks during pregnancy.

SAMPLE

3. How often should prenatal visits be conducted for a patient from conception to delivery?

A. Every week until delivery

B. Every 2 weeks until delivery

C. Every 4 weeks until 28 weeks, every 2 weeks until 26 weeks, then weekly

D. Every month for the entire pregnancy

The recommended schedule for prenatal visits is designed to ensure the health and well-being of both the mother and the developing fetus throughout pregnancy. From conception to 28 weeks of gestation, appointments are typically scheduled every 4 weeks. This frequency allows healthcare providers to monitor the development of the fetus, manage any maternal health concerns, and provide essential education to the expectant mother. Once the pregnancy reaches 28 weeks, visits are increased to every 2 weeks until the 36-week mark. This intensified schedule is necessary to closely observe any potential complications that may arise as the pregnancy progresses into the later stages when monitoring becomes especially critical for the health of both mother and baby. Finally, starting at 36 weeks, visits are scheduled weekly until delivery to ensure thorough monitoring as the date of delivery approaches. This structured approach to prenatal visits is crucial, as it facilitates timely interventions if any issues arise, supports the mother's health, and improves outcomes for the newborn.

4. At what developmental stage does the fetal heart begin to beat?

A. 2 weeks

B. 4 weeks

C. 8 weeks

D. 12 weeks

The fetal heart begins to beat around the fourth week of gestation. At this stage, specifically at approximately 21 to 22 days after fertilization, the heart starts to form and eventually begins its rhythmic contractions. This is a critical development in embryonic life, as the heart is essential for circulating blood and nutrients to the developing embryo. By the eighth week, the fetal heart has fully developed, and its central structure is recognizable. However, the actual initiation of the heartbeat occurs just before the end of the fourth week. This timing is important for understanding fetal development milestones and is often assessed in early ultrasounds during prenatal care to ensure proper embryonic development. In contrast, by the 12-week mark, while the heart is well-formed and functioning, the initiation of the heartbeat has already occurred earlier.

5. What marks the end of the second stage of labor?

A. Delivery of the placenta

B. Full dilation of the cervix

C. Delivery of the neonate

D. Separation of the placenta

The end of the second stage of labor is marked by the delivery of the neonate. During this stage, the mother is actively pushing, and the contractions help to move the baby down the birth canal. The moment the baby is born represents a significant transition, as it marks the culmination of the labor process and the beginning of the third stage of labor. In terms of the labor process, the second stage specifically focuses on the expulsion of the baby, which is achieved through the efforts of the mother and is characterized by intense and regular contractions. This stage starts when the cervix is fully dilated and ends with the birth of the baby. Thus, the delivery of the neonate is the correct event that signifies the conclusion of this stage, transitioning into the subsequent third stage, which involves the delivery of the placenta.

SAMPLE

6. What is the maximum dosage of Oxytocin that can be given as part of labor management?

A. 10-20 mU

B. 20-30 mU

C. 20-40 mU

D. 30-50 mU

The maximum dosage of Oxytocin that can be given during labor management is typically within the range of 20-40 mU per minute. Oxytocin is used for inducing or augmenting labor by stimulating uterine contractions. It is crucial to administer it cautiously to achieve the desired effect without overstimulation of the uterus, which could lead to complications such as uterine hyperstimulation or fetal distress. Dosages lower than 20 mU may not be effective in achieving the necessary contraction pattern, while doses exceeding 40 mU can increase the risk of adverse effects significantly. Therefore, the range of 20-40 mU provides a balance between efficacy in labor management and safety for both the mother and the fetus. This dosage guideline reflects current clinical practice to ensure optimal therapeutic outcomes during labor.

7. What is an expected outcome of Oxytocin administration during labor?

A. Increased maternal pain experience

B. Successful delivery of the fetus

C. Decreased incidence of contractions

D. Increased amniotic fluid volume

The expected outcome of administering Oxytocin during labor is the successful delivery of the fetus. Oxytocin is a hormone that plays a critical role in promoting uterine contractions, which are essential for the progression of labor. When given intravenously, it stimulates the smooth muscle of the uterus to contract more effectively, often leading to stronger and more regular contractions. This can help to facilitate cervical dilation and promote the movement of the fetus through the birth canal, ultimately leading to a successful delivery. In contrast, increased maternal pain experience may occur with more intense contractions, but this is not a direct outcome of Oxytocin administration. The use of Oxytocin typically aims to improve the labor process rather than directly increase pain. Decreased incidence of contractions would not be an expected outcome, as Oxytocin is intended to enhance and increase contractions. Similarly, Oxytocin does not increase amniotic fluid volume; rather, it has a specific role in managing the contractions of the uterus. Therefore, the key role of Oxytocin in labor is to help ensure that delivery occurs successfully.

8. What is one method to facilitate a baby's latching on during breastfeeding?

A. Hold the baby upright

B. Position the baby's mouth over the areola

C. Feed the baby while lying down on the back

D. Use a pacifier to calm the baby

Positioning the baby's mouth over the areola is a key method to promote effective latching during breastfeeding. When the baby is correctly positioned, their mouth will cover not just the nipple but also a significant portion of the areola. This wider mouth opening allows the baby to take in enough breast tissue, which is vital for a good latch. A proper latch helps ensure that the baby can effectively draw milk and reduces the likelihood of nipple pain for the mother. Other methods may not provide the same level of effectiveness for latching. Holding the baby upright can be less conducive to a good latch since it may not allow the baby to naturally position themselves to grasp the breast. Feeding while lying down on the back can also create challenges in maintaining the necessary support and positioning for a successful latch. Using a pacifier may soothe the baby but is unlikely to contribute to successful breastfeeding and may even interfere with the baby's natural feeding instincts if used frequently before establishing a good latch.

SAMPLE

9. Which symptom indicates a potential issue with the perineum postpartum?

A. Faint bruising

B. Signs of infection

C. Absence of pain

D. Normal swelling

Signs of infection in the perineum postpartum are critical to identify early because they can lead to serious complications if left untreated. After childbirth, it is natural for the perineal area to experience some degree of swelling or bruising due to the processes of delivery. However, the presence of infection can manifest through symptoms such as increased redness, warmth, foul odor, and purulent discharge, often accompanied by fever or increased pain, indicating that the body is responding to an infectious process. Recognizing these signs is essential for timely medical intervention, which can facilitate recovery and prevent further complications. Monitoring for infection is a routine part of postpartum care, as the risk can be elevated due to trauma to the tissues during delivery, especially in cases of episiotomies or perineal lacerations. Therefore, vigilant observation for signs of infection is paramount to ensure both maternal well-being and healing.

10. What is a key benefit of breastfeeding to infants?

A. It reduces the chance of genetic diseases

B. It aids in building immunity

C. It prevents all allergic reactions

D. It guarantees larger future growth

Breastfeeding is known to provide a key benefit of aiding in building immunity for infants. This is primarily because breast milk contains a variety of immunological factors, including antibodies (especially immunoglobulin A or IgA) that help protect the infant from infections. These antibodies are transferred from the mother and can significantly reduce the incidence of illnesses such as respiratory infections, gastrointestinal infections, and other common childhood diseases. In addition to antibodies, breast milk also contains other components such as lactoferrin and various cytokines that contribute to the development of the infant's immune system. This immune support is particularly important during the early stages of life when infants are more vulnerable to infections. As such, breastfeeding not only provides nutrition but also plays a crucial role in promoting health and safeguarding against disease. Other options, while related to aspects of infant health and development, do not capture the specific immune-boosting benefits that breastfeeding offers. For example, while breastfeeding may impact growth positively, it does not guarantee larger future growth or prevent all allergic reactions, as these outcomes can be influenced by numerous other factors, including genetics and environmental exposures.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://kaplanobstetrics.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE