KROGER PHARMACY TECHNICIAN LEVEL 3 PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://krogerpharmtechlvl3.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the key safety step when dispensing pediatric liquid medications?

A. Use a kitchen spoon to measure doses.

B. Use a calibrated measuring device (oral syringe or dosing cup) and provide exact dosing instructions.

C. Rely on the patient to estimate the dose.

D. Avoid giving dosing instructions to reduce confusion.

2. What unit is used to measure IV flow rate in the given example?

A. mL/s

B. mL/min

C. mL/hour

D. L/hour

3. How should temperature-sensitive medications be stored in a retail setting?

A. Store at room temperature always.

B. Store in direct sunlight to maintain potency.

C. Store per manufacturer guidelines (e.g., 2-8 C for refrigerated items), protect from light, and monitor storage conditions.

D. Store in a locked cabinet only.

4. Define copay and deductible in pharmacy benefits.

A. Copay is a fixed out-of-pocket fee at dispensing; deductible is the amount the patient must pay before insurance covers costs.

B. Copay and deductible are interchangeable terms.

C. Copay is the full price; deductible is the number of refills.

D. Copay depends on the insurer; deductible is never used.

5. Kroger Statement Billing: how should COB be coordinated with the voucher?

A. They are unrelated

B. Voucher is primary; COB second

C. The voucher should be removed before COB

D. COB when needed with the voucher being secondary

SAMPLE

6. Which item is a common low-dose aspirin product?

A. Aspirin 81

B. Ferrous sulfate

C. All Schedule II drugs

D. All refrigerated items

7. Which statement best describes two-person integrity in controlled substances handling?

A. Requiring two authorized individuals to access and dispense controlled substances.

B. Requiring two pharmacists to verify every prescription.

C. Requiring two copies of every prescription.

D. Requiring two sign-offs on inventory counts.

8. What is the purpose of the three checks in dispensing?

A. To verify the medication is affordable for the patient

B. To verify expiration dates and lot numbers only

C. To verify accuracy at each step (selection, retrieval/count, labeling/verification)

D. To document counseling notes

9. What is the purpose of unit-dose blister cards in pharmacy practice?

A. Create unit-dose parcels for dispensing.

B. Unit-dose blister cards are used to store multiple days of medication but not specific to patient.

C. Unit-dose blister cards facilitate dispensing in unit-dose packaging.

D. Unit-dose blister cards are only used for liquids.

10. Which brand name is used for the MMR vaccine?

A. Tenivac

B. Gardasil

C. MMR II

D. Varivax

SAMPLE

Answers

SAMPLE

1. B
2. C
3. C
4. A
5. D
6. A
7. A
8. C
9. C
10. C

SAMPLE

Explanations

SAMPLE

1. What is the key safety step when dispensing pediatric liquid medications?

A. Use a kitchen spoon to measure doses.

B. Use a calibrated measuring device (oral syringe or dosing cup) and provide exact dosing instructions.

C. Rely on the patient to estimate the dose.

D. Avoid giving dosing instructions to reduce confusion.

Accurate dosing for children depends on precise measurement of small liquid volumes. Using a calibrated measuring device, such as an oral syringe or a dosing cup marked in milliliters, ensures you dispense the exact amount prescribed. Read the measurement at eye level and provide the exact dosing instructions in words so caregivers know exactly how much to give and how often. This combination reduces the risk of underdosing or overdosing, which is especially important in pediatrics where small errors can have significant consequences. Using a kitchen spoon is unreliable because its volume varies widely, leading to potential dosing mistakes. Expecting caregivers to estimate the dose introduces unnecessary uncertainty, and avoiding dosing instructions only creates confusion.

2. What unit is used to measure IV flow rate in the given example?

A. mL/s

B. mL/min

C. mL/hour

D. L/hour

IV flow rate is the speed at which a solution is delivered, and in clinical practice it's expressed in milliliters per hour. This aligns with how infusion pumps and nursing orders are written, since most IV infusions run for several hours and you plan the rate over an hourly time frame. The calculation is straightforward: flow rate equals the total volume in milliliters divided by the infusion time in hours. For example, 1000 mL over 4 hours equals 250 mL/hour. Using other units like mL/s or mL/min is less practical for standard IV therapy, and liters per hour is rarely used for routine infusions with smaller volumes. So the standard unit for IV flow rate is milliliters per hour.

3. How should temperature-sensitive medications be stored in a retail setting?

A. Store at room temperature always.

B. Store in direct sunlight to maintain potency.

C. Store per manufacturer guidelines (e.g., 2-8 C for refrigerated items), protect from light, and monitor storage conditions.

D. Store in a locked cabinet only.

Temperature-sensitive medications must be stored exactly as the manufacturer specifies, including the correct temperature range, protection from light when needed, and ongoing monitoring of storage conditions. Many products require refrigeration at 2-8°C, and others may need different controlled temperatures or even freezing—always check the label and packaging. Keeping items protected from light is essential for those that are photolabile, so store them in their original packaging or in amber containers as directed. In a retail setting, use a calibrated thermometer or data logger to record temperatures regularly, keep refrigerated units organized and away from heat sources or direct sunlight, and quarantine any product that has been exposed to out-of-range temperatures until a pharmacist assesses it. This careful approach helps preserve potency and safety for patients.

SAMPLE

4. Define copay and deductible in pharmacy benefits.

A. Copay is a fixed out-of-pocket fee at dispensing; deductible is the amount the patient must pay before insurance covers costs.

B. Copay and deductible are interchangeable terms.

C. Copay is the full price; deductible is the number of refills.

D. Copay depends on the insurer; deductible is never used.

Copay is the fixed amount you pay at the pharmacy when you pick up a prescription, with the rest covered by the plan according to your coverage tier. Deductible is the amount you must pay out of pocket before the insurance starts covering prescription costs. In practice, you may pay the deductible first, and once that amount is met, you switch to paying the set copays or coinsurance for medications. Copays are about the point-of-sale cost; deductibles are about meeting a spending threshold before coverage kicks in.

5. Kroger Statement Billing: how should COB be coordinated with the voucher?

A. They are unrelated

B. Voucher is primary; COB second

C. The voucher should be removed before COB

D. COB when needed with the voucher being secondary

The main idea is to use the insurance payments first and apply the voucher only after those payments, so the patient's bill is minimized in the right order. When there is coordination of benefits, you should apply COB to cover what the insurance will pay, and then use the voucher to reduce whatever is left. This keeps the payer sequence correct and avoids denying coverage or misapplying the discount. Vouchers are typically patient discounts and aren't considered primary payer sources. Applying the voucher after COB ensures that the insurer contributes as much as allowed first, and the voucher helps with any remaining patient responsibility. If you tried to make the voucher primary or removed it before COB, you could disrupt the billing flow and run into denial or misapplied payments, and you wouldn't be maximizing available coverage. So, coordinate COB as needed with the voucher serving as a secondary reduction to the patient balance.

6. Which item is a common low-dose aspirin product?

A. Aspirin 81

B. Ferrous sulfate

C. All Schedule II drugs

D. All refrigerated items

Low-dose aspirin is typically 81 mg per tablet. This dosing is widely used for cardiovascular protection, so a product labeled as aspirin 81 clearly represents a common low-dose option. The other items don't describe a low-dose aspirin product: ferrous sulfate is an iron supplement, "All Schedule II drugs" is a regulatory category rather than a product, and "All refrigerated items" is a storage instruction set, not a medication. So the item labeled Aspirin 81 most accurately fits the description of a common low-dose aspirin product.

SAMPLE

7. Which statement best describes two-person integrity in controlled substances handling?

A. Requiring two authorized individuals to access and dispense controlled substances.

B. Requiring two pharmacists to verify every prescription.

C. Requiring two copies of every prescription.

D. Requiring two sign-offs on inventory counts.

Two-person integrity means no single person has sole control over controlled substances at any point in handling. In practice, this means two authorized staff must be involved for critical steps such as accessing the controlled substances inventory and dispensing medications. This creates accountability, provides a checks-and-balances system, and reduces opportunities for diversion or dispensing errors because another qualified person must participate and verify the action. That approach aligns with requiring two authorized individuals to access and dispense controlled substances. Other safeguards, like having two pharmacists verify a prescription, duplicating prescriptions, or adding two sign-offs on inventory counts, relate to verification, documentation, or inventory reconciliation rather than the fundamental two-person handling rule.

8. What is the purpose of the three checks in dispensing?

A. To verify the medication is affordable for the patient

B. To verify expiration dates and lot numbers only

C. To verify accuracy at each step (selection, retrieval/count, labeling/verification)

D. To document counseling notes

These checks are all about catching mistakes and keeping the patient safe by confirming accuracy at each step of dispensing. The idea is to verify the right medication, in the right amount, with the correct instructions, before the patient receives it. First, when you select the medication from the shelf, you verify that the drug name, strength, and dosage form match the prescription. This early check catches a mismatch before you move further in the process. Second, during retrieval and counting, you confirm that the quantity and the container match what was prescribed. This step makes sure you've prepared the correct amount and used the correct product, reducing the risk of under- or over-dispensing. Third, during labeling and final verification, you ensure the label accurately reflects the patient, drug, strength, directions, and any other essential details like expiration date. This last check serves as the final safeguard before the medication reaches the patient. Other options aren't about verification across the dispensing steps. Affordability isn't part of the check process, focusing instead on cost. Checking only expiration dates and lot numbers ignores the need to confirm correct drug, amount, and patient instructions. Counseling notes are important, but they're separate from the three checks that ensure accuracy during dispensing.

SAMPLE

9. What is the purpose of unit-dose blister cards in pharmacy practice?

A. Create unit-dose parcels for dispensing.

B. Unit-dose blister cards are used to store multiple days of medication but not specific to patient.

C. Unit-dose blister cards facilitate dispensing in unit-dose packaging.

D. Unit-dose blister cards are only used for liquids.

Unit-dose blister cards are designed to package a single dose for one administration, making dispensing safe and efficient. Each blister holds one dose and is labeled with the patient, drug name, strength, directions, and often date/time, so staff can quickly select the exact amount needed for each dose. This format fits unit-dose systems in pharmacies and healthcare facilities, supports accurate counting, and pairs with barcoding for verification. By keeping each dose isolated, it helps prevent mix-ups and reduces handling errors, which is especially important in busy settings where nurses or caregivers administer medications. They aren't intended to store several days' worth of medication in one place, and they're not limited to liquids; unit-dose blisters are commonly used for solid oral dosage forms, though the concept can extend to other formats in different packaging.

10. Which brand name is used for the MMR vaccine?

A. Tenivac

B. Gardasil

C. MMR II

D. Varivax

Brand names distinguish vaccines that protect against specific diseases. For the combined measles, mumps, and rubella vaccine, the brand name most commonly used is MMR II, produced by Merck. This vaccine is given to immunize children against all three diseases in one shot. The other options are vaccines for different illnesses: Gardasil protects HPV, Varivax protects varicella (chickenpox), and Tenivac is a tetanus-containing vaccine. So, the brand name used for the MMR vaccine in this context is MMR II.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://krogerpharmtechlvl3.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE