LADOTD PCC PAVEMENT INSPECTION PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://ladotdpccpavementinspec.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **To locate the MATT Codes, which document should be consulted?**

   A. The MATT System Code Manual

   B. Field Book

   C. 2059 Review

   D. Structural Concrete Tests Form

2. **What is used to divide pavement for coring operations to determine pavement thickness for acceptance purposes, and for compressive strength testing of pavement cores or cylinders for acceptance purposes?**

   A. PCC Pavement Lot

   B. The Project Engineer

   C. District Laboratory Engineer

   D. Preconstruction Conference

3. **Which joint type is described as a butt joint used for connecting pavement sections?**

   A. Transverse Construction Joint

   B. Transverse Butt Joints

   C. Expansion Joint

   D. Header Board

4. **What will happen if dowels are bonded to the concrete on both sides of the joint?**

   A. Improved cracking resistance

   B. Uncontrolled cracking, spalling, or blowups

   C. No effect on joint performance

   D. Increased joint closure

5. **What establishes lots prior to beginning concrete placement operations?**

   A. Preconstruction Conference

   B. PCC Plant Report

   C. District Laboratory Engineer

   D. Lots

SAMPLE

6. What action must be taken for mistakes in the field book?

A. Replaced with a New Page

B. Lined Out and Initialed

C. Sealed with a Stamp

D. Ignored

7. When are hand finishing methods permitted with a slip form paver?

A. Only when the paver is idle

B. Any time the operator desires

C. Only on principal highways

D. If there is a mechanical breakdown, irregular dimensions, or pavement width <=16' and not principal highway

8. Which document lists approved sealants and fillers for DOTD projects?

A. DOTD Materials List

B. Approved Filler Directory

C. Qualified Products List manual

D. Sealant Catalog

9. A keyway is used in which type of joint?

A. On a dowel joint

B. On an expansion joint

C. On a transverse contraction joint

D. On a longitudinal construction joint

10. A joint that is used at points of great stress such as intersections, railroad crossing, and bridges?

A. Transverse Expansion Joint (Type EJ)

B. Transverse Construction Joint

C. Longitudinal Joint

D. Saw Joint

SAMPLE

Answers

SAMPLE

1. A
2. A
3. B
4. B
5. D
6. B
7. D
8. C
9. D
10. A

SAMPLE

Explanations

SAMPLE

1. To locate the MATT Codes, which document should be consulted?

A. The MATT System Code Manual

B. Field Book

C. 2059 Review

D. Structural Concrete Tests Form

To locate MATT Codes, consult the MATT System Code Manual. This manual is the authoritative reference that defines the coding scheme, explains what each code represents, and shows how to apply codes to materials and tests in pavement inspection reporting. The Field Book is used for recording field observations and results, not for locating codes. The 2059 Review and Structural Concrete Tests Form serve other documentation purposes, not as the source for MATT Codes.

2. What is used to divide pavement for coring operations to determine pavement thickness for acceptance purposes, and for compressive strength testing of pavement cores or cylinders for acceptance purposes?

A. PCC Pavement Lot

B. The Project Engineer

C. District Laboratory Engineer

D. Preconstruction Conference

Dividing pavement into a PCC Pavement Lot is how you organize acceptance testing. A lot is a defined section of pavement designated specifically for coring to determine thickness and for producing cores or cylinders to test compressive strength. By standardizing this division, the testing results come from a representative portion of the pavement and align with the contract's acceptance criteria, making decisions about acceptance consistent and fair. The other items are roles or a meeting rather than a method for dividing pavement for testing: the Project Engineer and the District Laboratory Engineer are personnel who oversee different aspects of the project and lab work, while the Preconstruction Conference is a planning meeting.

3. Which joint type is described as a butt joint used for connecting pavement sections?

A. Transverse Construction Joint

B. Transverse Butt Joints

C. Expansion Joint

D. Header Board

A butt joint across the width of the pavement is the way to describe connecting two concrete placements by bringing their edges together. When that joint runs across the pavement's width, it's a transverse butt joint. This type is used to join sections poured separately and placed flush against each other, often with dowel bars to transfer loads across the joint. It differs from expansion joints, which leave space for temperature-related movement, and from header boards, which are formwork elements rather than the joint itself. A transverse construction joint, by contrast, involves a formal separation between pours with a joint, rather than simply butt-ing the edges together.

SAMPLE

4. What will happen if dowels are bonded to the concrete on both sides of the joint?

A. Improved cracking resistance

B. Uncontrolled cracking, spalling, or blowups

C. No effect on joint performance

D. Increased joint closure

Doweled joints must be free to open and close with temperature changes and concrete shrinkage while still allowing load transfer across the joint. If the dowels are bonded to the concrete on both sides, the joint is restrained and cannot move. That restriction creates high stresses in the joint faces under traffic and thermal expansion, causing the concrete to crack at the joint, spall the joint faces, or even blow out chunks of pavement. In short, bonding across both sides turns the joint into a fixed connection, leading to damage rather than proper performance.

5. What establishes lots prior to beginning concrete placement operations?

A. Preconstruction Conference

B. PCC Plant Report

C. District Laboratory Engineer

D. Lots

Establishing lots creates the defined testing and inspection unit for concrete placement. Before you start placing PCC, a lot is set up to designate a specific block of work that will be sampled and tested as one unit. This gives a clear basis for which tests apply, how many samples are needed, and how results are recorded and used for acceptance and pay. In other words, it organizes QA/QC for that portion of the pavement so results are traceable to a concrete placement block. The other items—Preconstruction Conference, PCC Plant Report, and District Laboratory Engineer—are important parts of planning, material quality, and supervision, but they do not establish the testing units used to evaluate the work.

6. What action must be taken for mistakes in the field book?

A. Replaced with a New Page

B. Lined Out and Initialed

C. Sealed with a Stamp

D. Ignored

Mistakes in the field book must be corrected in a way that preserves the original entry and provides a clear, auditable record. The proper method is to draw a single neat line through the incorrect entry and initial beside the strike, then add the corrected information in the proper place. This keeps the original data visible, shows who made the correction, and documents the accurate value for future reference. Replacing the page hides the original entry, stamping isn't the standard corrective action, and ignoring the error would leave the record inaccurate and noncompliant with field-book practices.

SAMPLE

7. When are hand finishing methods permitted with a slip form paver?

A. Only when the paver is idle

B. Any time the operator desires

C. Only on principal highways

D. If there is a mechanical breakdown, irregular dimensions, or pavement width <=16' and not principal highway

Manual finishing with a slip form paver is allowed only under specific conditions that prevent the machine from producing a proper surface: a mechanical breakdown, irregular dimensions the paver can't accommodate, or pavement width 16 feet or less on sections that are not principal highways. These situations justify a temporary hand finish to maintain surface quality and finish, without sacrificing safety or overall pavement standards. Routine hand finishing isn't permitted just because the operator prefers it, and it isn't restricted to principal highways; it's allowed on non-principal highways only when the width is 16 feet or less or when the machine can't perform as intended due to breakdowns or irregularities.

8. Which document lists approved sealants and fillers for DOTD projects?

A. DOTD Materials List

B. Approved Filler Directory

C. Qualified Products List manual

D. Sealant Catalog

The key idea is identifying the official DOTD source that confirms which products have been tested and approved for use on projects. The correct document is the Qualified Products List manual because it explicitly lists materials that have met DOTD's qualification requirements, including sealants and fillers, and provides the official status contractors must rely on for project work. This manual ensures that materials meet performance criteria and are permitted for use in DOTD specifications, making it the authoritative reference for approved products. Other options are not formal DOTD qualification documents. A general DOTD Materials List might catalog materials but doesn't necessarily reflect the formal qualification status. A directory or catalog focused on filler or sealant products is typically vendor-driven and may not indicate DOTD approval.

9. A keyway is used in which type of joint?

A. On a dowel joint

B. On an expansion joint

C. On a transverse contraction joint

D. On a longitudinal construction joint

A keyway provides a mechanical interlock between two concrete pours, helping to prevent sliding and improve shear transfer at a joint. This is most useful in longitudinal construction joints, where two placements run along the length of the pavement and need to stay aligned and bonded as the concrete hardens. A groove formed into the joint allows the next lift to lock into place, maintaining continuity and reducing movement before full strength is gained. It's not used in expansion joints, which are meant to allow movement; nor in dowel joints, which rely on dowels for load transfer; nor in transverse contraction joints, which are designed to crack at a planned line to relieve stresses.

SAMPLE

10. A joint that is used at points of great stress such as intersections, railroad crossing, and bridges?

A. Transverse Expansion Joint (Type EJ)

B. Transverse Construction Joint

C. Longitudinal Joint

D. Saw Joint

At locations with a lot of movement and stress, such as intersections, railroad crossings, and bridges, the pavement needs a joint that can accommodate expansion and contraction and the shifting caused by heavy loads. The transverse expansion joint (Type EJ) is designed for this purpose, allowing adjacent concrete slabs to move relative to each other as temperatures change and loads transmit through the structure. This movement relief helps prevent uncontrolled cracking and keeps the surface smooth where stresses are greatest. Other joints have different roles: construction joints join pours and don't permit movement between slabs; longitudinal joints run along the length to divide slabs; and saw joints create planned cracks to control cracking but aren't meant to absorb large transverse movements at high-stress points.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://ladotdpccpavementinspec.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE