
LCSW CLINICAL PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://lcswclinical.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **When a client discloses thoughts of self-harm, with no plan, what steps should be taken?**

   A. Assess risk; create a safety plan; increase contact frequency; remove means if possible; involve supervisor; consider crisis services.

   B. Do not take the disclosure seriously; wait and see.

   C. Ignore risk and proceed with usual schedule.

   D. Tell the client to contact emergency services themselves.

2. **Which of the following is NOT included in the DSM-5?**

   A. Global Assessment of Functioning

   B. Anxiety Disorder

   C. Major Depressive Disorder

   D. Bipolar Disorder

3. **Which personality disorder is characterized by constricted or inappropriate affect; magical or paranoid thinking; and odd beliefs, speech, behavior, appearance, and perceptions?**

   A. Schizotypal Personality Disorder

   B. Schizoid Personality Disorder

   C. Avoidant Personality Disorder

   D. Antisocial Personality Disorder

4. **Which of the following is a core principle of trauma-informed care?**

   A. Safety; trustworthiness and transparency; peer support; collaboration and empowerment.

   B. Profit maximization.

   C. Pharmacological treatment as sole focus.

   D. Sensitivity to paperwork and compliance only.

5. **What is a key consideration when delivering teletherapy across state lines?**

   A. Verify licensure across jurisdictions; obtain informed consent; ensure privacy and safety; understand professional requirements in each state.

   B. Assume licensure is universal and ignore differences.

   C. Deliver only to clients in the same state without consent.

   D. Avoid discussing jurisdictional issues with client.

SAMPLE

6. Catatonia is most often characterized by which symptom?

A. Heightened activity

B. Unresponsiveness

C. Delusions

D. Euphoria

7. What are the typical steps involved in fulfilling the Tarasoff duty to warn or protect?

A. When there is a credible threat to a specific person, warn the potential victim and/or contact authorities; document decision-making and rationale; comply with jurisdiction.

B. Confidentiality always overrides safety concerns, so no warning is given.

C. Only the family of the threatened person should be informed, with no documentation.

D. Duty to warn is optional and varies by clinician preference.

8. What best describes the role of clinical supervision in practice?

A. Supervision ensures clinical quality, ethical compliance, and skill development; models include developmental, reflective, and consultative approaches; supervisors provide feedback, case consultation, and oversight.

B. Supervision is primarily about administrative oversight and billing compliance.

C. Supervision replaces clinician autonomy and makes all treatment decisions.

D. Supervision is only relevant for new clinicians and not for experienced ones.

9. A suprasystem is best described as:

A. A larger network of interacting subsystems

B. A single isolated component

C. A boundary that blocks exchange

D. An energy-only system with no interactions

10. In stage 4 of the family life cycle, which adjustment best describes the childless couple?

A. adjust relationships with family or origin to include partner

B. include grandparent roles

C. coping with physiological decline

D. launching children

SAMPLE

Answers

SAMPLE

1. A
2. A
3. A
4. B
5. A
6. B
7. B
8. A
9. A
10. A

SAMPLE

Explanations

SAMPLE

1. When a client discloses thoughts of self-harm, with no plan, what steps should be taken?

A. Assess risk; create a safety plan; increase contact frequency; remove means if possible; involve supervisor; consider crisis services.

B. Do not take the disclosure seriously; wait and see.

C. Ignore risk and proceed with usual schedule.

D. Tell the client to contact emergency services themselves.

When someone discloses self-harm thoughts, the foundational step is to assess risk and take active safety measures, even if there isn't a concrete plan. Start with a careful risk evaluation: explore intensity, frequency, recent changes, protective factors (like support systems), warning signs, and access to means. This helps determine how imminent the danger might be and guides the next actions. From there, develop a safety plan with the client. This should include specific coping strategies they can use during times of distress, a concrete plan for reaching help (who to contact, where to go), and clear steps to reduce access to means if possible. Safety planning turns vague worry into actionable, collaborative steps the client can follow. Increasing contact frequency is a practical way to monitor risk and provide ongoing support, especially in the days or weeks after disclosure. It helps you notice changes in severity or intent early and respond promptly. Removing or reducing access to potential means is a concrete, protective step to lower the chance of acting on thoughts, particularly when distress is high or impulsivity is a concern. Involving a supervisor ensures you're following ethical and legal standards, gets additional clinical perspective, and supports you in handling complex safety decisions. Considering crisis services or emergency intervention is prudent if risk escalates, if the client has a plan or access to lethal means, or if safety cannot be assured in the current setting. Even with no plan, having a pathway to crisis resources is a prudent precaution. Choices that minimize concern, ignore risk, or place the burden on the client to seek help themselves do not provide the necessary safety net and could miss opportunities to intervene promptly.

2. Which of the following is NOT included in the DSM-5?

A. Global Assessment of Functioning

B. Anxiety Disorder

C. Major Depressive Disorder

D. Bipolar Disorder

DSM-5 moves away from the old multi-axial system and does not include the Global Assessment of Functioning as part of the diagnostic framework. The GAF was used in DSM-IV to give a single score of overall functioning, but it had reliability and clarity issues and was dropped in DSM-5. Clinicians can still assess functioning with other tools (like WHODAS 2.0), but it isn't one of the DSM-5 diagnoses. In contrast, anxiety disorders, major depressive disorder, and bipolar disorder are all categorized and defined within DSM-5 with explicit criteria, so they are included.

SAMPLE

3. Which personality disorder is characterized by constricted or inappropriate affect; magical or paranoid thinking; and odd beliefs, speech, behavior, appearance, and perceptions?

A. Schizotypal Personality Disorder

B. Schizoid Personality Disorder

C. Avoidant Personality Disorder

D. Antisocial Personality Disorder

Schizotypal personality disorder is defined by acute discomfort with close relationships, cognitive or perceptual distortions, and eccentric behaviors. The described features—constricted or inappropriate affect, magical or paranoid thinking, and odd beliefs, speech, behavior, appearance, and perceptions—are hallmark signs. People may have ideas of reference, suspiciousness, or unusual perceptual experiences, gaze, or mannerisms that set them apart from others. They often struggle to form close relationships because interactions feel uncomfortable or confusing, and their behavior and beliefs can appear peculiar to peers. This pattern helps distinguish it from other personality disorders. Schizoid personality disorder involves social detachment and a flat affect with little interest in relationships. Avoidant personality disorder centers on social inhibition and hypersensitivity to rejection, often with a strong desire for closeness but fear of negative evaluation. Antisocial personality disorder is driven by disregard for others' rights and lacks the characteristic perceptual distortions and magical thinking seen in schizotypal. So the constellation of constricted or inappropriate affect, magical thinking, and odd beliefs or behaviors most aligns with schizotypal personality disorder.

4. Which of the following is a core principle of trauma-informed care?

A. Safety; trustworthiness and transparency; peer support; collaboration and empowerment.

B. Profit maximization.

C. Pharmacological treatment as sole focus.

D. Sensitivity to paperwork and compliance only.

Trauma-informed care centers on creating safe, trustworthy, and empowering relationships that acknowledge the impact of trauma and aim to avoid re-traumatization. The best choice captures this by highlighting safety, trustworthiness and transparency, peer support, and collaboration and empowerment. When these elements inform practice, individuals feel secure, respected, and active participants in their care, which supports healing and resilience. The other options miss this holistic, relational focus: prioritizing profit does not address healing needs; relying solely on medications ignores the social and emotional context of trauma; and focusing only on paperwork and compliance reduces care to administration rather than genuine, supportive engagement.

SAMPLE

5. What is a key consideration when delivering teletherapy across state lines?

A. Verify licensure across jurisdictions; obtain informed consent; ensure privacy and safety; understand professional requirements in each state.

B. Assume licensure is universal and ignore differences.

C. Deliver only to clients in the same state without consent.

D. Avoid discussing jurisdictional issues with client.

When delivering teletherapy across state lines, licensure and regulatory compliance in each state become the central obligation. Licensure is generally granted per state, and practice rules, scope, and requirements can vary widely. The best approach is to verify that you are properly licensed to treat clients in the client's state, or to work under any applicable licensure compacts or temporary provisions, before starting or continuing treatment. Along with that verification, obtain informed consent that explicitly covers cross-state practice, including potential limitations on services, emergency plans that align with the client's location, and how information will be shared if jurisdictional rules differ. You also need to ensure privacy and safety standards meet both federal (like HIPAA) and the client's state requirements, since data protection and security rules can differ by state. Finally, understand the professional requirements in each state—recordkeeping, supervision if applicable, mandates around emergencies or reporting, and any state-specific scope-of-practice rules. This combination of licensure verification, clear informed consent, robust privacy and safety measures, and awareness of state-specific requirements is what keeps teletherapy across state lines ethical, legal, and clinically sound. The other options run afoul of these standards: assuming licensure is universal ignores legal and ethical obligations; delivering across state lines without consent bypasses essential disclosures and emergency planning; and avoiding discussion of jurisdictional issues with the client erodes transparency and safety.

6. Catatonia is most often characterized by which symptom?

A. Heightened activity

B. Unresponsiveness

C. Delusions

D. Euphoria

Catatonia centers on a severe reduction in movement and responsiveness. The hallmark is marked unresponsiveness or stupor—being motionless, often mute, and showing little or no reaction to people or surroundings. This stands in contrast to symptoms like heightened activity (which points to mania or agitation), delusions (a psychotic symptom not specific to catatonia), or euphoria (mood elevation seen in mania). While catatonia can include other motor signs such as mutism, waxy flexibility, or posturing, the core idea you should recognize is the profound lack of responsiveness.

SAMPLE

7. What are the typical steps involved in fulfilling the Tarasoff duty to warn or protect?

A. When there is a credible threat to a specific person, warn the potential victim and/or contact authorities; document decision-making and rationale; comply with jurisdiction.

B. Confidentiality always overrides safety concerns, so no warning is given.

C. Only the family of the threatened person should be informed, with no documentation.

D. Duty to warn is optional and varies by clinician preference.

When a patient makes a credible threat against a specific person, the clinician has a duty to act to prevent harm. The typical steps include warning the identified potential victim and/or contacting authorities to intervene, depending on the risk and legal requirements in the jurisdiction. Alongside these actions, it's essential to document the assessment, the decision-making process, and the rationale for the chosen course, and to follow applicable laws and professional guidelines. Tarasoff-based practice emphasizes balancing safety with confidentiality: when a threat is credible and specific, safety takes precedence, and appropriate protective steps must be taken. This is why simply preserving confidentiality is not sufficient. Informing only family or treating the matter as optional and variable by clinician preference do not meet the standard obligations. The required approach centers on warning or protective actions and thorough documentation, guided by the relevant laws in the clinician's area.

8. What best describes the role of clinical supervision in practice?

A. Supervision ensures clinical quality, ethical compliance, and skill development; models include developmental, reflective, and consultative approaches; supervisors provide feedback, case consultation, and oversight.

B. Supervision is primarily about administrative oversight and billing compliance.

C. Supervision replaces clinician autonomy and makes all treatment decisions.

D. Supervision is only relevant for new clinicians and not for experienced ones.

Clinical supervision is a structured, collaborative process that supports ongoing professional growth while safeguarding clients. It aims to maintain clinical quality and ethical practice, enhance diagnostic and intervention skills, and manage risk by providing feedback, guidance, and oversight. Supervisors help with case formulation, treatment planning, and ethical decision-making, offering reflective feedback and strategies for handling complex or ethically challenging situations. Effective supervision uses several approaches: developmental models tailor guidance to where the clinician is in their growth, ensuring goals match experience; reflective models focus on the supervisee's own reactions, beliefs, countertransference, and the therapeutic relationship; consultative models emphasize case-specific problem solving through joint exploration. This combination best describes supervision because it explicitly covers quality assurance, ethical adherence, skill development, feedback, case consultation, and ongoing oversight, all while supporting the clinician's autonomy and professional growth. Some descriptions reduce supervision to administrative tasks or to replacing clinician judgment, or imply it's only for beginners; those views miss how supervision functions across all levels of practice and in real collaboration with the clinician.

SAMPLE

9. A suprasystem is best described as:

A. A larger network of interacting subsystems

B. A single isolated component

C. A boundary that blocks exchange

D. An energy-only system with no interactions

A suprasystem is the larger network that contains multiple subsystems and their interactions within a wider environment. It isn't a single piece or isolated component; it's the bigger frame where different parts connect, exchange resources, information, and influence one another. Think of a community or organization as a whole that includes schools, agencies, families, and services—all interconnected within a shared context. The idea is that subsystems operate within and across this broader system, shaping and being shaped by the whole. That's why describing a suprasystem as a larger network of interacting subsystems fits best. It captures the hierarchical, interconnected nature you see in real-world systems, where boundaries matter for exchange and influence, but are not merely barriers. The other descriptions suggest isolation, a single component, a blocking boundary, or energy-only non-interaction, none of which reflect how a suprasystem functions as an integrated, dynamic context.

10. In stage 4 of the family life cycle, which adjustment best describes the childless couple?

A. adjust relationships with family or origin to include partner

B. include grandparent roles

C. coping with physiological decline

D. launching children

In this stage, the key task for a childless couple is to integrate the partner into the family of origin and establish a stable dyadic unit within the broader family system. Without children as a shared focus, the couple renegotiates boundaries and roles with parents, siblings, and extended relatives, so that the spouse is fully included in family activities, decision making, and support networks. This helps create a cohesive couple identity while maintaining healthy connections with both families, reducing loyalty conflicts and preventing distance between the couple and their relatives. Grandparent roles, when they do arise, depend on having grandchildren, so that task doesn't fit a childless couple at this stage. Coping with physiological decline pertains to later-life changes rather than the primary developmental shift for a childless couple. Launching children refers to the period when children leave home, which isn't applicable if there are no children.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://lcswclinical.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE