LINDSEY JONES TEST E PRACTICE (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://lindseyjonesteste.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What should be monitored to assess renal function in a newborn on mechanical ventilation?

A. PCWP

B. Diaper weight and blood draw volumes

C. Humidity levels

D. Mean pulmonary artery pressure

2. When performing nasal tracheal suctioning and PVCs are observed, what should the therapist do first?

A. Monitor the patient carefully

B. Recommend administration of Lidocaine

C. Decrease the suction pressure

D. Discontinue suctioning

3. For a patient requiring bronchodilation, which condition should be avoided?

A. Fractured ribs

B. Pulmonary edema

C. Untreated pneumothorax

D. Obstructive lung disease

4. A galvanic fuel cell oxygen analyzer may inaccurately read high under which condition?

A. During a sudden increase in the partial pressure of oxygen

B. When liquid gets on the membrane

C. When the analyzer batteries are depleted

D. When a volume-controlled ventilator at high inspiratory pressures

5. During an emergency oral intubation, if the light on a laryngoscope blade is not functioning, what should be the first action taken by the respiratory therapist?

A. Replace the handle

B. Replace the batteries

C. Attempt to tighten the bulb

D. Use a small flashlight with another's assistance

SAMPLE

6. For a home care patient who is ventilator dependent for more than 50% of the time, what is essential to have in case of a power failure?

A. Bag-valve resuscitator

B. Compressed oxygen

C. Back-up ventilator

D. Non-rebreathing mask with an E-cylinder

7. Which action will lead to a decrease in mean airway pressure for a patient on a mechanical ventilator in assist/control mode?

A. Decreasing inspiratory flow

B. Use of expiratory retard

C. Decrease in inspiratory time

D. Institution of a 1.0 sec inspiratory plateau

8. What is the primary purpose of conducting a risk assessment in underwriting?

A. To determine the maximum coverage limit

B. To evaluate the likelihood of a claim based on applicant information

C. To set premium rates for insurance policies

D. To assess the company's financial stability

9. What intervention will be most helpful for preventing complications after bariatric surgery?

A. IPPB with 3.0 mL normal saline every 4 hours

B. Incentive spirometry every hour

C. Ambulation twice a day

D. Small volume nebulizer therapy with Albuterol every 4 hours

10. Why is knowledge of life insurance important in the insurance market?

A. It only benefits the insurance companies

B. It provides clients with essential financial security

C. It is considered a minor product in the market

D. It serves as a tax-saving tool only

SAMPLE

Answers

SAMPLE

1. B
2. D
3. C
4. D
5. C
6. A
7. C
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What should be monitored to assess renal function in a newborn on mechanical ventilation?

A. PCWP

B. Diaper weight and blood draw volumes

C. Humidity levels

D. Mean pulmonary artery pressure

Monitoring diaper weight and blood draw volumes is crucial for assessing renal function in a newborn on mechanical ventilation because these measures provide direct insights into the baby's fluid balance and kidney performance. Diaper weight allows the healthcare provider to estimate urine output, which is an essential indicator of kidney function. A consistent urine output indicates that the kidneys are filtering and excreting waste products effectively, while decreased urine output may suggest renal impairment or dehydration. Tracking blood draw volumes helps in understanding the baby's hydration status and can aid in diagnosing any potential issues with renal function. Since newborns, especially those on mechanical ventilation, are at risk for various complications, close monitoring of these parameters enables timely interventions if necessary, ensuring that the infant's renal health is maintained. In contrast, parameters like pulmonary artery pressures and PCWP are more related to cardiac function rather than renal function. Monitoring humidity levels, while important for respiratory support, does not directly assess the function of the kidneys. Therefore, focusing on urine output and fluid balance through diaper weight and blood volumes is essential for evaluating renal health in this vulnerable population.

2. When performing nasal tracheal suctioning and PVCs are observed, what should the therapist do first?

A. Monitor the patient carefully

B. Recommend administration of Lidocaine

C. Decrease the suction pressure

D. Discontinue suctioning

When observing premature ventricular contractions (PVCs) during nasal tracheal suctioning, the immediate priority is to ensure the safety and well-being of the patient. The correct course of action is to discontinue suctioning. This is crucial because suctioning can stimulate the vagus nerve, leading to changes in heart rhythm, which can be particularly concerning in patients with underlying cardiac conditions or instability. Ceasing the suctioning procedure allows for the restoration of normal respiratory function and reduces any additional stress on the cardiovascular system. This approach provides time to assess the patient further and determine the appropriate next steps in management. Subsequent actions can include monitoring the patient's vital signs, providing supplemental oxygen if needed, or further medical intervention depending on the patient's condition.

SAMPLE

3. For a patient requiring bronchodilation, which condition should be avoided?

A. Fractured ribs

B. Pulmonary edema

C. Untreated pneumothorax

D. Obstructive lung disease

In the context of bronchodilation, the condition that should be avoided is an untreated pneumothorax. Bronchodilators work by relaxing the muscles around the airways and are beneficial in conditions like asthma or chronic obstructive pulmonary disease (COPD), where airway constriction is a primary issue. However, in the case of an untreated pneumothorax, which involves the accumulation of air in the pleural space, applying further pressure through respiratory interventions can exacerbate the situation. Administering bronchodilators can worsen the underlying problem of pneumothorax as it can increase air entry into the pleural space, potentially leading to a tension pneumothorax — a life-threatening condition. Therefore, while bronchodilators are generally helpful for airway constriction, they can have harmful effects when a pneumothorax is present and not treated. Other conditions like fractured ribs, pulmonary edema, and obstructive lung disease can still involve the use of bronchodilators as part of managing symptoms or improving breathing, albeit with caution and depending on the individual clinical scenario.

4. A galvanic fuel cell oxygen analyzer may inaccurately read high under which condition?

A. During a sudden increase in the partial pressure of oxygen

B. When liquid gets on the membrane

C. When the analyzer batteries are depleted

D. When a volume-controlled ventilator at high inspiratory pressures

The correct answer highlights a specific condition that can lead to inaccurate readings in a galvanic fuel cell oxygen analyzer. When a volume-controlled ventilator operates at high inspiratory pressures, this can affect the flow dynamics and the gas mixture that reaches the analyzer. In these scenarios, the high pressures can complicate the diffusion of oxygen to the sensing electrode, causing a discrepancy between the actual oxygen levels and what the analyzer indicates. This can result in an inaccurate high reading. Other factors, such as sudden changes in oxygen partial pressure and liquid contact with the membrane, can also lead to inaccuracies, but the volume-controlled ventilator scenario is particularly impactful because it alters the mechanical aspects of gas delivery. Similarly, depleted analyzer batteries can affect performance, yet they do not specifically cause elevated readings as high pressures can. Each of these conditions presents challenges to the accurate function of the analyzer, but the interplay of high inspiratory pressures with the analyzer's response mechanism specifically contributes to the inaccuracies in the measurement of oxygen levels.

SAMPLE

5. During an emergency oral intubation, if the light on a laryngoscope blade is not functioning, what should be the first action taken by the respiratory therapist?

A. Replace the handle

B. Replace the batteries

C. Attempt to tighten the bulb

D. Use a small flashlight with another's assistance

The most appropriate first action to take when the light on a laryngoscope blade is not functioning is to attempt to tighten the bulb. When the light is dim or not illuminating at all, it is often due to a loose connection at the bulb. By tightening the bulb, there's a chance that the light may function properly again without the need for further replacements or assistance. This method is quick and can potentially resolve the issue immediately, which is crucial in an emergency intubation scenario where time is of the essence. Addressing other options provides additional context: replacing the handle or the batteries may not be necessary if the issue is simply a loose bulb connection. These actions also take more time, which can be detrimental during an emergency. Using a small flashlight with assistance might help, but it is not ideal as it can complicate the intubation process and distract from the primary goal of securing the airway quickly and effectively. Thus, attempting to tighten the bulb is the most immediate and effective first step in this situation.

6. For a home care patient who is ventilator dependent for more than 50% of the time, what is essential to have in case of a power failure?

A. Bag-valve resuscitator

B. Compressed oxygen

C. Back-up ventilator

D. Non-rebreathing mask with an E-cylinder

In the scenario of a home care patient who is dependent on a ventilator for over 50% of the time, having a bag-valve resuscitator is crucial during a power failure. This device allows caregivers to manually ventilate the patient in the event that the electric-powered ventilator becomes inoperable due to loss of power. The bag-valve resuscitator provides a means to maintain oxygen delivery and assist with ventilation, ensuring the patient can receive the necessary breaths until alternative arrangements can be made or power is restored. While the other options may have their uses in various emergency contexts, none provide the immediate capability for manual ventilation. A compressed oxygen supply alone does not facilitate the act of providing breaths. A back-up ventilator would also require power or might not be readily available for immediate use. Similarly, a non-rebreathing mask with an E-cylinder could provide oxygen but does not allow for proper ventilation, making the bag-valve resuscitator the most effective choice in this scenario.

SAMPLE

7. Which action will lead to a decrease in mean airway pressure for a patient on a mechanical ventilator in assist/control mode?

A. Decreasing inspiratory flow

B. Use of expiratory retard

C. Decrease in inspiratory time

D. Institution of a 1.0 sec inspiratory plateau

A decrease in inspiratory time directly affects mean airway pressure by allowing for a shorter duration of ventilation during each breath cycle. In assist/control mode, each breath includes a set inspiratory time; by reducing this time, the overall time spent delivering positive pressure to the lungs is decreased. This leads to lower mean airway pressure since the mean airway pressure is influenced not just by peak inspiratory pressures but also by the duration of time those pressures are applied. By shortening the inspiratory time, the positive pressure is being applied for less time, which can result in a lower average pressure being maintained in the airway throughout the respiratory cycle. This understanding is crucial because balancing airway pressures is a vital component of effective mechanical ventilation, especially in patients with various pulmonary challenges. Other choices are less effective in leading to a decrease in mean airway pressure. Decreasing inspiratory flow may lead to reduced peak pressures, but it doesn't directly change the mean airway pressure significantly unless the inspiratory time is also adjusted. The use of expiratory retard increases the time during which the airway remains under pressure, potentially increasing mean airway pressure. An inspiratory plateau can maintain airway pressures longer, which is counterproductive to decreasing mean airway pressure. Thus, the action of decreasing inspiratory time is

8. What is the primary purpose of conducting a risk assessment in underwriting?

A. To determine the maximum coverage limit

B. To evaluate the likelihood of a claim based on applicant information

C. To set premium rates for insurance policies

D. To assess the company's financial stability

The primary purpose of conducting a risk assessment in underwriting revolves around evaluating the likelihood of a claim based on the information provided by an applicant. Underwriters analyze various factors such as the individual's health, occupation, lifestyle, and past claims history to determine the potential risk they present to the insurance company. By accurately assessing this risk, underwriters can make informed decisions on whether to accept the application and under what terms. This process helps ensure that policies are issued to those who meet certain risk criteria, ultimately protecting the company from excessive claims. Setting premium rates and determining coverage limits are certainly influenced by the risk assessment, but they are secondary to the initial evaluation of the applicant's potential for claiming. Similarly, while assessing a company's financial stability is crucial for its overall operation, it is not the direct aim of the underwriting risk assessment process. Instead, the assessment focuses on the individual policyholder's risk profile to maintain the insurer's financial health in the long term.

SAMPLE

9. What intervention will be most helpful for preventing complications after bariatric surgery?

A. IPPB with 3.0 mL normal saline every 4 hours

B. Incentive spirometry every hour

C. Ambulation twice a day

D. Small volume nebulizer therapy with Albuterol every 4 hours

Incentive spirometry every hour is a crucial intervention following bariatric surgery, as it empowers patients to perform deep breathing exercises, which significantly aids in preventing respiratory complications. After surgery, patients are often at risk for atelectasis due to reduced mobility and shallow breathing patterns. The use of an incentive spirometer encourages patients to take deep breaths, thereby increasing lung expansion, facilitating better gas exchange, and improving overall pulmonary function. Regular use can stimulate coughing to clear any potential secretions, further aiding in respiratory health. While the other options may offer benefits in specific contexts, they do not address the respiratory concerns post-surgery as effectively as incentive spirometry. For example, IPPB with normal saline and small volume nebulizer therapy primarily target airway management but are not as focused on promoting deep breathing. Ambulation, while important for overall recovery and prevention of complications like deep vein thrombosis, does not directly facilitate lung expansion in the same manner. Therefore, the use of incentive spirometry emerges as the most effective strategy for addressing the immediate respiratory needs of patients after bariatric surgery.

10. Why is knowledge of life insurance important in the insurance market?

A. It only benefits the insurance companies

B. It provides clients with essential financial security

C. It is considered a minor product in the market

D. It serves as a tax-saving tool only

Knowledge of life insurance is crucial in the insurance market primarily because it provides clients with essential financial security. Understanding the various aspects of life insurance allows individuals to make informed decisions about their long-term financial planning and risk management. Life insurance serves as a safety net for families and dependents in the event of an untimely death, ensuring that their financial needs are met during challenging times. Additionally, by being knowledgeable about life insurance, clients can choose policies that align with their specific circumstances and goals, such as covering debts, funding education, or providing retirement income. This understanding enables consumers to evaluate different policy options, understand the benefits and limitations of each, and ultimately select the coverage that best fits their unique financial situation. The other options do not reflect the comprehensive role that life insurance plays in safeguarding financial well-being. For instance, it is not solely beneficial to insurance companies, nor is it a minor product, since it is a significant component of financial planning for many individuals. While life insurance may offer tax advantages, it is much more than just a tax-saving tool; its primary purpose is to provide financial security and peace of mind to policyholders and their beneficiaries.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://lindseyjonesteste.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE