
LYMPHOLOGY ASSOCIATION OF NORTH AMERICA (LANA) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://lymphologyassociationofnorthamerica-lana.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **Which of the following skin conditions can present similarly to venous ulcers?**

   A. Diabetic ulcers

   B. Pressure ulcers

   C. Arterial ulcers

   D. All of the above

2. **What is the significance of protein concentration in lymph fluid?**

   A. It indicates hydration levels

   B. High protein concentration indicates a disrupted lymphatic system

   C. It reflects liver function

   D. Low protein concentration indicates healthy lymphatic function

3. **Which statement is TRUE regarding wounds caused by venous insufficiency?**

   A. All are true

   B. It is contraindicated to bandage over venous wounds

   C. Venous wounds are shallow and occur on the medial ankle

   D. Venous wounds typically require antibiotic treatment

4. **What does the "Staging of Lymphedema" categorize?**

   A. A system to categorize from reversible to more advanced stages with tissue changes

   B. A method for diagnosing lymphedema using imaging techniques

   C. A classification based solely on symptoms

   D. A scale for measuring limb circumference

5. **Which patient group is most prone to developing axillary web syndrome?**

   A. Young patients who are thin

   B. All women regardless of BMI

   C. Young patients who are obese

   D. Men

SAMPLE

6. What process does recent lymphatic research indicate does not exist in normal capillaries according to Starling's Law?

A. Capillary filtration

B. Colloid osmotic pressure

C. Capillary diffusion

D. Capillary reabsorption

7. What role do lymph nodes play in the immune system?

A. They produce red blood cells.

B. They filter lymph fluid and house lymphocytes, which help to fight infection.

C. They act as reservoirs for bile.

D. They store excess nutrients.

8. What is a common sign of a lymphedema flare-up?

A. Skin discoloration

B. Sudden decreases in swelling

C. Sudden increases in swelling

D. Fatigue

9. Class 3, flat-knit custom compression garments are most appropriate for:

A. Pediatric lymphedema

B. Patients at risk for lymphedema

C. Stage 3 lymphedema

D. Patients with an ABI ≤ .6

10. Which type of bandaging is typically used in compression therapy for lymphedema?

A. Short-stretch elastic bandages

B. Long-stretch elastic bandages

C. Fluffy bandaging

D. Non-elastic bandages

SAMPLE

Answers

SAMPLE

1. D
2. B
3. C
4. A
5. A
6. D
7. B
8. C
9. C
10. A

SAMPLE

Explanations

SAMPLE

1. Which of the following skin conditions can present similarly to venous ulcers?

A. Diabetic ulcers

B. Pressure ulcers

C. Arterial ulcers

D. All of the above

The correct answer is that all of the conditions listed—diabetic ulcers, pressure ulcers, and arterial ulcers—can present with characteristics that may be similar to venous ulcers. Diabetic ulcers often occur on pressure points, typically on the feet, and can exhibit a border that is irregular or poorly defined, similar to venous ulcers. Both types can show tissue necrosis and may develop in areas where circulation is compromised. Pressure ulcers, also known as bedsores, arise from prolonged pressure on the skin and can develop where circulation is limited, often causing tissue breakdown that can resemble the characteristics of venous ulcers. They can show redness, swelling, and, if untreated, may progress to open sores similar to those seen in venous insufficiency. Arterial ulcers, while typically occurring in areas with reduced blood flow, can sometimes be confused with venous ulcers due to their ulceration patterns. The skin may become necrotic, and there could be significant tissue loss. Since each of these skin conditions can present with overlapping features such as breakdown of skin integrity and the potential for drainage, it's essential for healthcare professionals to be skilled in distinguishing between them to provide appropriate treatments. This overlap in presentation highlights the importance of thorough clinical assessment and

2. What is the significance of protein concentration in lymph fluid?

A. It indicates hydration levels

B. High protein concentration indicates a disrupted lymphatic system

C. It reflects liver function

D. Low protein concentration indicates healthy lymphatic function

The significance of protein concentration in lymph fluid lies in its ability to provide insights into the health and function of the lymphatic system. A high protein concentration in lymph fluid typically suggests a disrupted lymphatic system. This disruption can occur due to various conditions that affect lymphatic drainage or lead to increased permeability of the lymphatic vessels, allowing proteins from the blood to spill into the lymph. Conditions such as lymphedema, infections, or inflammatory processes can result in this elevated protein level. Understanding this relationship is critical for diagnosing and managing disorders associated with the lymphatic system. For instance, in individuals with compromised lymphatic function, the presence of higher protein levels can be a clear indicator of underlying pathology requiring attention. The other options, while related to bodily functions, do not pertain specifically to the implications of protein levels in lymph fluid. Hydration levels are more frequently assessed through plasma and serum analysis rather than lymph fluid. Liver function is typically evaluated via liver-specific tests that measure enzymes and other markers in the blood, and low protein concentration does not necessarily indicate healthy lymphatic function, as it could also imply insufficient lymphatic drainage or a variety of other issues unrelated to the lymphatic system. Therefore, the focus on protein concentration and its implications regarding

SAMPLE

3. Which statement is TRUE regarding wounds caused by venous insufficiency?

A. All are true

B. It is contraindicated to bandage over venous wounds

C. Venous wounds are shallow and occur on the medial ankle

D. Venous wounds typically require antibiotic treatment

The assertion that venous wounds are shallow and occur on the medial ankle is accurate and reflects the typical characteristics of wounds related to venous insufficiency. Venous ulcers often develop as a result of prolonged elevation of venous pressure, leading to damage to the skin and surrounding tissues. These wounds commonly appear on the lower extremities and are most frequently seen on the medial aspect of the ankle, also known as the gaiter area. Their shallow nature is a result of the underlying pathophysiology of venous stasis, where the skin may become damaged but does not penetrate deeply into the tissue. Other options, while they may contain elements of truth, do not wholly reflect the characteristics or best management practices for venous wounds. For instance, bandaging over venous wounds is often utilized to provide compression and support, which is critical in managing venous ulcers. Moreover, while antibiotic treatment may be necessary if there is evidence of infection, it is not a standard requirement for all venous wounds since many can heal effectively without one. Lastly, the choice stating that all statements are true cannot be correct, as not all available statements are valid in the context of venous insufficiency.

4. What does the "Staging of Lymphedema" categorize?

A. A system to categorize from reversible to more advanced stages with tissue changes

B. A method for diagnosing lymphedema using imaging techniques

C. A classification based solely on symptoms

D. A scale for measuring limb circumference

The "Staging of Lymphedema" is primarily focused on categorizing the condition based on the progression of the disease, ranging from reversible early stages to more advanced stages that involve significant tissue changes. It recognizes the physiological and anatomical transformations that occur in the affected tissues as lymphedema progresses. This staging system helps clinicians and therapists determine the severity of lymphedema, plan appropriate management strategies, and monitor changes over time. In the early stages of lymphedema, signs may be subtle and include reversible swelling, while the later stages can involve more severe manifestations, like fibrosis, hardening of the tissue, and an increased risk of infections and complications. This classification system is essential for understanding the dynamics of lymphedema and tailoring treatment efficiently. Other approaches that involve imaging techniques, symptom-based classifications, or measures of limb circumference serve different purposes in clinical practice, such as diagnosing lymphedema or assessing specific dimensions of limb involvement, but they do not specifically focus on the progression and tissue changes outlined in the staging of lymphedema. Understanding these distinctions is crucial for proper management and would highlight the importance of tissue changes in the progression of lymphedema from a clinical

SAMPLE

5. Which patient group is most prone to developing axillary web syndrome?

A. Young patients who are thin

B. All women regardless of BMI

C. Young patients who are obese

D. Men

*Axillary web syndrome, also known as cording, typically occurs as a complication after procedures such as axillary dissection or radiation therapy, especially in breast cancer patients. The condition involves the formation of fibrous cords in the axillary region, which can lead to restricted movement and discomfort. The group that is most prone to developing axillary web syndrome is young patients who are thin. This phenomenon can be attributed to several factors: 1. **Anatomy and Tissue Composition**: Thinner individuals may have less subcutaneous fat and tissue cushioning in the axillary area, which can make the underlying structures more susceptible to the development of cording after surgical interventions, such as lymph node removal. 2. **Healing Response**: Younger patients tend to have a different healing response compared to older individuals. They may experience more robust tissue reaction or fibrosis post-surgery, leading to the formation of these fibrous cords. 3. **Lymphatic and Vascular Changes**: Young, thinner patients may experience more significant changes in lymphatic and vascular structures following surgical trauma. This can contribute to an increased likelihood of developing the webbing associated with axillary web syndrome. In contrast, other groups may not be as significantly affected by the same physiological factors*

6. What process does recent lymphatic research indicate does not exist in normal capillaries according to Starling's Law?

A. Capillary filtration

B. Colloid osmotic pressure

C. Capillary diffusion

D. Capillary reabsorption

The correct answer highlights that capillary reabsorption is a process not present in normal capillaries according to Starling's Law. Starling's Law describes the movement of fluid across capillary membranes, balancing filtration (the movement of fluid out of the capillaries) and reabsorption (the movement of fluid back into the capillaries). In the context of normal capillaries, fluid movement primarily occurs through the filtration process, driven by hydrostatic pressure, while colloid osmotic pressure aids in reabsorbing fluid back into the capillary. However, in normal physiological conditions, it is primarily the filtration that occurs, and not reabsorption. Most of the fluid filtered out does not return to the capillary; instead, it enters the interstitial space, where lymphatic vessels then collect and transport the excess fluid. Understanding this concept is essential in lymphology, as it underscores the role of the lymphatic system in maintaining fluid balance and the limitations of capillary dynamics in tissue fluid homeostasis. This knowledge is critical for accurately assessing conditions related to lymphatic function, edema, and fluid management in clinical practice.

SAMPLE

7. What role do lymph nodes play in the immune system?

A. They produce red blood cells.

B. They filter lymph fluid and house lymphocytes, which help to fight infection.

C. They act as reservoirs for bile.

D. They store excess nutrients.

Lymph nodes play a vital role in the immune system primarily by filtering lymph fluid and housing lymphocytes, which are essential white blood cells that help fight infections. Lymph nodes are strategically located throughout the body and receive lymph fluid from various tissues. As this fluid passes through the lymph nodes, it is filtered to remove pathogens, such as bacteria and viruses, as well as any damaged cells or debris. The lymphocytes found within the lymph nodes, particularly B cells and T cells, are activated when they encounter antigens from the pathogens. B cells can produce antibodies, while T cells can directly kill infected cells or help coordinate the immune response. This process is crucial for mounting an effective defense against infections and maintaining overall immune health. The other roles mentioned in the other options do not align with the functions of lymph nodes. They do not produce red blood cells, act as reservoirs for bile, or store excess nutrients, which reinforces the importance of understanding the specific functions of lymph nodes within the context of the immune system.

8. What is a common sign of a lymphedema flare-up?

A. Skin discoloration

B. Sudden decreases in swelling

C. Sudden increases in swelling

D. Fatigue

A common sign of a lymphedema flare-up is a sudden increase in swelling. During a flare-up, the lymphatic system is unable to effectively transport lymph fluid, leading to an accumulation of fluid in the affected area. This can result in noticeable swelling, often appearing more pronounced than during stable periods of the condition. Patients may experience additional symptoms during flare-ups, such as pain or tightness in the affected limb, but the hallmark sign is indeed the abrupt change in the volume of swelling. Recognizing these flare-ups is crucial for managing lymphedema effectively, enabling timely interventions such as compression therapy or manual lymph drainage to potentially alleviate symptoms and prevent further complications. While skin discoloration, fatigue, and sudden decreases in swelling can occur in individuals with lymphedema, they are not the primary indicators of a flare-up as an increase in swelling is. Understanding these signs plays an integral role in the ongoing monitoring and management of the condition.

SAMPLE

9. Class 3, flat-knit custom compression garments are most appropriate for:

A. Pediatric lymphedema

B. Patients at risk for lymphedema

C. Stage 3 lymphedema

D. Patients with an ABI ≤ .6

Class 3 flat-knit custom compression garments are specifically designed for individuals who experience significant lymphatic dysfunction, typically associated with stage 3 lymphedema. This stage is characterized by severe swelling, often accompanied by skin changes and increased risk for infection. The compression provided by Class 3 garments is appropriate to manage this level of edema, as it offers a higher pressure range that can help facilitate lymphatic drainage, reduce swelling, and improve overall function. Using class 3 garments for individuals at this stage helps in maintaining the fluid balance in the affected limb, providing the necessary support to manage the severity of swelling and to prevent complications that can arise from untreated lymphedema. The flat-knit design allows for a customized fit that can accommodate the unique contours of the limb, ensuring effective compression where it is most needed. In contrast, options like pediatric lymphedema and patients at risk for lymphedema might require different levels or types of compression that are more suitable for their conditions. Similarly, the reference to an ankle-brachial index (ABI) of ≤ .6 indicates compromised arterial circulation, which would necessitate caution in applying high-compression garments, making it unsuitable for class 3 garments in those patients.

10. Which type of bandaging is typically used in compression therapy for lymphedema?

A. Short-stretch elastic bandages

B. Long-stretch elastic bandages

C. Fluffy bandaging

D. Non-elastic bandages

Short-stretch elastic bandages are the preferred choice in compression therapy for lymphedema due to their unique structure and properties. These bandages are designed to provide higher working pressure during muscle contraction and lower resting pressure when the muscles are at rest. This characteristic is essential in managing lymphedema, as it helps to encourage lymphatic flow and reduce swelling effectively without causing excessive constriction when the limb is not actively being used. The compression provided by short-stretch bandages supports venous return and helps maintain tissue shape, facilitating fluid movement through the lymphatic system. Unlike long-stretch elastic bandages, which can create significant resting pressure that might restrict lymphatic flow and cause complications, short-stretch bandages are safer and more effective in promoting drainage. In contrast, fluffy bandaging and non-elastic bandages do not offer the necessary elasticity and compression dynamics required for effective lymphedema treatment. Fluffy bandages may provide cushioning but do not deliver the controlled compression needed to manage lymphatic fluid accumulation. Non-elastic bandages lack the flexibility to support the muscle action that assists in lymphatic flow, compromising their effectiveness in lymphedema therapy. Therefore, the use of short-stretch elastic band

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://lymphologyassociationofnorthamerica-lana.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE