MACHINIST'S MATE (MM) "A" SCHOOL TEST 3 PRACTICE (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://mmaschool3.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. The Boiler Control Console is located in which station?

A. Enclosed The Operating Station (EOS)

B. Engine Room

C. Navigation Bridge

D. Radio Room

2. Which component provides manual control when the automatic regulator fails by bypassing the automatic regulation path?

A. Bypass valve

B. Unloading valve

C. Make-up valve

D. Gland seal regulating station

3. To allow steam flow into the Deaerating Tank when needed, which valve is used?

A. Check Valve

B. Gate Valve

C. Ball Valve

D. Relief Valve

4. Which console contains controls for steam pressure, temperature, and power-operated valve-position indicators?

A. Throttle Control Console (TCC)

B. Boiler Control Console

C. Engine Room Control Panel

D. Propulsion Control Console

5. Where do the lube oil pumps take suction from in the propulsion lubrication system?

A. Reduction Gear Sump

B. Main Fuel Oil Tank

C. Scavenge Pump

D. Lube Oil Header

SAMPLE

6. How are 600 psi Main Steam and 600 psi Auxiliary Steam different?

A. Main steam is supplied from the boiler; Auxiliary steam through two valves, stop-check valve, motor-operated valve

B. They are identical in all respects

C. Main steam is produced by a turbine

D. Auxiliary steam does not require any valves

7. The sentinel-relief valve lifts at how many pounds per square inch (psi)?

A. 25 psi

B. 30 psi

C. 40 psi

D. 50 psi

8. The Make-Up Valve and the Unloading Valve Configuration are what?

A. Same

B. Different

C. Unrelated

D. Complementary

9. Where is the static pressure sensor that measures steam drum pressure located?

A. On the top of the boiler steam drum

B. In the feedwater line

C. Inside the main propulsion shaft

D. In the fuel oil system

10. Which device is described as unloading valves used in the exhaust-to-condenser connection?

A. Air Piloted-operated unloading valves

B. Manual Isolation Valves

C. Pressure Valves

D. Temperature Valves

SAMPLE

Answers

SAMPLE

1. A
2. A
3. A
4. A
5. A
6. A
7. B
8. A
9. A
10. A

SAMPLE

Explanations

SAMPLE

1. The Boiler Control Console is located in which station?

A. Enclosed The Operating Station (EOS)

B. Engine Room

C. Navigation Bridge

D. Radio Room

Boiler controls are kept in a sheltered, centralized area so the operator can monitor and manage the boiler plant safely and efficiently. The Boiler Control Console is located in the Enclosed Operating Station because this enclosed space provides direct access to the boiler's gauges, indicators, and control levers while protecting the operator from heat, steam, and noise. From this station, the engineer can watch boiler pressure, water level, temperatures, fuel and air supply, and can start or stop boilers and adjust firing as needed, all with quick access to alarms and interlocks. The other rooms—Engine Room, Navigation Bridge, and Radio Room—serve separate functions and are not designed for actively controlling the boiler system, making the Enclosed Operating Station the proper place for the console.

2. Which component provides manual control when the automatic regulator fails by bypassing the automatic regulation path?

A. Bypass valve

B. Unloading valve

C. Make-up valve

D. Gland seal regulating station

Providing manual control when the automatic regulator fails is achieved by a bypass valve, which creates a direct manual path that bypasses the automatic regulation circuitry. When the automatic regulator is out of service, you can open this bypass to set the controlled variable (flow or pressure) manually, ensuring the system continues to operate. The other components serve different functions and do not offer a direct manual bypass of the regulator: the unloading valve is used to reduce load in the system under certain conditions, not to bypass the regulator; the make-up valve adds water to maintain proper levels, not to override regulation; the gland seal regulating station controls the supply of gland steam, which is unrelated to bypassing the automatic control path.

3. To allow steam flow into the Deaerating Tank when needed, which valve is used?

A. Check Valve

B. Gate Valve

C. Ball Valve

D. Relief Valve

The valve used is a check valve, which provides unidirectional flow. It opens to allow steam to enter the deaerating tank when pressure in the steam line is higher, and automatically closes to prevent any backflow from the tank into the steam line. This automatic one-way action protects the steam supply and ensures steam enters the tank only when needed. Other valves—manual gate or ball valves—would require operator action to open or close and do not inherently prevent backflow, while a relief valve is for releasing excess pressure, not directing flow into the tank.

SAMPLE

4. Which console contains controls for steam pressure, temperature, and power-operated valve-position indicators?

A. Throttle Control Console (TCC)

B. Boiler Control Console

C. Engine Room Control Panel

D. Propulsion Control Console

This question is about which console houses the controls and indicators for the steam system as part of propulsion management. The throttle control console centralizes the throttle levers and the instrumentation that monitors steam conditions—steam pressure and steam temperature—and it also includes indicators showing the position of power-operated valves. Having these indicators alongside the throttle controls lets the operator regulate steam flow to the engines while immediately seeing how the steam is behaving and which valves are open or closed, which is essential for safe and responsive propulsion control. The boiler control console would focus more on boiler operation specifics (like feedwater and boiler safety limits), the engine room control panel covers a broader range of engine room equipment, and the propulsion control console governs overall propulsion settings but doesn't specifically house the steam-parameter and valve-position indicators described here.

5. Where do the lube oil pumps take suction from in the propulsion lubrication system?

A. Reduction Gear Sump

B. Main Fuel Oil Tank

C. Scavenge Pump

D. Lube Oil Header

In propulsion lubrication, the pump that pressurizes and distributes oil draws from the reduction gear sump. This sump is the central reservoir that collects oil after it has lubricated the gears and bearings in the reduction gear box. The pumps pull from this sump to circulate oil through filters, coolers, and the lube oil header to the bearings and gears. Oil returns from the bearings and gear areas to the sump via scavenger pumps, completing the loop. The lube oil header is simply the distribution path after filtration, not the suction source, and the main fuel oil tank is unrelated to the lubrication system.

6. How are 600 psi Main Steam and 600 psi Auxiliary Steam different?

A. Main steam is supplied from the boiler; Auxiliary steam through two valves, stop-check valve, motor-operated valve

B. They are identical in all respects

C. Main steam is produced by a turbine

D. Auxiliary steam does not require any valves

The main idea here is that main steam and auxiliary steam serve different purposes and are controlled in different ways, even when both are at the same pressure. Main steam is the line that carries steam directly from the boiler to the propulsion turbine and other main-duty systems; it doesn't rely on the same isolation and control hardware as the auxiliary system. Auxiliary steam, on the other hand, powers ship's auxiliary equipment and starting systems, so its supply must be carefully controlled and able to be shut off or prevented from flowing back into the boiler. That control is provided by a stop-check valve, which blocks reverse flow and provides isolation, together with a motor-operated valve, which allows precise, remotely controlled throttling of steam to the auxiliaries. This setup ensures safe startup, shutdown, and protection of the boiler and piping. Other options don't fit because they misstate how steam is produced or how it's controlled. Main steam isn't produced by a turbine; it comes from the boiler. Auxiliary steam does require valves to control and isolate flow, not none at all.

SAMPLE

7. The sentinel-relief valve lifts at how many pounds per square inch (psi)?

A. 25 psi

B. 30 psi

C. 40 psi

D. 50 psi

A sentinel-relief valve is a safety device that opens when system pressure reaches its set value to prevent overpressure. The disc lifts off the seat when the pressure exceeds the spring's resistance, allowing the fluid to vent and keep the system from being damaged. In this scenario, the valve is designed to lift at 30 psi. That setting provides a reliable protective margin: it prevents the pressure from climbing high enough to harm components, while avoiding unnecessary venting from small daily fluctuations that might occur at lower pressures. If it were set much lower, like 25 psi, it could vent too often; if set higher, like 40 or 50 psi, the system could experience higher pressures before relief occurs, increasing risk to equipment. Therefore, 30 psi is the best balance for this sentinel-relief valve.

8. The Make-Up Valve and the Unloading Valve Configuration are what?

A. Same

B. Different

C. Unrelated

D. Complementary

Make-Up and Unloading operate using the same valve arrangement in this system. The reason they're described as the same is that the physical valve, its ports, and the way it's actuated are identical, and the only difference is how the control signals are applied to drive it in makeup versus unloading. In normal operation, the makeup path feeds air into the system to hold pressure at the desired level, while the unloading path vents air to reduce pressure when unloading is commanded. Since the hardware and the control sequencing are the same, the configuration is effectively the same for both functions, which also makes parts interchangeable and maintenance simpler.

9. Where is the static pressure sensor that measures steam drum pressure located?

A. On the top of the boiler steam drum

B. In the feedwater line

C. Inside the main propulsion shaft

D. In the fuel oil system

The static pressure sensor is placed on the top of the boiler steam drum. This location taps the steam space directly, giving an accurate reading of the drum's steam pressure without being influenced by flow in other systems. Putting the sensor in the feedwater line would measure feedwater pressure, not the drum steam pressure, and placing it in the propulsion shaft or fuel oil system would involve completely different fluids and conditions, yielding meaningless readings for the drum pressure. The top of the steam drum is where the steam space pressure is most representative and stable for monitoring and control.

SAMPLE

10. Which device is described as unloading valves used in the exhaust-to-condenser connection?

A. Air Piloted-operated unloading valves

B. Manual Isolation Valves

C. Pressure Valves

D. Temperature Valves

The thing being described is a valve system that remotely controls how turbine exhaust is directed into the condenser. These unloading valves are designed to be operated by compressed air, allowing fast, remote actuation from the ship's control system. This pneumatic actuation is essential for quickly changing the flow to the condenser during starting, unloading, and load changes, which helps maintain proper condenser vacuum and turbine backpressure. Manual isolation valves are simple shutoffs that require human operation and don't provide the rapid, automatic control needed for unloading during dynamic operating conditions. Temperature or pressure valves serve sensing or regulation roles in other parts of the system, not for performing the unloading function in the exhaust-to-condenser line.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://mmaschool3.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE