


# MAE 241 INTRODUCTION TO THERMODYNAMICS EXAM 1 PRACTICE (SAMPLE) STUDY GUIDE



## SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR  
THE FULL VERSION STUDY GUIDE

<https://mae241exam1.examzify.com>



**Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.**

**ALL RIGHTS RESERVED.**

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

# Table of Contents

|                             |    |
|-----------------------------|----|
| Copyright .....             | 1  |
| Table of Contents .....     | 2  |
| Introduction .....          | 3  |
| How to Use This Guide ..... | 4  |
| Questions .....             | 5  |
| Answers .....               | 8  |
| Explanations .....          | 10 |
| Next Steps .....            | 15 |

SAMPLE

# Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

# How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

## 1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

## 2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

## 3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

## 4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

## 5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

## 6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

## Questions

SAMPLE

1. Absolute pressure is defined as the actual pressure at a location measured relative to what reference?
- A. Atmospheric pressure.
  - B. Absolute vacuum.
  - C. A fixed reference pressure.
  - D. Sea level pressure.
2. Which properties depend on the size of the system?
- A. Intensive property
  - B. Extensive property
  - C. Specific property
  - D. Continuum
3.  $C_p$  and  $C_v$  definitions via derivatives of enthalpy and internal energy with respect to temperature are given by which expressions?
- A.  $C_p = (\partial h / \partial T)_P$  and  $C_v = (\partial u / \partial T)_V$
  - B.  $C_p = (\partial u / \partial T)_P$  and  $C_v = (\partial h / \partial T)_V$
  - C.  $C_p = (\partial h / \partial T)_V$  and  $C_v = (\partial u / \partial T)_P$
  - D.  $C_p = (\partial H / \partial T)_P$  and  $C_v = (\partial U / \partial T)_V$
4. What term is defined as any characteristic of a system?
- A. Phase
  - B. Property
  - C. State variable
  - D. Parameter
5. For a rigid, adiabatic process in a closed system, what is  $\Delta U$ ?
- A.  $\Delta U = Q$
  - B.  $\Delta U = W$
  - C.  $\Delta U = Q - W$
  - D.  $\Delta U = 0$

6. For an ideal gas, what is the relationship between gamma and specific heats?
- A.  $\gamma = C_p/C_v$
  - B.  $\gamma = C_v/C_p$
  - C.  $\gamma = C_p - C_v$
  - D.  $\gamma = C_p + C_v$
7. In a saturated liquid-vapor mixture, the mixture specific volume  $v$  is expressed as which linear combination of  $v_f$  and  $v_g$  with quality  $x$ ?
- A.  $v_f + v_g - x$
  - B.  $(1 - x) v_f + x v_g$
  - C.  $v_f x + v_g$
  - D.  $v_f/(1 - x) + v_g x$
8. Which are examples of extensive properties?
- A. Total mass
  - B. Temperature
  - C. Pressure
  - D. Density
9. What is the Carnot efficiency for a reversible heat engine operating between a hot reservoir at temperature  $T_h$  and a cold reservoir at  $T_c$ ?
- A.  $\eta_{\text{Carnot}} = 1 - T_h/T_c$
  - B.  $\eta_{\text{Carnot}} = 1 - T_c/T_h$
  - C.  $\eta_{\text{Carnot}} = (T_h - T_c)/T_h$
  - D.  $\eta_{\text{Carnot}} = (T_h/T_c) - 1$
10. In an ideal gas, if the temperature doubles and pressure remains the same, how does volume change?
- A.  $V$  remains unchanged
  - B.  $V$  halves
  - C.  $V$  quadruples
  - D.  $V$  doubles

## **Answers**

SAMPLE

1. B
2. B
3. A
4. B
5. D
6. A
7. B
8. A
9. B
10. D

SAMPLE

## **Explanations**

SAMPLE

**1. Absolute pressure is defined as the actual pressure at a location measured relative to what reference?**

- A. Atmospheric pressure.
- B. Absolute vacuum.**
- C. A fixed reference pressure.
- D. Sea level pressure.

*Absolute pressure is the pressure measured with respect to a perfect vacuum as zero. This means the reference point for the absolute scale is a state of zero pressure, an ideal vacuum, so the reading represents the total pressure acting on a system. In contrast, gauge pressure uses atmospheric pressure as its zero, which is why it only shows how much pressure there is above ambient air. Sea level pressure describes the atmospheric pressure at a location, not the zero point for the absolute scale. A fixed reference pressure wouldn't capture the concept of zero pressure in a vacuum, which is why the correct reference for absolute pressure is an absolute vacuum.*

**2. Which properties depend on the size of the system?**

- A. Intensive property
- B. Extensive property**
- C. Specific property
- D. Continuum

*Extensive properties are the ones that depend on how much matter is present in the system. When you change the size of the system—for example, double the amount of substance—you double the value of extensive properties like mass, volume, total internal energy, and total entropy. They accumulate with the amount of material, so their magnitude grows with system size. In contrast, intensive properties such as temperature, pressure, and density describe the state per unit amount and do not change when you alter the system size. Specific properties (like specific volume or specific internal energy) are defined per unit mass, so they behave like intensive quantities and don't depend on total size. Continuum is a modeling assumption about matter's behavior, not a property that scales with size. So the property that depends on the size of the system is the extensive one.*

**3.  $C_p$  and  $C_v$  definitions via derivatives of enthalpy and internal energy with respect to temperature are given by which expressions?**

- A.  $C_p = (\partial h / \partial T)_P$  and  $C_v = (\partial u / \partial T)_V$**
- B.  $C_p = (\partial u / \partial T)_P$  and  $C_v = (\partial h / \partial T)_V$
- C.  $C_p = (\partial h / \partial T)_V$  and  $C_v = (\partial u / \partial T)_P$
- D.  $C_p = (\partial H / \partial T)_P$  and  $C_v = (\partial U / \partial T)_V$

*The main idea is that heat capacities measure how much heat is needed to raise the temperature under a fixed constraint, which ties directly to changes in enthalpy or internal energy. At fixed pressure, the heat added goes into changing the enthalpy, not just the internal energy, so  $C_p$  is the rate of change of enthalpy with temperature at constant pressure:  $C_p = (\partial h / \partial T)_P$ . Since  $H = U + pV$ , this relation is consistent with the way enthalpy incorporates the  $pV$  work term. At fixed volume, there is no  $PV$  work, so all the heat added raises the internal energy, giving  $C_v$  as the rate of change of internal energy with temperature at constant volume:  $C_v = (\partial u / \partial T)_V$ . The notation  $h$  and  $u$  are just alternate symbols for enthalpy and internal energy, respectively, so the expressions  $C_p = (\partial h / \partial T)_P$  and  $C_v = (\partial u / \partial T)_V$  match the standard definitions. Choosing derivatives like  $(\partial h / \partial T)_V$  or  $(\partial u / \partial T)_P$  would not correspond to the defined heat capacities.*

#### 4. What term is defined as any characteristic of a system?

- A. Phase
- B. Property**
- C. State variable
- D. Parameter

A property is any characteristic used to describe a system. Temperature, pressure, volume, composition—these are all properties that help characterize the state of the system. Properties can be intensive or extensive, and they form the information you use to describe how the system looks at a given moment. A state variable is a specific type of property that helps define the state, but not every property is a state variable. A phase is a homogeneous region with uniform properties, and a parameter is a quantity used in a model rather than a direct description of the system itself. So for the idea of “any characteristic of a system,” the broad, inclusive term is property.

#### 5. For a rigid, adiabatic process in a closed system, what is $\Delta U$ ?

- A.  $\Delta U = Q$
- B.  $\Delta U = W$
- C.  $\Delta U = Q - W$
- D.  $\Delta U = 0$**

In a closed system, the internal energy change follows the first law:  $\Delta U = Q - W$ , where  $Q$  is heat into the system and  $W$  is work done by the system. For a rigid (constant volume) vessel, there is no boundary work because  $dV = 0$ , so  $W = 0$ . For an adiabatic process, no heat enters or leaves, so  $Q = 0$ . With both  $Q$  and  $W$  equal to zero,  $\Delta U = 0$ . So the internal energy remains unchanged in a rigid, adiabatic, closed-system process.

#### 6. For an ideal gas, what is the relationship between gamma and specific heats?

- A.  $\gamma = C_p/C_v$**
- B.  $\gamma = C_v/C_p$
- C.  $\gamma = C_p - C_v$
- D.  $\gamma = C_p + C_v$

Gamma is the ratio of the heat capacity at constant pressure to the heat capacity at constant volume for an ideal gas. This difference in how heat affects temperature at constant volume versus constant pressure is what creates the need for more heat when the gas is allowed to expand. At constant volume all added heat goes into increasing the internal energy, so  $dU = C_v dT$ . At constant pressure some heat goes into expansion work, so to raise the temperature by the same amount you need more heat,  $dQ_p = C_p dT$ . The ratio  $C_p/C_v$  captures how much more heat is required at constant pressure than at constant volume for the same temperature change. For ideal gases,  $C_p$  and  $C_v$  are related by  $C_p - C_v = R$ , so  $\gamma = C_p/C_v = (C_v + R)/C_v = 1 + R/C_v$ . This gamma value also governs the adiabatic relation  $P V^\gamma = \text{constant}$  for reversible adiabatic processes. The other options describe differences or sums that do not characterize the ratio that defines gamma.

7. In a saturated liquid-vapor mixture, the mixture specific volume  $v$  is expressed as which linear combination of  $v_f$  and  $v_g$  with quality  $x$ ?

- A.  $v_f + v_g - x$
- B.  $(1 - x) v_f + x v_g$**
- C.  $v_f x + v_g$
- D.  $v_f/(1 - x) + v_g x$

Quality  $x$  is the mass fraction of vapor in a saturated mixture. The mixture specific volume is the mass-weighted average of the liquid and vapor volumes:  $v = (m_f v_f + m_g v_g) / m$ , with  $m_f = (1 - x)m$  and  $m_g = x m$ . Substituting gives  $v = (1 - x) v_f + x v_g$ , or equivalently  $v = v_f + x(v_g - v_f)$ . This is linear in  $x$  and makes physical sense: if  $x = 0$  (all liquid),  $v = v_f$ ; if  $x = 1$  (all vapor),  $v = v_g$ . Other proposed forms don't reproduce these limiting values or include incorrect weighting, so they don't describe the mixture correctly.

8. Which are examples of extensive properties?

- A. Total mass**
- B. Temperature
- C. Pressure
- D. Density

Extensive properties depend on how much material you have. Total mass is extensive because when you add more material, the mass just adds up (doubling the amount doubles the mass). Temperature, pressure, and density are intensive—they describe the state independently of the amount of substance in a homogeneous, equilibrated system. For example, increasing the amount of gas at the same conditions changes pressure or volume, not in a simple additive way, and density remains the same for a uniform sample. So total mass is the clear example of an extensive property.

9. What is the Carnot efficiency for a reversible heat engine operating between a hot reservoir at temperature  $T_h$  and a cold reservoir at  $T_c$ ?

- A.  $\eta_{\text{Carnot}} = 1 - T_h/T_c$
- B.  $\eta_{\text{Carnot}} = 1 - T_c/T_h$**
- C.  $\eta_{\text{Carnot}} = (T_h - T_c)/T_h$
- D.  $\eta_{\text{Carnot}} = (T_h/T_c) - 1$

The main idea is that the efficiency of a reversible engine, or Carnot efficiency, depends only on the temperatures of the hot and cold reservoirs and is given by the expression 1 minus the ratio of the cold temperature to the hot temperature, with temperatures in absolute scales like Kelvin. For a reversible cycle, the heat exchanged with the hot reservoir,  $Q_h$ , and the cold reservoir,  $Q_c$ , satisfy  $Q_h/T_h = Q_c/T_c$ . This means  $Q_c/Q_h = T_c/T_h$ , and the work produced is  $W = Q_h - Q_c$ , so the efficiency  $\eta = W/Q_h = (Q_h - Q_c)/Q_h = 1 - Q_c/Q_h = 1 - T_c/T_h$ . This form makes it clear that the efficiency increases as  $T_h$  gets larger or  $T_c$  gets smaller, and it stays between 0 and 1 as long as  $T_h > T_c$ . You can also write it as  $(T_h - T_c)/T_h$ , which is the same expression. If you mix up the temperatures in the ratio, such as  $1 - T_h/T_c$  or  $(T_h/T_c) - 1$ , you do not obtain the correct Carnot limit (those can yield negative values or values greater than 1 in typical cases).

10. In an ideal gas, if the temperature doubles and pressure remains the same, how does volume change?

A. V remains unchanged

B. V halves

C. V quadruples

D. V doubles

*In an ideal gas with a fixed amount of gas, the pressure and volume are tied to temperature by  $PV = nRT$ . If the pressure is constant and the amount of gas doesn't change, V is directly proportional to T. So when temperature doubles, the volume must also double to keep PV proportional to T. Think of it this way:  $V = nRT / P$ . With P and n fixed, V scales with T. If T goes from T to 2T, V goes from V to 2V. The other options would violate this direct proportionality: keeping V the same would ignore the doubled temperature, halving V would imply a drop in T or an increase in P, and quadrupling V would require T to quadruple or P to drop, which isn't happening here.*

SAMPLE

## Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at [hello@examzify.com](mailto:hello@examzify.com).

Or visit your dedicated course page for more study tools and resources:

<https://mae241exam1.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE