MAMMOGRAPHY JEOPARDY PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://mammographyjeopardy.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the purpose of magnification views in mammography?

A. To reduce radiation dose

B. To enlarge a suspicious area to better characterize calcifications or margins

C. To capture the entire breast in one shot

D. To evaluate the opposite breast only

2. What is the maximum dose allowed per exposure?

A. 30 mGy

B. 0.3 mGy

C. 3 mGy

D. 300 mGy

3. Which layer of fat lies directly beneath the skin?

A. Visceral fat layer

B. Subcutaneous fat layer

C. Intermuscular fat

D. Epicardial fat

4. Which calcification pattern is most concerning for malignancy?

A. Macrocalcifications

B. Coarse calcifications

C. Microcalcifications clustered and pleomorphic

D. Diffuse calcifications

5. What is the most common supplemental view in breast imaging?

A. XCCL

B. CCL

C. XCCL-MLO

D. MLO

6. Approximately how many women die from breast cancer each year?

A. 60,000

B. 20,000

C. 40,000

D. 10,000

SAMPLE

7. A nominal focal size of 0.3 mm corresponds to what for the effective focal spot?

A. 0.6 mm

B. 0.15 mm

C. 0.3 mm

D. 1.0 mm

8. What is the effect of extremely dense breasts on lesion detection in mammography?

A. The masking effect of extremely dense breasts lowers detection.

B. Dense breasts improve lesion visibility.

C. They have no effect on detection.

D. They do not occur in average risk.

9. Which part of the breast is best visualized on the SIO view?

A. Upper outer and lower inner

B. Central region

C. Upper inner and lower outer

D. Medial quadrant

10. What does DIEP stand for in breast reconstruction terminology?

A. Deep Inferior Epigastric Perforator Flap

B. Deep Internal Epigastric Perforator Flap

C. Diaphragmatic Inferior Epigastric Perforator

D. Dermal Inferior Epigastric Perforator

SAMPLE

Answers

SAMPLE

1. B
2. C
3. B
4. C
5. A
6. C
7. C
8. C
9. C
10. A

SAMPLE

Explanations

SAMPLE

1. What is the purpose of magnification views in mammography?

A. To reduce radiation dose

B. To enlarge a suspicious area to better characterize calcifications or margins

C. To capture the entire breast in one shot

D. To evaluate the opposite breast only

Magnification views are used to enlarge a suspicious area so its features, such as calcifications or lesion margins, can be assessed more clearly. When screening or diagnostic images show suspicious microcalcifications or an indistinct mass, magnification projections zoom in on that region, increasing detail and reducing tissue overlap. The technique achieves this by adjusting geometry and using a small focal spot so the small area is magnified on the image, allowing finer characterization of calcification shape and distribution and of lesion borders. This improved detail helps distinguish benign patterns from those that warrant biopsy or closer follow-up. It is not intended to capture the entire breast in one shot, and it's not primarily used to evaluate the opposite breast or to reduce overall radiation dose.

2. What is the maximum dose allowed per exposure?

A. 30 mGy

B. 0.3 mGy

C. 3 mGy

D. 300 mGy

In mammography, there is a safety goal to keep the radiation dose per exposure small while still getting a quality image. The commonly cited upper bound for a single projection is about 3 mGy. This keeps the dose low enough to minimize risk to breast tissue but high enough to produce the contrast needed to detect features like microcalcifications and masses. Modern systems and good technique (including proper compression) can achieve diagnostic-quality images at doses around 1–2 mGy per view, so a limit near 3 mGy reflects a balanced, practical threshold. Values like 0.3 mGy are typically too low to yield reliable diagnostic detail, while 30 mGy or 300 mGy would unnecessarily increase radiation exposure without improving image quality.

3. Which layer of fat lies directly beneath the skin?

A. Visceral fat layer

B. Subcutaneous fat layer

C. Intermuscular fat

D. Epicardial fat

The layer directly beneath the skin is the subcutaneous fat, also called the hypodermis. This superficial adipose tissue sits between the skin and the deeper fascia and muscles, providing insulation, padding, and energy storage. The other fat types are located deeper: visceral fat surrounds internal organs within the abdominal cavity, intermuscular fat lies between muscle groups, and epicardial fat sits around the heart.

SAMPLE

4. Which calcification pattern is most concerning for malignancy?

A. Macrocalcifications

B. Coarse calcifications

C. Microcalcifications clustered and pleomorphic

D. Diffuse calcifications

Tiny calcium deposits in breast tissue can appear in several patterns, but the most concerning for cancer is when these microcalcifications are very small, numerous, clustered in a tight area, and have pleomorphic shapes (varying sizes and irregular forms). This combination signals a focal abnormal process, often linked to ductal carcinoma in situ or early invasive cancer, because malignant cells can produce irregular, irregularly shaped calcifications within the ducts and in a concentrated region. The clustered distribution indicates a localized area of pathology, and the irregular, varied shapes suggest a non-benign process rather than a normal or benign calcification pattern. In contrast, large, well-defined macrocalcifications are typically associated with benign processes such as aging, degenerative changes, or benign vascular or fibrous structures. Coarse calcifications have a chunky appearance and are usually non-suspicious. Diffuse calcifications spread throughout the breast are commonly due to benign factors (like hormonal influences or systemic processes) and do not point to a focal malignancy as strongly as clustered pleomorphic microcalcifications do.

5. What is the most common supplemental view in breast imaging?

A. XCCL

B. CCL

C. XCCL-MLO

D. MLO

Supplemental views are used to better characterize a finding by reducing tissue overlap and increasing detail in a focused area. The exaggerated craniocaudal view, abbreviated XCCL, is the most common single supplemental projection. It magnifies a small region on the CC orientation, giving higher resolution of calcifications and margins and helping distinguish a true lesion from overlapping tissue seen on standard views. MLO is a routine view, not supplemental, so it isn't the answer. A two-view magnification approach like XCCL-MLO isn't the single most common choice when only one supplemental view is considered.

6. Approximately how many women die from breast cancer each year?

A. 60,000

B. 20,000

C. 40,000

D. 10,000

Mortality from breast cancer in women is the number we estimate when thinking about how many lives are lost each year despite medical advances. In the United States, about forty thousand women die annually from breast cancer, so the closest figure among the choices is forty thousand. This reflects the reality that many new cases are diagnosed each year, but improvements in screening and treatment have reduced the death rate compared with earlier decades. The other numbers are farther from the typical annual toll: sixty thousand would be higher than current estimates, while twenty thousand or ten thousand would understate the impact.

SAMPLE

7. A nominal focal size of 0.3 mm corresponds to what for the effective focal spot?

A. 0.6 mm

B. 0.15 mm

C. 0.3 mm

D. 1.0 mm

The main idea is the relationship between the nominal focal spot and the effective focal spot in x-ray tubes. The effective focal spot is the size of the focal spot as projected onto the image plane, and the line-focus principle uses the anode angle to make the effective size smaller than the actual focal spot to improve sharpness while allowing a larger heat-dissipating actual focal spot. The effective focal spot is roughly the nominal (actual) focal spot size multiplied by the cosine of the anode angle: Effective ≈ Nominal × cos(angle). With typical mammography tube settings, the anode angle is small, so cos(angle) is very close to 1. That makes the effective focal spot essentially the same as the nominal size. So a nominal focal size of 0.3 mm corresponds to an effective focal spot of about 0.3 mm.

8. What is the effect of extremely dense breasts on lesion detection in mammography?

A. The masking effect of extremely dense breasts lowers detection.

B. Dense breasts improve lesion visibility.

C. They have no effect on detection.

D. They do not occur in average risk.

Dense breasts reduce lesion detection on mammography because the fibroglandular tissue appears white on the image, just like many abnormalities. This creates a masking effect where small cancers or subtle signs blend into the surrounding dense tissue, lowering the contrast and making them harder to spot. As density increases, the sensitivity of screening mammography decreases, so cancers can be missed more easily. In practice, this is why additional imaging such as ultrasound or MRI, or newer approaches like 3D mammography, is often considered to improve detection in very dense breasts.

9. Which part of the breast is best visualized on the SIO view?

A. Upper outer and lower inner

B. Central region

C. Upper inner and lower outer

D. Medial quadrant

The SIO view uses a superoinferior oblique angle to tilt the breast diagonally, reducing tissue overlap and bringing specific regions into clear view. This orientation best projects the upper inner quadrant and the lower outer quadrant into the imaging plane, making lesions or calcifications in those areas easier to detect. Other regions tend to be more overlapped or foreshortened with this projection, so they aren't visualized as well. Therefore, the areas most clearly seen on the SIO view are the upper inner and lower outer quadrants.

SAMPLE

10. What does DIEP stand for in breast reconstruction terminology?

A. Deep Inferior Epigastric Perforator Flap

B. Deep Internal Epigastric Perforator Flap

C. Diaphragmatic Inferior Epigastric Perforator

D. Dermal Inferior Epigastric Perforator

DIEP stands for Deep Inferior Epigastric Perforator Flap, a breast reconstruction option that uses skin and fat from the lower abdomen while preserving the rectus abdominis muscle. The term reflects three parts: "Deep" indicates the deep inferior epigastric vessels that supply the flap; "Inferior Epigastric" names those specific vessels; and "Perforator Flap" means the blood supply comes via perforating arteries that pass through the muscle instead of taking the muscle itself. This approach reduces donor-site morbidity by sparing the muscle. The other names mix up anatomy (for example, using "Internal" instead of "Inferior," or using a misassociated term like "Diaphragmatic" or "Dermal"), so they don't describe the established vascular source and technique.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://mammographyjeopardy.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE