MARITIME COMMUNICATIONS PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://marcom.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. NAVTEX acronym stands for which of the following?

A. Narrow-Band Direct Printing

B. National Automated Telemetry Exchange

C. Nautical Broadcast Text Exchange

D. Non-Associated Broadcast Text

2. What is SafetyNET and who uses it?

A. A satellite-based MSI service delivering navigational and weather warnings and other safety information; used by maritime authorities and ships

B. A terrestrial paging service

C. A digital logbook system

D. A weather radar service

3. What does MMSI stand for, and what is its primary use in DSC?

A. Maritime Manual Signal Indicator; to annotate messages.

B. Multi-Mission Satellite Interface; to track satellites.

C. Maritime Mobile Service Identity; to identify a vessel in DSC calls and distress alerts.

D. Marine Management System Interface; to log equipment.

4. What is the purpose of the 406 MHz beacon in GMDSS?

A. Local weather beacon.

B. Routine status beacon.

C. Ship speed beacon.

D. Distress beacon transmitting location to satellites.

5. NAVTEX range is generally within how many nautical miles from the coast station?

A. Generally 200 to 400 nautical miles from the coast station

B. 100 to 200 nautical miles

C. 400 to 800 nautical miles

D. 50 to 100 nautical miles

SAMPLE

6. How should a vessel in distress be referenced when filing a formal distress report?

A. By call sign only.

B. By vessel name, MMSI, precise location, and description of distress.

C. By last port of call.

D. By vessel color and length.

7. What is the typical purpose of inter-ship (Bridge) communications on Channel 13?

A. To coordinate navigational safety and collision avoidance between vessels.

B. To broadcast weather warnings to all ships.

C. To request port services from shore.

D. To log voyage data for records.

8. AIS stands for?

A. Automatic Information Service

B. Automatic Identification System

C. Airborne Identification System

D. Allied Identification Sector

9. What is the purpose of MMSI registration and who typically handles it?

A. To assign call signs to ships; handled by shipowners

B. To uniquely identify ships and stations for DSC; usually handled by national licensing authorities

C. To track cargo manifests; handled by port authorities

D. To enable satellite communications; handled by manufacturers

10. Which statement about GMDSS elements is true?

A. It relies solely on satellite communications

B. It uses land-based and satellite technology for rapid automated alerting

C. It is a weather reporting system

D. It operates exclusively in the Arctic

SAMPLE

Answers

SAMPLE

1. A
2. A
3. C
4. D
5. A
6. B
7. A
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. NAVTEX acronym stands for which of the following?

A. Narrow-Band Direct Printing

B. National Automated Telemetry Exchange

C. Nautical Broadcast Text Exchange

D. Non-Associated Broadcast Text

NAVTEX is a one-way broadcast system that automatically delivers navigational and meteorological warnings and forecasts to ships. The best answer frames this as narrow-band direct printing because NAVTEX transmissions use a narrow-band channel and are designed to be printed directly on board by teletype-type receivers. In practice, ships with NAVTEX gear receive the text and print it out automatically, making the "direct printing" aspect a defining operational feature. The other descriptions don't align with how NAVTEX functions: it's not about automated telemetry exchange, nor is it simply a generic text exchange, and "non-associated broadcast text" isn't a recognized description of the service.

2. What is SafetyNET and who uses it?

A. A satellite-based MSI service delivering navigational and weather warnings and other safety information; used by maritime authorities and ships

B. A terrestrial paging service

C. A digital logbook system

D. A weather radar service

SafetyNET is a satellite-based Maritime Safety Information (MSI) service that delivers navigational warnings, weather warnings, and other safety-related messages to ships at sea. It supports the Global Maritime Distress and Safety System (GMDSS), with messages originating from national maritime authorities and broadcast via satellites to vessels equipped with GMDSS receivers. This system provides global coverage, complementing terrestrial NAVTEX which is regional. So, it's used by maritime authorities to issue safety information and by ships at sea to receive it.

3. What does MMSI stand for, and what is its primary use in DSC?

A. Maritime Manual Signal Indicator; to annotate messages.

B. Multi-Mission Satellite Interface; to track satellites.

C. Maritime Mobile Service Identity; to identify a vessel in DSC calls and distress alerts.

D. Marine Management System Interface; to log equipment.

The key idea is that MMSI is a Maritime Mobile Service Identity, a unique nine-digit number assigned to a vessel (or certain shore stations or groups) that serves as the vessel's digital address in DSC. In Digital Selective Calling, this identity is transmitted with every call and distress alert, allowing the receiving stations to know exactly who is calling and, if it's a distress situation, to route the alert quickly to the right responders. Having a stable, unique MMSI tied to the vessel (and linked to its details in national records) makes automated call setup and rescue coordination efficient and reliable.

SAMPLE

4. What is the purpose of the 406 MHz beacon in GMDSS?

A. Local weather beacon.

B. Routine status beacon.

C. Ship speed beacon.

D. Distress beacon transmitting location to satellites.

The 406 MHz beacon is the satellite-enabled distress signal in GMDSS. When activated, it sends a digital distress alert containing a unique identifier, and often GPS coordinates, up to the Cospas-Sarsat satellite system. The satellites relay this alert to ground stations and rescue coordination centers, providing the vessel's location so rescuers can reach it quickly. This global capability is specifically what makes the 406 MHz beacon the primary tool for initiating a rapid SAR response. It isn't used for local weather, routine status, or ship speed signals.

5. NAVTEX range is generally within how many nautical miles from the coast station?

A. Generally 200 to 400 nautical miles from the coast station

B. 100 to 200 nautical miles

C. 400 to 800 nautical miles

D. 50 to 100 nautical miles

NAVTEX broadcasts on a low-frequency channel (518 kHz), and the distance a coast station can reliably reach depends on transmitter power, antenna efficiency, and how the signal propagates over seawater. Under normal conditions, the practical coverage from shore is about 200 to 400 nautical miles. This range is wide enough to cover most coastal and nearby sea areas, while signals beyond roughly 400 nm tend to be too weak for reliable reception. So, 200–400 nautical miles best reflects typical NAVTEX reach.

6. How should a vessel in distress be referenced when filing a formal distress report?

A. By call sign only.

B. By vessel name, MMSI, precise location, and description of distress.

C. By last port of call.

D. By vessel color and length.

When filing a formal distress report, you must provide precise identifiers and the current situation so rescuers can locate and assist the vessel quickly and accurately. Using the vessel's name helps identify who is in trouble, but the MMSI — a unique nine-digit number used in marine radio and satellite communications — ensures the exact vessel is recognized across systems and channels. Including a precise location allows responders to steer directly to the area where help is needed, and a clear description of the distress communicates the nature of the emergency and what kind of assistance is required. The other options don't give enough identifying data or situational detail to aid a rapid rescue.

SAMPLE

7. What is the typical purpose of inter-ship (Bridge) communications on Channel 13?

A. To coordinate navigational safety and collision avoidance between vessels.

B. To broadcast weather warnings to all ships.

C. To request port services from shore.

D. To log voyage data for records.

Inter-ship bridge-to-bridge communications on this channel are used to coordinate navigational safety and collision avoidance between vessels. It serves as the working channel for ships in proximity to exchange intentions, such as passing arrangements, agreed maneuvers, speed adjustments, and course changes to maintain safe separation. This focused safety purpose distinguishes it from channels used for weather warnings, port services requests, or logging voyage data, which are handled through other means. In practice, ships may establish contact on the primary calling channel and then move to this channel to discuss and confirm the safe plan for navigation.

8. AIS stands for?

A. Automatic Information Service

B. Automatic Identification System

C. Airborne Identification System

D. Allied Identification Sector

The concept here is what AIS stands for and how it's used in marine navigation. AIS is Automatic Identification System, a maritime signaling system that automatically broadcasts a vessel's identity and navigational data to other ships and to shore stations. This real-time exchange of information helps nearby vessels understand who is nearby, how fast they're moving, and where they're headed, which greatly aids collision avoidance and traffic management. What gets shared includes identity and type (MMSI, vessel name, call sign, and often vessel type), static details (dimensions, hull type, cargo), and dynamic data (position, course, speed, heading, navigational status, and rate of turn). Destination and estimated time of arrival may also be included. The information is broadcast on dedicated VHF frequencies and can be received by other AIS-equipped vessels as well as shore-based stations, and even satellites in some configurations, increasing awareness over larger areas. There are different AIS device classes; Class A is common on larger ships and has more frequent updates, while Class B is for smaller vessels with less frequent reporting. The other options don't describe this widely adopted maritime system—Automatic Information Service, Airborne Identification System, and Allied Identification Sector aren't the correct terms for what AIS represents.

9. What is the purpose of MMSI registration and who typically handles it?

A. To assign call signs to ships; handled by shipowners

B. To uniquely identify ships and stations for DSC; usually handled by national licensing authorities

C. To track cargo manifests; handled by port authorities

D. To enable satellite communications; handled by manufacturers

MMSI provides a unique numeric identifier used by digital selective calling and other radio systems (like AIS) to route calls and data to the correct ship or station. The registration makes sure each vessel or radio station has a distinct MMSI and that its details—such as vessel name, owner, and home port—are recorded in an official registry. This enables targeted DSC calls, accurate distress signaling, and reliable identification across networks and seas. Typically, the national licensing authority or maritime/communications administration handles MMSI assignments. They verify the vessel or station information, issue the nine-digit number, and keep it on the national registry so the numbers are globally unique and consistently used in ITU-compliant systems.

SAMPLE

10. Which statement about GMDSS elements is true?

A. It relies solely on satellite communications

B. It uses land-based and satellite technology for rapid automated alerting

C. It is a weather reporting system

D. It operates exclusively in the Arctic

Global Maritime Distress and Safety System is built to ensure distress calls and safety information reach coast stations and rescue authorities quickly through multiple, integrated channels. It combines shore-based communications (like VHF/MF/HF radios and DSC signaling, plus broadcasts such as NAVTEX) with satellite services (such as SafetyNET and satellite distress alerts). This mix of land-based and satellite technologies provides rapid, automated alerting no matter where a vessel is, offering redundancy and broad coverage. That's why the statement describing land-based and satellite technology for rapid automated alerting is the best fit. The other options don't apply because GMDSS is not solely satellite-based, it isn't merely a weather reporting system, and it isn't limited to the Arctic.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://marcom.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE