MARYLAND STATE INSPECTION CLASS A PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://mdstateinspectionclassa.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What type of vehicles does Class R include?

A. Converted buses

B. Trailers without air brakes

C. Low speed vehicles

D. Any combination of Class A and Class T vehicles

2. What is required to check the brakes of a vehicle during inspection?

A. One front tire and one rear tire must be pulled

B. The vehicle must be lifted off the ground

C. All tires must be checked simultaneously

D. The brakes must be tested while driving

3. What requirement must trucks with a cap or slide-in camper adhere to regarding tailpipes?

A. The tailpipe must extend beyond the rear wheels

B. The tailpipe must exit forward of the front wheels

C. The tailpipe must extend beyond the rear and side of the body

D. The tailpipe should be at least 12 inches long

4. What must be ensured about the exhaust system during an inspection?

A. It must be properly painted and polished

B. It must be free of leaks and properly mounted

C. It must be replaced with a new system

D. It must be noisy to indicate function

5. What is required for a vehicle's ignition system during inspection?

A. It must be updated with the latest technology

B. It must start the engine reliably without issues

C. It should have a remote start feature

D. It must be electric or hybrid

6. What condition leads to the failure of riveted brake linings?

A. If the rivets are rusty

B. If any rivets are missing or if lining is less than 1/32 inch above any rivet head

C. If there are signs of heat damage

D. If the lining color has changed significantly

SAMPLE

7. What should be assured about the windshield during vehicle inspection?

A. It should be tinted heavily

B. It must be crack-free and unobstructed

C. It must be replaced every year

D. It should enhance the vehicle's appearance

8. If a U-bolt is not extending beyond the nut after tightening, what happens?

A. The vehicle passes inspection

B. The vehicle fails inspection

C. The issue is ignored

D. The inspector can adjust it

9. How should the steering linkage be checked?

A. By inspecting visually

B. By lifting the vehicle and moving the wheels from left to right

C. Using a pressure gauge

D. By turning the steering wheel rapidly

10. What types of fluids are checked during a vehicle inspection?

A. Only engine oil and transmission fluid

B. Engine oil, transmission fluid, brake fluid, and coolant

C. Brake fluid, windshield washer fluid, and motor oil

D. Only coolant and fuel levels

SAMPLE

Answers

SAMPLE

1. A
2. A
3. C
4. B
5. B
6. B
7. B
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What type of vehicles does Class R include?

A. Converted buses

B. Trailers without air brakes

C. Low speed vehicles

D. Any combination of Class A and Class T vehicles

Class R encompasses a specific category of vehicles primarily focused on recreational use and safety regulations unique to that class. In Maryland, Class R includes vehicles such as converted buses. These vehicles are designed to transport people, but they may have been altered from their original configuration, thus falling under this classification. Converted buses are often used for purposes such as shuttle services or as multi-passenger vehicles for recreational activities. The classification helps ensure that inspections and regulations for these types of vehicles address the unique safety needs and operational nuances associated with them. While other types of vehicles like trailers without air brakes, low-speed vehicles, and combinations of Class A and Class T vehicles are relevant in different contexts, they do not fall within the Class R designation. Trailers without air brakes have specific classifications based on weight and braking systems. Low-speed vehicles often refer to smaller vehicles with limited top speeds and are categorized separately. Combinations of Class A and Class T vehicles refer to heavier vehicle combinations and do not pertain to the recreational use aspect emphasized within the Class R classification.

2. What is required to check the brakes of a vehicle during inspection?

A. One front tire and one rear tire must be pulled

B. The vehicle must be lifted off the ground

C. All tires must be checked simultaneously

D. The brakes must be tested while driving

To check the brakes of a vehicle during inspection, one front tire and one rear tire must be pulled. This procedure allows the inspector to visually assess the brake components, including the pads, rotors, and associated hardware for wear and proper condition. By inspecting tires on both the front and rear, the inspector gains a comprehensive understanding of the braking system's functionality. The inspection involves looking for signs of abnormal wear, leakage in the hydraulic system, and the condition of the brake lines and connections. By only pulling a front tire and a rear tire, the inspector can gather a representative sample of the vehicle's overall brake condition. Other methods, such as lifting the vehicle off the ground, may not always be necessary for brakes inspection. While the vehicle could be lifted for certain checks or when servicing the brakes, it is not a requirement for standard inspections. Similarly, testing the brakes while driving or checking all tires simultaneously is often not practical or required during an inspection focused on identifying issues with the braking system itself. Thus, focusing on one front tire and one rear tire provides a thorough and effective way to assess the brakes properly.

SAMPLE

3. What requirement must trucks with a cap or slide-in camper adhere to regarding tailpipes?

A. The tailpipe must extend beyond the rear wheels

B. The tailpipe must exit forward of the front wheels

C. The tailpipe must extend beyond the rear and side of the body

D. The tailpipe should be at least 12 inches long

Trucks equipped with a cap or slide-in camper must have the tailpipe configuration that ensures exhaust gases are adequately directed away from the vehicle to prevent any potential health hazards for the occupants. In this case, the requirement for the tailpipe to extend beyond the rear and side of the body is critical. This positioning helps to ensure that exhaust fumes do not accumulate near windows or entry areas where passengers might be seated or entering and exiting the vehicle, significantly reducing the risk of carbon monoxide poisoning. Tailpipes that extend beyond the vehicle's body are also designed to promote better air circulation and exhaust dispersion, enhancing the safety of both the occupants and other road users. In the context of this question, this option aligns with regulations intended to ensure vehicle safety and emissions control. Other incorrect options do not meet safety or regulatory criteria required for the setup of a truck with a camper, highlighting the importance of proper exhaust routing for safe operation.

4. What must be ensured about the exhaust system during an inspection?

A. It must be properly painted and polished

B. It must be free of leaks and properly mounted

C. It must be replaced with a new system

D. It must be noisy to indicate function

During an inspection, it is crucial to ensure that the exhaust system is free of leaks and properly mounted. A functioning exhaust system is essential for both vehicle performance and the safety of its occupants and the environment. Leaks in the exhaust can result in harmful emissions entering the cabin of the vehicle, posing health risks to passengers, and contributing to air pollution. Additionally, a properly mounted exhaust system prevents excessive noise and ensures that exhaust gases are directed away from the vehicle safely. Maintaining a secure and leak-free exhaust system also complies with safety regulations, and any issues found would need to be addressed to pass the inspection. This is a fundamental aspect of vehicle safety and compliance with environmental standards.

5. What is required for a vehicle's ignition system during inspection?

A. It must be updated with the latest technology

B. It must start the engine reliably without issues

C. It should have a remote start feature

D. It must be electric or hybrid

For a vehicle's ignition system during inspection, the requirement is that it must start the engine reliably without issues. This is essential because the ignition system is a crucial component that ensures the engine runs effectively. If the ignition system fails to start the engine, the vehicle cannot operate, posing a safety risk and making it unusable. The reliability of the ignition system is a key indicator of the overall health and functionality of the vehicle. While newer technologies and features, such as remote start or being electric or hybrid, may enhance convenience or efficiency, they are not fundamental requirements during the inspection process. The primary focus during the inspection is ensuring that the ignition system performs its basic function correctly and dependably.

SAMPLE

6. What condition leads to the failure of riveted brake linings?

A. If the rivets are rusty

B. If any rivets are missing or if lining is less than 1/32 inch above any rivet head

C. If there are signs of heat damage

D. If the lining color has changed significantly

The condition that leads to the failure of riveted brake linings occurs when any rivets are missing or if the lining is less than 1/32 inch above any rivet head. This is critical because the integrity and effectiveness of the brake system depend significantly on the proper installation and condition of the brake linings. When rivets are missing, there isn't sufficient attachment of the lining to the brake shoe, which can cause uneven wear, noise, or even complete failure of the brake system. Additionally, if the lining is not properly seated above the rivet heads, it can result in poor braking performance, as the lining may not effectively engage with the brake drum. Ensuring that the lining is appropriately positioned and secured is crucial for maintaining optimal braking function and safety. Other conditions, like rust on rivets or changes in color, may indicate maintenance issues or wear but do not directly correlate with immediate failure like missing rivets or insufficient thickness above the rivet heads does. Signs of heat damage typically relate to the deterioration of materials but are less directly connected to the mechanical failure of the lining attachment compared to the specifics of rivet integrity and alignment.

7. What should be assured about the windshield during vehicle inspection?

A. It should be tinted heavily

B. It must be crack-free and unobstructed

C. It must be replaced every year

D. It should enhance the vehicle's appearance

The windshield must be crack-free and unobstructed to ensure the driver's visibility and safety. Cracks or obstructions in the windshield can significantly impair the driver's ability to see the road, other vehicles, and pedestrians, which increases the risk of accidents. Additionally, an unobstructed view is vital for properly utilizing the vehicle's safety and driver-assist features, such as cameras and sensors that may rely on clear visibility through the windshield. Therefore, ensuring the windshield is in good condition is a critical aspect of vehicle safety inspections.

8. If a U-bolt is not extending beyond the nut after tightening, what happens?

A. The vehicle passes inspection

B. The vehicle fails inspection

C. The issue is ignored

D. The inspector can adjust it

When a U-bolt is not extending beyond the nut after being tightened, it indicates that the U-bolt is potentially not providing the necessary tension for proper clamping and securing of components, such as leaf springs or other parts that it is meant to hold in place. This condition can lead to inadequate support and can compromise the safety and structural integrity of the vehicle. In a safety inspection context, ensuring that fasteners like U-bolts are properly tightened and extending beyond the nut is essential for vehicle stability and performance. If the U-bolt does not extend beyond the nut, this serves as a clear indication that there may be problems with the attachment point, the fastener itself, or that it has not been properly installed. This situation warrants a failure in the inspection process because it directly affects the vehicle's safety standards. The other options, such as passing inspection, ignoring the issue, or allowing for adjustments, do not address the potential safety risks associated with improperly secured components. Ensuring that parts are adequately fastened is a crucial aspect of vehicle inspections, making this particular condition a valid reason for failing the inspection.

SAMPLE

9. How should the steering linkage be checked?

A. By inspecting visually

B. By lifting the vehicle and moving the wheels from left to right

C. Using a pressure gauge

D. By turning the steering wheel rapidly

The appropriate method for checking the steering linkage involves lifting the vehicle and moving the wheels from left to right. This technique allows the inspector to observe the components of the steering linkage in action, ensuring that all parts are functioning correctly without excessive play or looseness. By moving the wheels, any wear or damage in the steering system can become apparent, making it easier to identify issues that may not be visible from a simple visual inspection. Visual inspections alone, while useful for some checks, may not reveal internal or subtle problems in the steering linkage that only become evident during movement. Using a pressure gauge typically pertains to checking systems like brake pressure, and rapidly turning the steering wheel might not provide a clear assessment of the linkage's integrity. Thus, the method of lifting the vehicle and manipulating the wheels is essential for a comprehensive evaluation of the steering system's condition.

10. What types of fluids are checked during a vehicle inspection?

A. Only engine oil and transmission fluid

B. Engine oil, transmission fluid, brake fluid, and coolant

C. Brake fluid, windshield washer fluid, and motor oil

D. Only coolant and fuel levels

Fluids checked during a vehicle inspection are the ones that keep the car's essential systems operating safely: engine oil, transmission fluid, brake fluid, and coolant. Engine oil provides lubrication to reduce wear; transmission fluid keeps the transmission shifting smoothly and helps manage heat; brake fluid is crucial for the hydraulic braking system to function properly; coolant prevents the engine from overheating and shows leaks or low levels that could cause damage. These four together cover lubrication, transmission operation, braking capability, and cooling, which is why that option is the best. The other choices omit one or more of these critical fluids, or include fluids not typically part of the standard inspection (such as windshield washer fluid or fuel level checks).

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://mdstateinspectionclassa.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE