
MARYLAND STATE INSPECTION - TECHNICAL PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://mdinspectiontechnical.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. How can you determine if brakes are functioning properly?

A. By inspecting brake response time and absence of unusual noises
B. By checking for fluid leaks under the vehicle
C. By measuring the thickness of brake pads
D. By testing the brake pedal depth

2. How are improper emissions reflected during a vehicle inspection?

A. By having a functioning check engine light
B. Through passing the emissions test without any faults
C. By failing the emissions test or having a check engine light on
D. Through a visible smoke emission check

3. What is the acceptable range for a vehicle's brake fluid level?

A. It must be at least half full
B. It must be between the minimum and maximum markings on the reservoir
C. It should always be above the maximum marking
D. It must be below the minimum marking

4. What does it indicate if trailer air suspension rises before reaching 55 psi?

A. Normal operation
B. Leakage greater than 3 psi in 5 minutes
C. Immediate rejection
D. Proper functionality

5. What constitutes a "major defect" in terms of inspection?

A. Any cosmetic issue that affects vehicle value
B. Any issue that could compromise safety
C. Any finish that has faded significantly
D. Any minor dent or scratch visible

6. Which of the following is not a condition for rejecting seat belts?

A. Retracting mechanism inoperative
B. Frayed or torn fabric
C. Completely functional
D. Release mechanisms inoperative

SAMPLE

7. What action is required if a vehicle's windshield has a crack?

A. The vehicle can pass inspection regardless

B. The crack must be repaired or the windshield replaced

C. Cracks do not matter as long as it is clean

D. Windshields are not inspected

8. When should a catalytic converter be replaced according to the 550 rule?

A. Every 2 years

B. 5 years or 50,000 miles

C. When the vehicle reaches 100,000 miles

D. Every 3 years regardless of mileage

9. Secondary or safety catches are part of the inspection for which item?

A. Speedometer

B. Door handles and latches

C. Brakes

D. Seat belts

10. Which condition indicates a major issue with a vehicle's tire during inspection?

A. No visible wear bars

B. Excessive tread separation or bulging

C. Matching tread depth across the axle

D. Normal air pressure

SAMPLE

Answers

SAMPLE

1. A
2. C
3. B
4. C
5. B
6. C
7. B
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. How can you determine if brakes are functioning properly?

A. By inspecting brake response time and absence of unusual noises

B. By checking for fluid leaks under the vehicle

C. By measuring the thickness of brake pads

D. By testing the brake pedal depth

To determine if brakes are functioning properly, inspecting brake response time along with the absence of unusual noises offers critical insights into their operational status. The response time involves assessing how quickly the brakes engage when applied; a delay can indicate issues with the hydraulic system, brake fluid, or even the brake components themselves. Unusual noises, such as grinding or squeaking, can signal worn components or other underlying problems that impact braking efficiency and safety. While checking for fluid leaks under the vehicle is important, as fluid loss can lead to brake failure, it does not provide a complete assessment of the brakes' functionality during operation. Measuring the thickness of brake pads can indicate wear but does not show how well the brakes are performing in real-time. Testing the brake pedal depth can help identify potential issues related to pedal travel, but the interaction and immediate feedback during braking are more indicative of proper functioning. Thus, the proper assessment of brake performance relies heavily on evaluating both the operational response and auditory feedback, making the first choice the most comprehensive method for ensuring brake safety and reliability.

2. How are improper emissions reflected during a vehicle inspection?

A. By having a functioning check engine light

B. Through passing the emissions test without any faults

C. By failing the emissions test or having a check engine light on

D. Through a visible smoke emission check

Improper emissions are directly reflected during a vehicle inspection by either failing the emissions test or having a check engine light illuminated. A check engine light is an indicator that the vehicle's onboard diagnostic system has identified an issue related to emissions or other systems. When the light is on, it suggests that there is a potential problem that could lead to higher emissions or the vehicle failing the emissions test. Failing the emissions test indicates that the vehicle exceeds the permissible levels of harmful pollutants, which is a clear sign of improper emissions control. Various issues, such as a malfunctioning catalytic converter, fuel system problems, or exhaust leaks, can lead to higher emissions. Therefore, either of these conditions—an active check engine light or failing the emissions test—serves as a clear indication of improper emissions and would typically result in a vehicle not passing the inspection. The other choices do not accurately represent the situation regarding improper emissions. A functioning check engine light would indicate that there is no current fault, which contradicts the notion of improper emissions. Passing the emissions test without issues confirms that the vehicle meets the standards, while visible smoke during an emissions check points to specific problems but is not an official measure like the test results or the check engine light status.

SAMPLE

3. What is the acceptable range for a vehicle's brake fluid level?

A. It must be at least half full

B. It must be between the minimum and maximum markings on the reservoir

C. It should always be above the maximum marking

D. It must be below the minimum marking

The acceptable range for a vehicle's brake fluid level is defined by the markings on the reservoir, specifically between the minimum and maximum levels. This range is crucial for ensuring the proper operation of the braking system. If the fluid level is below the minimum marking, it can lead to insufficient hydraulic pressure, affecting braking performance and potentially causing brake failure. Conversely, if the fluid exceeds the maximum level, it could overflow and create a mess, or more critically, cause the braking system to malfunction. Maintaining brake fluid within this designated range ensures that the brake system remains effective and safe.

4. What does it indicate if trailer air suspension rises before reaching 55 psi?

A. Normal operation

B. Leakage greater than 3 psi in 5 minutes

C. Immediate rejection

D. Proper functionality

When trailer air suspension rises before reaching 55 psi, it indicates a potential issue within the system, likely pertaining to air leakage. The normal behavior for a functioning air suspension system is to gradually build pressure to the specified level without premature rising. The expectation is that it should stabilize around the required operating pressure, which for many systems is generally around 55 psi. If the air suspension system does not reach or exceed 55 psi in a timely manner and instead rises too quickly, it suggests there may be a leakage problem. A leakage rate greater than 3 psi in a period of 5 minutes can indicate that the air pressure is not being maintained effectively. This loss of air can impair the suspension's functionality and safety when the vehicle is in operation, potentially leading to performance issues while towing. Therefore, the situation where the trailer air suspension rises before achieving the minimum required pressure indicates a significant enough concern that the trailer should be rejected from passing inspection until the issue is resolved. Safety and compliance with operational standards are paramount in vehicle inspections, which is why immediate rejection is warranted in this case.

5. What constitutes a "major defect" in terms of inspection?

A. Any cosmetic issue that affects vehicle value

B. Any issue that could compromise safety

C. Any finish that has faded significantly

D. Any minor dent or scratch visible

A "major defect" in the context of vehicle inspection refers to any issue that could compromise safety. This classification is critical because the main purpose of vehicle inspections is to ensure that vehicles are safe for operation on public roads. Issues that affect safety could range from brake failures, tire tread depth, malfunctioning lights, or structural integrity problems. These defects pose a direct risk not only to the driver and passengers but also to others on the road. In contrast, the other options focus on cosmetic or aesthetic issues, which, while they may affect the vehicle's overall value or appearance, do not inherently impact the safety of the vehicle. For example, cosmetic issues like a faded finish, minor dents, or scratches do not affect the vehicle's mechanical functions or safety features. Therefore, classifying a defect that affects vehicle safety as major is essential for maintaining safe driving standards and protecting everyone on the road.

EXAMPLE

6. Which of the following is not a condition for rejecting seat belts?

A. Retracting mechanism inoperative

B. Frayed or torn fabric

C. Completely functional

D. Release mechanisms inoperative

The condition that indicates a seat belt is completely functional is identified as the correct answer. This means that if a seat belt is fully operational, it meets safety standards and should not be rejected during an inspection. A completely functional seat belt will retract properly, show no signs of wear or damage, and have a working release mechanism, ensuring both safety and compliance with inspection criteria. In contrast, the other conditions mentioned—such as a retraction mechanism being inoperative, frayed or torn fabric, and release mechanisms being inoperative—are all indications of potential failures or issues that compromise the effectiveness of the seat belt. These conditions would warrant the rejection of the seat belt during an inspection, as they can significantly affect passenger safety in the event of a collision.

7. What action is required if a vehicle's windshield has a crack?

A. The vehicle can pass inspection regardless

B. The crack must be repaired or the windshield replaced

C. Cracks do not matter as long as it is clean

D. Windshields are not inspected

If a vehicle's windshield has a crack, it is essential to prioritize safety and visibility. A damaged windshield can impair the driver's vision, potentially leading to hazardous driving conditions. Therefore, the appropriate action required is to have the crack repaired or the windshield replaced. This ensures that the vehicle meets safety standards and provides clear visibility for the driver, which is crucial for preventing accidents. In Maryland, as in many states, regulations typically mandate that any damage that might obscure the driver's view or compromise the structural integrity of the windshield needs to be addressed before the vehicle can pass inspection. This emphasizes the importance of vehicle safety and maintaining proper functioning of critical components like the windshield.

8. When should a catalytic converter be replaced according to the 550 rule?

A. Every 2 years

B. 5 years or 50,000 miles

C. When the vehicle reaches 100,000 miles

D. Every 3 years regardless of mileage

The correct answer is based on the 550 rule, which specifies that a catalytic converter should typically be replaced every 5 years or after the vehicle has accumulated 50,000 miles, whichever comes first. This guideline is designed to ensure that the catalytic converter continues to function effectively in reducing harmful emissions produced by the vehicle's engine. Over time, catalytic converters can become less efficient due to wear, contaminants, and the accumulation of unburned fuel, which can lead to increased emissions and potential engine performance issues. Therefore, adhering to this replacement schedule is crucial for maintaining the vehicle's compliance with emission standards and overall functionality.

SAMPLE

9. Secondary or safety catches are part of the inspection for which item?

A. Speedometer

B. Door handles and latches

C. Brakes

D. Seat belts

Secondary or safety catches are crucial components in the inspection of door handles and latches. These catches serve as an additional safety mechanism to ensure that vehicle doors remain securely closed while driving. If the primary latch fails, the secondary catch acts as a backup, preventing the door from unintentionally opening. During Maryland State Inspection, verifying the functionality of the secondary catches is essential to maintain vehicle safety and passenger security. In contrast, while speedometers, brakes, and seat belts are vital elements of a vehicle's operation and safety, they do not typically include secondary or safety catches in their respective inspection processes. Speedometers are checked for accuracy, brakes are inspected for wear and proper function, and seat belts are assessed for secure attachment and proper locking mechanisms, but none of these involve the concept of secondary latching mechanisms like door handles and latches do.

10. Which condition indicates a major issue with a vehicle's tire during inspection?

A. No visible wear bars

B. Excessive tread separation or bulging

C. Matching tread depth across the axle

D. Normal air pressure

Excessive tread separation or bulging signifies a major issue with a vehicle's tire during inspection because it can lead to tire failure while driving, posing a significant safety risk. Tread separation occurs when the outer layer of the tire begins to detach from the inner layers, diminishing the tire's ability to grip the road and increasing the likelihood of a blowout. Similarly, bulging indicates that the tire structure has been compromised, possibly due to impact damage, which can also result in catastrophic failure while the vehicle is in motion. In contrast, having no visible wear bars does not immediately indicate a significant issue, as it may simply suggest that the tires are not worn down to the level at which they need replacing, although it may require further evaluation. Matching tread depth across the axle is a desirable condition as it helps maintain balance and handling but, on its own, does not indicate any major issue. Normal air pressure is crucial for tire performance, but it alone does not point to a significant defect or safety concern with the tire's condition. Thus, excessive tread separation or bulging is the clear indicator of a serious issue that warrants immediate attention during an inspection.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://mdinspectiontechnical.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE