# MATERNAL-FETAL MEDICINE (MFM) QUALIFYING PRACTICE EXAM (SAMPLE)

## STUDY GUIDE



## SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

**VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE**

https://mfmqualifying.examzify.com

**Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.**

**ALL RIGHTS RESERVED.**

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

# Table of Contents


Copyright ..... 1

Table of Contents ..... 2

Introduction ..... 3

How to Use This Guide ..... 4

Questions ..... 5

Answers ..... 8

Explanations ..... 10

Next Steps ..... 16


SAMPLE

# Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

# How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

### 1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

### 2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

### 3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

### 4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

### 5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

### 6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

# Questions

SAMPLE

**1. What type of genetic alteration is characterized by the involvement of the centromere?**

A. Pericentric inversion

B. Translocation

C. Deletion

D. Duplication

**2. Which chemotherapy drug is known to concentrate in breast milk?**

A. Cisplatin

B. Cyclophosphamide

C. Doxorubicin

D. Paclitaxel

**3. What is the treatment approach for Neonatal Alloimmune Thrombocytopenia?**

A. Only steroids

B. IVIG alone

C. IVIG plus steroids

D. Observation without treatment

**4. What circumstance may lead a physician to disregard a patient's wishes?**

A. Patient's financial status

B. Incompetence

C. Timing of treatment

D. Hospital policies

**5. How does pregnancy affect functional residual capacity in terms of apnea and the risk of hypoxia?**

A. Increases functional residual capacity

B. Decreases functional residual capacity

C. No effect on functional residual capacity

D. Changes functional residual capacity unpredictably

SAMPLE

**6. Which type of immune response is associated with T-helper cell 1 (TH1)?**

A. Allergy response

B. Cell-mediated immunity

C. Humoral immunity

D. Anti-inflammatory response

**7. In the diagnosis of postpartum diabetes, what fasting blood glucose level is considered abnormal?**

A. 125 mg/dL

B. 150 mg/dL

C. 100 mg/dL

D. 200 mg/dL

**8. Fludrocortisone is primarily classified as what type of medication?**

A. Glucocorticoid

B. Potent mineralocorticoid

C. Anticoagulant

D. Diuretic

**9. What is the purpose of surfactant in neonatal medicine?**

A. Increase blood pressure

B. Enhance oxygen exchange

C. Decrease RDS-related mortality

D. Stimulate fetal circulation

**10. What is the most important factor for effective oxygen delivery in pregnancy?**

A. Cardiac output

B. Tidal volume

C. Hemoglobin concentration

D. Respiratory rate

SAMPLE

# Answers

SAMPLE

1. A
2. B
3. C
4. B
5. B
6. B
7. A
8. B
9. C
10. A

SAMPLE

# Explanations

SAMPLE

## 1. What type of genetic alteration is characterized by the involvement of the centromere?

A. Pericentric inversion

B. Translocation

C. Deletion

D. Duplication

*Pericentric inversion involves the centromere as a crucial component of its structure. This type of chromosomal alteration occurs when a segment of a chromosome, which includes the centromere, is reversed end to end. The inversion can affect the genetic material on either side of the centromere, which is crucial for the proper segregation of chromosomes during cell division. In contrast, translocations involve the transfer of a segment of one chromosome to another chromosome and do not necessarily include the centromere. Deletion refers to the loss of a segment of the chromosome, and duplication involves the presence of an extra segment of genetic material. Neither deletion nor duplication specifically requires involvement with the centromere in their definitions. Therefore, pericentric inversion is distinct in its direct relationship with the centromere, making it the correct choice for this question.*

## 2. Which chemotherapy drug is known to concentrate in breast milk?

A. Cisplatin

B. Cyclophosphamide

C. Doxorubicin

D. Paclitaxel

*Cyclophosphamide is known to concentrate in breast milk, which is pertinent when considering the safety of breastfeeding during cancer treatment. This medication is an alkylating agent commonly used in various cancers, including breast cancer, and has a significant potential for bioaccumulation in breast milk. The implications of this are critical for nursing mothers undergoing chemotherapy, as it may affect the infant if breastfeeding is continued. In contrast, other agents like cisplatin and doxorubicin have different pharmacokinetics and are less likely to concentrate significantly in breast milk, thus posing less risk for infants during breastfeeding if the mother is receiving these treatments. Paclitaxel, while also used for breast cancer, does not have the same level of accumulation concerns in breast milk as cyclophosphamide. Understanding the pharmacological properties of these medications is crucial for informing patients about the risks and benefits of treatment during lactation.*

SAMPLE

## 3. What is the treatment approach for Neonatal Alloimmune Thrombocytopenia?

A. Only steroids

B. IVIG alone

C. IVIG plus steroids

D. Observation without treatment

*The treatment approach for Neonatal Alloimmune Thrombocytopenia (NAIT) typically involves the combined use of intravenous immunoglobulin (IVIG) and steroids. NAIT occurs when maternal antibodies target neonatal platelets, leading to thrombocytopenia in the newborn. The use of IVIG helps to raise platelet counts by inhibiting the immune-mediated destruction of platelets and providing passive immunity. Steroids are also beneficial because they can reduce the immune response by diminishing inflammation and suppressing the production of the harmful antibodies against the platelets. The combination of IVIG plus steroids has been shown to effectively improve platelet counts and reduce the risks of complications associated with thrombocytopenia in affected neonates. This dual approach addresses both the immediate symptoms and the underlying immune mechanism causing the condition, making it the recommended treatment strategy. Other approaches, such as administering only steroids or only IVIG alone, may not be as effective as the combination. Observation without treatment would not be appropriate in cases of clinically significant thrombocytopenia due to the risk of serious bleeding. The integration of both therapies provides a more comprehensive and urgent response to managing the condition.*

## 4. What circumstance may lead a physician to disregard a patient's wishes?

A. Patient's financial status

B. Incompetence

C. Timing of treatment

D. Hospital policies

*A physician may disregard a patient's wishes primarily due to a determination of incompetence. In cases where a patient is found to lack the capacity to make informed decisions about their own medical care—whether due to mental illness, cognitive impairment, or other conditions—the physician has an ethical and legal obligation to act in the patient's best interests. This may involve overriding the patient's expressed wishes in order to ensure they receive appropriate and necessary medical treatment. The concept of patient autonomy is crucial in healthcare; however, it comes with the expectation that the patient is competent to make decisions. When incompetence is identified, it necessitates a different approach, often involving legal guardianship or surrogate decision-makers to ensure that the patient's health and welfare are prioritized appropriately. Other factors, such as a patient's financial status, timing of treatment, or hospital policies, may influence medical decisions but do not inherently justify overriding patient autonomy in the same fundamental manner as incompetence does. Financial limitations might affect treatment options, timing could alter the urgency of care, and hospital policies may govern certain practices, but these do not negate a patient's right to have their wishes respected if they are competent to express them.*

SAMPLE

## 5. How does pregnancy affect functional residual capacity in terms of apnea and the risk of hypoxia?

A. Increases functional residual capacity

B. Decreases functional residual capacity

C. No effect on functional residual capacity

D. Changes functional residual capacity unpredictably

*During pregnancy, functional residual capacity (FRC) is decreased primarily due to several physiological changes. As the uterus expands, it occupies more space in the abdomen which can elevate the diaphragm, effectively reducing lung volume and leading to a decrease in FRC. This reduction can influence the respiratory mechanics and gas exchange. Lower FRC during pregnancy can contribute to a higher risk of hypoxia in certain situations, particularly during episodes of apnea, as there is less reserve volume of air in the lungs for effective gas exchange. In healthy pregnant women, it is essential to manage this risk, especially if they have underlying respiratory issues or are undergoing procedures that may exacerbate apnea. The decrease in FRC highlights the need for careful monitoring of breathing patterns and oxygenation levels during childbirth and other peripartum events, as lower residual capacity may compromise oxygen delivery during periods of hypoventilation.*

## 6. Which type of immune response is associated with T-helper cell 1 (TH1)?

A. Allergy response

B. Cell-mediated immunity

C. Humoral immunity

D. Anti-inflammatory response

*T-helper cell 1 (TH1) responses are primarily associated with cell-mediated immunity. TH1 cells are a subset of CD4+ T cells that play a crucial role in orchestrating the immune response against intracellular pathogens, such as viruses and certain bacteria. When TH1 cells are activated, they produce specific cytokines, such as interferon-gamma (IFN-γ), which activate macrophages and enhance their ability to phagocytose and destroy infected cells. This type of immune response is particularly important for defending against pathogens that reside within host cells, as it results in the activation of cytotoxic T cells and the production of inflammatory cytokines that recruit additional immune cells to the site of infection. The focus on cellular interactions and the activation of macrophages distinguishes TH1-mediated responses from other types of immune responses, particularly those focused on antibody production. In contrast, options such as allergy response pertain to the actions of T-helper cell 2 (TH2) responses, which are involved in humoral immunity. Therefore, cell-mediated immunity is the characteristic avenue of action for TH1 cells, emphasizing their significance in combating certain types of infections and maintaining immune system balance.*

SAMPLE

## 7. In the diagnosis of postpartum diabetes, what fasting blood glucose level is considered abnormal?

A. 125 mg/dL

B. 150 mg/dL

C. 100 mg/dL

D. 200 mg/dL

*In the context of diagnosing diabetes, various thresholds have been established for fasting blood glucose levels. A fasting blood glucose level of 126 mg/dL or higher is considered diagnostic of diabetes, aligning with the criteria set by the American Diabetes Association. Hence, a fasting blood glucose level of 125 mg/dL is significant because it is the threshold at which you would begin to consider the possibility of an abnormal result that indicates the need for further evaluation or diagnosis. This level is just below the diagnosis threshold, but it is crucial to recognize that it indicates possible glucose intolerance or prediabetes. Therefore, it underscores the importance of monitoring and potentially screening for diabetes postpartum, especially in those with risk factors such as gestational diabetes. In contrast, the other levels mentioned (150 mg/dL, 100 mg/dL, and 200 mg/dL) either exceed diagnostic criteria, are within the non-diabetic range, or indicate more severe forms of hyperglycemia that do not serve as the initial threshold for identifying abnormal fasting glucose levels postpartum. Thus, identifying 125 mg/dL as a borderline abnormal fasting blood glucose highlights a critical aspect of postpartum diabetes screening.*

## 8. Fludrocortisone is primarily classified as what type of medication?

A. Glucocorticoid

B. Potent mineralocorticoid

C. Anticoagulant

D. Diuretic

*Fludrocortisone is primarily classified as a potent mineralocorticoid. This classification is significant because mineralocorticoids play a crucial role in regulating electrolyte and fluid balance in the body, particularly influencing sodium retention and potassium excretion by the kidneys. As a synthetic corticosteroid, fludrocortisone mimics the action of aldosterone, a natural mineralocorticoid produced by the adrenal glands. Its effectiveness in clinical practice is leveraged for conditions such as adrenal insufficiency and orthostatic hypotension, where maintaining fluid and electrolyte balance is essential. Understanding that fludrocortisone is not classified as a glucocorticoid, anticoagulant, or diuretic is also important. While glucocorticoids, like prednisone, play different roles in anti-inflammatory responses, anticoagulants are medications that inhibit blood clotting and diuretics promote the excretion of water and electrolytes from the body, fludrocortisone's distinct function as a mineralocorticoid highlights its specific therapeutic application in managing conditions related to adrenal insufficiency and fluid balance.*

SAMPLE

## 9. What is the purpose of surfactant in neonatal medicine?

A. Increase blood pressure

B. Enhance oxygen exchange

C. Decrease RDS-related mortality

D. Stimulate fetal circulation

*Surfactant plays a critical role in neonatal medicine, specifically in the management of respiratory distress syndrome (RDS) commonly seen in premature infants. The primary function of surfactant is to reduce surface tension within the alveoli of the lungs, preventing their collapse and promoting effective gas exchange. By ensuring that the alveoli remain open, sufficient amounts of surfactant facilitate the proper exchange of oxygen and carbon dioxide, crucial for the infant's survival. In cases of RDS, which is often due to surfactant deficiency, administering exogenous surfactant therapy significantly reduces the incidence of respiratory failure and improves outcomes. This intervention has been shown to decrease RDS-related mortality rates substantially, making it a vital component of care for premature infants. The context of this question highlights the importance of addressing surfactant deficiency in neonates, which directly relates to their respiratory health and overall survival odds. Thus, the option emphasizing the reduction of mortality associated with RDS accurately reflects the pivotal role that surfactant plays in neonatal care.*

## 10. What is the most important factor for effective oxygen delivery in pregnancy?

A. Cardiac output

B. Tidal volume

C. Hemoglobin concentration

D. Respiratory rate

*The most important factor for effective oxygen delivery in pregnancy is cardiac output. During pregnancy, there are significant physiological changes that occur to support both the mother and the growing fetus. One of the most crucial changes is the increase in cardiac output, which can rise by 30% to 50% to meet the elevated metabolic demands of the mother and the developing fetus. As blood volume increases, the heart's stroke volume and heart rate also increase, allowing more oxygen-rich blood to be circulated throughout the body. This enhanced delivery of oxygen is vital for supplying the tissues of the mother and ensuring adequate oxygen transfer to the placenta and fetus. While tidal volume, hemoglobin concentration, and respiratory rate contribute to overall oxygen efficiency, cardiac output serves as the primary mechanism through which oxygen is delivered. Tidal volume influences the amount of oxygen taken in with each breath, but ultimately it is the volume of blood pumped by the heart that determines how much oxygen reaches the tissues. Hemoglobin concentration is important for carrying oxygen in the blood, but without adequate cardiac output, effective delivery cannot be guaranteed. Similarly, the respiratory rate affects how often oxygen is taken in but does not have as direct an impact on delivering oxygen to the tissues as cardiac output does. Therefore, recognizing the*

SAMPLE

# Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://mfmqualifying.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE