MATERNAL NEWBORN REVIEW (MNR) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://maternalnewbornmnr.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the number of living children in the recording system for a woman with four living children, one preterm infant and one abortion?

A. 4

B. 5

C. 6

D. 3

2. Which response from a patient indicates a need for further assessment during a prenatal checkup?

A. The patient states she has not gained any weight

B. The patient mentions cramping with vaginal spotting

C. The patient is eating three meals a day

D. The patient expresses contentment with her weight

3. Which of the following topics should be included in anticipatory guidance for preconception?

A. Tracking menstrual cycles for a year before attempting conception

B. Health promotion and avoidance of risks for men

C. Routine dental care and correcting periodontal disease

D. Maintaining a BMI of 26% to 29%

4. Backache and cramping during pregnancy can indicate which condition?

A. Hyperemesis gravidarum.

B. Preeclampsia.

C. Preterm labor.

D. Large for gestational age fetus.

5. How is a pregnant client with four living children, one preterm infant, and one abortion recorded?

A. G 6 T 3 P 1 A 1 L 4

B. G 5 T 2 P 1 A 1 L 4

C. G 4 T 4 P 1 A 1 L 4

D. G 3 T 1 P 1 A 1 L 4

SAMPLE

6. How often should prenatal appointments be scheduled in the third trimester?

A. Every week

B. Every 1-2 weeks

C. Every month

D. Every 3 weeks

7. What is the typical duration of labor in first-time mothers compared to those who have had children?

A. Longer for first-time mothers

B. Shorter for first-time mothers

C. Similar for both

D. Depends on other health factors

8. What type of feeding is recommended during the first six months of life?

A. Formulated milk

B. Exclusive breastfeeding

C. Solid food introduction

D. Combination feeding

9. What is the recommended frequency of pediatric check-ups in the first year of life?

A. Every month

B. Every 2 months

C. Every 4 months

D. Every 6 months

10. Which condition refers to the fertility issue where sperm motility is impaired?

A. Unexplained infertility

B. Diminished sperm motility

C. Unsuccessful vasectomy reversal

D. Endometriosis

SAMPLE

Answers

SAMPLE

1. A
2. B
3. B
4. C
5. A
6. B
7. A
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What is the number of living children in the recording system for a woman with four living children, one preterm infant and one abortion?

A. 4

B. 5

C. 6

D. 3

In the context of perinatal and obstetric history recordings, the term "number of living children" specifically counts only those children who are currently living. In this scenario, the woman has four living children, which is the primary figure being measured. The mention of one preterm infant does not affect the number of living children because preterm infants who survive are considered living children. An abortion, whether it is spontaneous or elective, is not counted in this figure as it does not result in a living child. Therefore, only the four living children are included in the tally. This understanding is key for accurate documentation in maternal-newborn records, where differentiation between live births and other obstetric outcomes is crucial for both clinical and statistical purposes.

2. Which response from a patient indicates a need for further assessment during a prenatal checkup?

A. The patient states she has not gained any weight

B. The patient mentions cramping with vaginal spotting

C. The patient is eating three meals a day

D. The patient expresses contentment with her weight

The response that indicates a need for further assessment during a prenatal checkup is the mention of cramping with vaginal spotting. This symptom can be concerning during pregnancy, as it has the potential to indicate complications such as a miscarriage, an ectopic pregnancy, or placental issues. Cramping, especially when accompanied by any form of vaginal bleeding, warrants detailed evaluation to ensure the health and safety of both the mother and the fetus. In contrast, a patient who has not gained any weight or expresses contentment with her weight may raise questions, but these statements alone do not prompt immediate concern. In prenatal care, weight gain patterns can vary significantly based on individual circumstances, and regular assessment of weight gain is a part of monitoring overall health. Additionally, a patient eating three meals a day demonstrates a desire to maintain nutrition, which is a positive aspect of prenatal care. However, any report of cramping and spotting directly relates to potential risks that require immediate follow-up.

SAMPLE

3. Which of the following topics should be included in anticipatory guidance for preconception?

A. Tracking menstrual cycles for a year before attempting conception

B. Health promotion and avoidance of risks for men

C. Routine dental care and correcting periodontal disease

D. Maintaining a BMI of 26% to 29%

Including health promotion and avoidance of risks for men in anticipatory guidance for preconception is essential because both partners play a critical role in conception and the health of a future pregnancy. Preconception care is not solely focused on the woman; men's health and behaviors directly impact fertility, pregnancy outcomes, and overall family health. This includes advising men to avoid smoking, excessive alcohol consumption, and illicit drugs, as well as encouraging a healthy diet and regular exercise, which can improve sperm quality and enhance their own health before conception. In contrast, tracking menstrual cycles may be beneficial, but it is primarily applicable to women, hence is less inclusive of preconception guidance for both parents. Routine dental care is important for overall health but is generally a more specific aspect of health maintenance rather than a primary concern of preconception counseling. Maintaining a BMI within the ordinary range is valuable for health, but a focus on a specific percentage doesn't encompass the broader health improvements and risk reductions associated with weight management in a preconception context. Therefore, the holistic view of health promotion is crucial when discussing preconception planning.

4. Backache and cramping during pregnancy can indicate which condition?

A. Hyperemesis gravidarum.

B. Preeclampsia.

C. Preterm labor.

D. Large for gestational age fetus.

Backache and cramping during pregnancy are significant symptoms that can indicate preterm labor. Preterm labor refers to contractions and cervical changes that occur before the 37th week of pregnancy, which can lead to premature delivery. The presence of back pain, often described as a dull ache, combined with cramping in the abdomen, can be early signs that the body is preparing for delivery, even if it is earlier than expected. Recognizing these symptoms is crucial for timely intervention and management, as they may prompt the need for medical evaluation to assess cervical status and possible treatments aimed at delaying labor. Medical professionals often investigate these symptoms seriously, as timely identification can impact both maternal and fetal outcomes.

SAMPLE

5. How is a pregnant client with four living children, one preterm infant, and one abortion recorded?

A. G 6 T 3 P 1 A 1 L 4

B. G 5 T 2 P 1 A 1 L 4

C. G 4 T 4 P 1 A 1 L 4

D. G 3 T 1 P 1 A 1 L 4

The correct format for recording a pregnant client's obstetric history is known as the GTPAL system, where G stands for the total number of pregnancies, T for term births, P for preterm births, A for abortions (both spontaneous and elective), and L for living children. In the case presented, the client has had six pregnancies (four living children, one preterm infant, and one abortion). Therefore, G, or the total number of pregnancies, is recorded as 6. Next, the term births (T) must be tallied; term infants are those born after 37 weeks of gestation. Since the client has four living children and one preterm infant, there would be three term infants born (assuming the four live births includes the preterm as it is not specified if any of them were preterm). The preterm births (P) include the one infant that was born preterm, leading to a value of 1 for P. The total number of abortions (A), which encompasses the one abortion noted, is recorded as 1. Lastly, the number of living children (L) is straightforward, as four living children are documented. Combining these figures, the correct GTPAL representation for this client

6. How often should prenatal appointments be scheduled in the third trimester?

A. Every week

B. Every 1-2 weeks

C. Every month

D. Every 3 weeks

In the third trimester, prenatal appointments are typically scheduled every 1-2 weeks. This frequency is important because it allows healthcare providers to closely monitor both the mother's and the baby's health as the pregnancy progresses. During this period, the risk of complications can increase, and regular check-ups are crucial for assessing fetal growth, maternal well-being, and any potential issues that may arise. Monitoring during these appointments includes checking the baby's heartbeat, measuring the mother's abdomen, evaluating blood pressure, and conducting laboratory tests as needed. Additionally, having appointments every 1-2 weeks helps ensure that any concerns can be addressed promptly, and it allows for ongoing education and support for the mother as she prepares for delivery. This practice aligns with guidelines and recommendations from obstetric organizations for optimal prenatal care in the later stages of pregnancy.

SAMPLE

7. What is the typical duration of labor in first-time mothers compared to those who have had children?

A. Longer for first-time mothers

B. Shorter for first-time mothers

C. Similar for both

D. Depends on other health factors

The typical duration of labor is indeed longer for first-time mothers compared to those who have had children before. This difference is often attributed to the fact that first-time mothers are going through the process of labor for the first time, which can take longer as their bodies are not yet accustomed to the mechanical and physiological changes needed for delivery. In subsequent pregnancies, mothers might experience labor that is generally shorter because their bodies have been through the process before, allowing for more efficient contractions and a quicker dilation of the cervix. This efficiency can lead to reduced labor time as the body has "learned" from previous pregnancies. While there can be variations due to individual circumstances and health factors, the trend shows that first-time mothers typically experience longer labor durations, making the understanding of this pattern important for both healthcare providers and expectant parents.

8. What type of feeding is recommended during the first six months of life?

A. Formulated milk

B. Exclusive breastfeeding

C. Solid food introduction

D. Combination feeding

Exclusive breastfeeding is recommended during the first six months of life because it provides the optimal nutrition for infants. Breast milk contains all the necessary nutrients, antibodies, and enzymes that a newborn needs for healthy growth and development. It is specifically designed to support the infant's immune system, promote healthy weight gain, and enhance cognitive development. World Health Organization (WHO) guidelines emphasize that exclusive breastfeeding—meaning no other foods or liquids aside from breast milk—should be practiced for the first six months. This approach minimizes the risk of infections and diseases, as well as reduces the likelihood of developing allergies. After this period, breastfeeding can continue alongside the gradual introduction of appropriate solid foods, which can further support the infant's nutritional needs as they grow. While formulated milk, solid foods, and combination feeding may be utilized later on or in specific situations, they do not replace the benefits provided by exclusive breastfeeding during this critical early stage of an infant's life.

SAMPLE

9. What is the recommended frequency of pediatric check-ups in the first year of life?

A. Every month

B. Every 2 months

C. Every 4 months

D. Every 6 months

The recommended frequency of pediatric check-ups in the first year of life is typically every 2 months. During this crucial period, infants undergo rapid growth and development. Regular check-ups allow healthcare providers to monitor the infant's growth patterns, assess developmental milestones, and administer vaccinations according to the recommended immunization schedule. These visits, which usually occur around 1, 2, 4, 6, 9, and 12 months of age, provide a consistent opportunity for parents to discuss any concerns regarding their child's health, nutrition, or behavior. The focus on visits every 2 months is essential for timely intervention if any developmental issues are identified or if adjustments to care are needed. Therefore, the answer is appropriate as it reflects the standard practice for pediatric care during the first year of life.

10. Which condition refers to the fertility issue where sperm motility is impaired?

A. Unexplained infertility

B. Diminished sperm motility

C. Unsuccessful vasectomy reversal

D. Endometriosis

The condition that specifically refers to impaired sperm motility is diminished sperm motility. This term describes a situation where the sperm cells do not swim efficiently or effectively, which can significantly reduce the chances of conception since motility is crucial for sperm to reach and fertilize the egg. Sperm must be able to maneuver through the female reproductive tract to reach the ovum, and any impairment in this ability can contribute to fertility challenges. Unexplained infertility refers to cases where no identifiable cause for fertility issues is found, which may or may not involve sperm motility as a factor. Unsuccessful vasectomy reversal relates to complications following a surgical procedure aimed at restoring fertility, but it does not specifically address sperm motility issues. Endometriosis is a condition affecting the lining of the uterus and can impact fertility by creating a challenging reproductive environment, but it does not directly refer to sperm motility.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://maternalnewbornmnr.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE