
MBLEX KINESIOLOGY PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://mblexkinesiology.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What are the three main types of muscle contractions?

A. Isometric, isokinetic, and concentric

B. Isometric, isotonic, and eccentric

C. Concentric, eccentric, and excitable

D. Fundamental, auxiliary, and isometric

2. Which muscle is known for its role in hip extension?

A. Rectus femoris

B. Gluteus maximus

C. Hamstrings

D. Psoas major

3. What is the function of ligaments in the musculoskeletal system?

A. To connect muscles to bones

B. To cushion joints during movement

C. To connect bones to other bones and stabilize joints

D. To transmit electrical signals

4. Which characteristic of a joint can limit its range of motion?

A. Type of connective tissue present

B. Length of the ligaments

C. Muscle flexibility

D. All of the above

5. Where would the origin of humeral rotators most likely be located?

A. Clavicle

B. Scapula

C. Humerus

D. Radius

6. What is reciprocal inhibition?

A. The simultaneous contraction of opposing muscles

B. The relaxation of one muscle while the opposing muscle contracts

C. The lengthening of muscles during contraction

D. The strengthening of muscles through resistance training

SAMPLE

7. What role do scalene muscles primarily serve?

A. Lateral rotators of the hip
B. Extensors of the neck
C. An accessory to inhalation
D. Flexors of the forearm

8. What is muscle tone primarily associated with?

A. Full muscle contraction
B. Partial muscle contraction
C. Muscle relaxation
D. Muscle atrophy

9. What does internal rotation of the shoulder primarily involve?

A. Moving the arm away from the body
B. Rotating the arm towards the body
C. Raising the arm overhead
D. Lowering the arm to the side

10. What muscle group is important for knee flexion?

A. Quadriceps
B. Hamstrings
C. Calves
D. Adductors

SAMPLE

Answers

SAMPLE

1. B
2. B
3. C
4. D
5. B
6. B
7. C
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What are the three main types of muscle contractions?

A. Isometric, isokinetic, and concentric

B. Isometric, isotonic, and eccentric

C. Concentric, eccentric, and excitable

D. Fundamental, auxiliary, and isometric

The three main types of muscle contractions are isometric, isotonic, and eccentric. Isometric contractions occur when the muscle generates force without changing length, meaning there is no movement of the joint even though the muscle is active. In contrast, isotonic contractions involve movement and can be further divided into two subtypes: concentric and eccentric contractions. Eccentric contractions specifically occur when a muscle lengthens under tension, often during activities where the muscle is controlling the weight to lower it gradually. This type of contraction is crucial for movements such as lowering a weight or descending stairs, as it allows for controlled motion and prevents injury. Thus, while the correct answer highlights the significant types of muscle contractions, it captures essential details about how muscles function in various activities, emphasizing the importance of understanding these mechanisms in kinesiology and therapeutic applications. The other choices either misidentify the types of contractions or include terms that are not standard classifications recognized in muscle physiology.

2. Which muscle is known for its role in hip extension?

A. Rectus femoris

B. Gluteus maximus

C. Hamstrings

D. Psoas major

The gluteus maximus is primarily responsible for hip extension, which is the movement that increases the angle between the thigh and the pelvis. This muscle is located in the buttocks and is the largest muscle in the gluteal region. Its orientation and size make it highly effective in extending the hip joint, particularly during movements such as walking, running, climbing, and standing from a seated position. During hip extension, the gluteus maximus helps to pull the thigh backward, which is essential for powerful lower body movements. Additionally, this muscle also plays a significant role in stabilizing the pelvis and maintaining posture. Other muscles, such as those mentioned in the alternatives, may contribute to hip movements but are not the primary movers for hip extension. The rectus femoris, for example, acts in hip flexion and also assists in knee extension but is not a primary extensor. The hamstrings do assist in hip extension, specifically in movements that involve bending the knee, but they are more synergistic rather than the main muscle responsible for the action. The psoas major is mainly a hip flexor and does not contribute to extension. Thus, the gluteus maximus stands out as the primary muscle associated with hip extension.

SAMPLE

3. What is the function of ligaments in the musculoskeletal system?

A. To connect muscles to bones

B. To cushion joints during movement

C. To connect bones to other bones and stabilize joints

D. To transmit electrical signals

The function of ligaments in the musculoskeletal system is to connect bones to other bones and stabilize joints. Ligaments are composed primarily of dense connective tissue and play a critical role in maintaining the integrity and stability of joints. By connecting adjacent bones, they help prevent excessive movement that could lead to injury, ensuring joint stability during motion. Ligaments can restrict certain movements while allowing others, thus playing a vital role in facilitating smooth and coordinated movement within the musculoskeletal system. The other options focus on different components of the musculoskeletal system. For instance, connecting muscles to bones is the primary function of tendons rather than ligaments. Cushioning joints during movement is typically the role of cartilage, which provides a protective, shock-absorbing surface between the bones. Transmitting electrical signals is the function of nerve tissue, not ligaments. Understanding these distinctions is crucial for a holistic grasp of the musculoskeletal system.

4. Which characteristic of a joint can limit its range of motion?

A. Type of connective tissue present

B. Length of the ligaments

C. Muscle flexibility

D. All of the above

The range of motion in a joint can be influenced by various anatomical and physiological factors. Each of the characteristics mentioned plays a significant role in determining how freely a joint can move. The type of connective tissue present is crucial because different tissues, such as cartilage, tendons, and ligaments, have varying properties that can restrict or allow movement. For instance, fibrous connective tissue is typically less flexible than elastic connective tissue, thus limiting the range of motion in certain joints. The length of the ligaments surrounding a joint also contributes to its range of motion. Longer ligaments can allow for greater movement in the joint, while shorter ligaments may restrict motion by providing less pliability and stability to the joint. Muscle flexibility is another vital factor. Tight muscles can inhibit the full range of motion, as they may not allow the joint to move freely through its articulation. If the muscles around a joint are not flexible, they can create resistance during movement, thus limiting the overall range of motion. Since all these factors collectively influence a joint's ability to move, the correct answer indicates that each characteristic can independently or in conjunction limit the range of motion of a joint. Therefore, recognizing that all of these aspects are interrelated helps to understand the complex nature of

5. Where would the origin of humeral rotators most likely be located?

A. Clavicle

B. Scapula

C. Humerus

D. Radius

The origin of humeral rotators, such as the subscapularis, infraspinatus, and teres minor, is primarily located on the scapula. These muscles are involved in the rotational movements of the humerus within the shoulder joint. The scapula serves as an anchor point for these muscles, allowing for effective movement and stabilization of the shoulder. In the context of the anatomy of the shoulder, the scapula provides the necessary leverage and positioning for these rotator cuff muscles, facilitating their function in both internal and external rotation of the humerus. Therefore, understanding the relationship between the scapula's anatomy and the dynamics of shoulder movement is essential for comprehending the origins and actions of the humeral rotators.

SAMPLE

6. What is reciprocal inhibition?

A. The simultaneous contraction of opposing muscles

B. The relaxation of one muscle while the opposing muscle contracts

C. The lengthening of muscles during contraction

D. The strengthening of muscles through resistance training

Reciprocal inhibition refers to the process where one muscle relaxes while the opposing muscle contracts. This physiological mechanism is essential for coordinated movement and functioning of the muscular system. When a muscle (known as the agonist) contracts, the opposing muscle (known as the antagonist) is inhibited, allowing smooth and efficient movement, such as when you flex your bicep and your tricep relaxes. This allows for better control of movements, prevents injury, and helps maintain balance and stability during activities. To further clarify, the other options present different concepts: simultaneous contraction of opposing muscles would refer to co-contraction, which is used for stability rather than movement; muscle lengthening during contraction typically refers to an eccentric contraction, where the muscle elongates while under tension; and the strengthening of muscles through resistance training relates to muscle hypertrophy rather than a neuromuscular function like reciprocal inhibition. These concepts are important in understanding muscle dynamics but do not describe the process defined as reciprocal inhibition.

7. What role do scalene muscles primarily serve?

A. Lateral rotators of the hip

B. Extensors of the neck

C. An accessory to inhalation

D. Flexors of the forearm

The scalene muscles primarily serve as accessories to inhalation. These muscles, which are located in the lateral aspect of the neck, consist of three distinct parts: anterior, middle, and posterior scalene. During inhalation, the scalene muscles contract to elevate the first and second ribs, thereby expanding the thoracic cavity. This action aids in increasing the volume of the chest during breathing, facilitating the flow of air into the lungs. While other muscles are involved in various movements like hip rotation, neck extension, or forearm flexion, the primary role of the scalene muscles is specifically associated with the respiratory process. Their function as accessory muscles becomes particularly important during deep or labored breathing, such as during exercise or respiratory distress, when more significant ventilation effort is required. Understanding the unique role of the scalene muscles in the context of respiration is crucial for recognizing their importance in overall muscular and respiratory function.

SAMPLE

8. What is muscle tone primarily associated with?

A. Full muscle contraction

B. Partial muscle contraction

C. Muscle relaxation

D. Muscle atrophy

Muscle tone is primarily associated with partial muscle contraction. This refers to the continuous and passive partial contraction of the muscles, which helps maintain posture and readiness for action. Muscle tone is essential for stabilizing joints and ensuring a baseline level of muscle tension even when the muscle is not actively engaged in movement. When a muscle is in a state of partial contraction, it exhibits firmness and can respond quickly to stimuli, which is crucial for coordination and balance. This low level of tension allows for rapid transition to full muscle contraction when needed, such as during physical activity. The other options do not accurately reflect the nature of muscle tone. Full muscle contraction implies a complete engagement of muscle fibers, which is different from the sustained, low-level contraction that defines muscle tone. Muscle relaxation denotes a state where the muscle is not contracting at all, thus lacking tone. Muscle atrophy refers to a decrease in muscle mass and strength, often due to inactivity or disuse, which is the opposite of what is associated with muscle tone.

9. What does internal rotation of the shoulder primarily involve?

A. Moving the arm away from the body

B. Rotating the arm towards the body

C. Raising the arm overhead

D. Lowering the arm to the side

The correct answer is that internal rotation of the shoulder primarily involves rotating the arm towards the body. This movement is characterized by the humerus (the upper arm bone) turning inward, which decreases the angle between the arm and the torso. Internal rotation can be visualized as a motion often used when reaching across the body or when placing the hand on the hip. Understanding this movement's mechanics is crucial for applications in therapy, athletics, and exercise. Internal rotation is performed by several muscles, including the subscapularis, pectoralis major, latissimus dorsi, and teres major, all of which assist in bringing the arm closer to the center of the body during various activities. This is an essential range of motion in many daily tasks and athletic movements, making it an important concept in kinesiology and body mechanics.

10. What muscle group is important for knee flexion?

A. Quadriceps

B. Hamstrings

C. Calves

D. Adductors

Knee flexion is primarily facilitated by the hamstrings, a group of muscles located at the back of the thigh. The hamstrings consist of three muscles: the biceps femoris, semitendinosus, and semimembranosus. These muscles function to bend the knee by contracting and pulling the lower leg towards the thigh, enabling movements such as walking, running, and jumping. While other muscle groups play roles in the overall function of the leg, they do not have the primary responsibility for knee flexion. The quadriceps, for example, are responsible for knee extension, working to straighten the knee. The calves aid in ankle movement and provide stability but do not directly contribute to knee flexion. Adductors are primarily involved in the movement of the thigh toward the midline of the body rather than knee flexion. Therefore, the hamstrings are essential for achieving the flexion motion at the knee joint.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://mblexkinesiology.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE