MCAT CHEMICAL AND PHYSICAL FOUNDATIONS OF BIOLOGICAL SYSTEMS PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://mcat-chemphysicalfoundationsofbiosystems.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **What is the term for the measure of energy that is associated with the state of motion of an object?**

   A. Potential energy

   B. Work

   C. Kinetic energy

   D. Mechanical energy

2. **What characteristic of a molecule increases its ability to form hydrogen bonds?**

   A. Low electronegativity

   B. Presence of lone pairs

   C. High molecular weight

   D. High temperature

3. **Which of the following is a property of good bases?**

   A. They possess a positive charge

   B. They have a lone pair of electrons

   C. They are usually amphoteric

   D. They lack nucleophilicity

4. **What effect does increasing electronegativity have on nucleophilicity?**

   A. It increases nucleophilicity

   B. It decreases nucleophilicity

   C. It has no effect on nucleophilicity

   D. It reverses nucleophilicity

5. **What do the terms '[S]', 'Vmax', and 'km' represent in the Michaelis-Menten equation?**

   A. Concentration of products

   B. Concentration of substrate, maximal velocity, and Michaelis constant respectively

   C. Initial velocities only

   D. Rates of reversibility

SAMPLE

6. Which characteristic is commonly associated with nucleophiles?

A. Having a positive charge

B. Having lone pairs

C. Being a good acid

D. Always being neutral

7. What occurs during a heterolytic reaction?

A. A bond is broken and both electrons go to one product

B. A bond is formed between two products

C. A single electron is transferred to each product

D. A covalent bond is maintained

8. What does Ohm's Law relate?

A. Voltage, current, and resistance.

B. Energy, mass, and velocity.

C. Force, area, and pressure.

D. Power, voltage, and current.

9. Aluminium, like in LiAlH4, is neutral when it has __ bonds. When it has __ bonds, it bears a negative charge.

A. 2, 3

B. 3, 4

C. 4, 2

D. 1, 5

10. What two properties must a donor and acceptor have in order to form hydrogen bonds?

A. High electronegativity and low electronegativity

B. Electronegativity and available lone pair

C. High electronegativity and low electron affinity

D. Low electronegativity and high electron affinity

SAMPLE

Answers

SAMPLE

1. C
2. B
3. B
4. B
5. B
6. B
7. A
8. A
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What is the term for the measure of energy that is associated with the state of motion of an object?

A. Potential energy

B. Work

C. Kinetic energy

D. Mechanical energy

The measure of energy associated with the state of motion of an object is known as kinetic energy. Kinetic energy quantifies how much energy an object possesses due to its motion, and it is determined by the mass of the object and its velocity. The formula for kinetic energy is given by \(KE = \frac{1}{2}mv^2\), where \(m\) represents the mass and \(v\) represents the velocity of the object. In contrast to kinetic energy, potential energy refers to the stored energy in an object due to its position or arrangement. Work is a concept related to the transfer of energy that results from a force causing an object to move, and mechanical energy is the sum of kinetic and potential energies in a system. While these terms are related to the behavior of energy in physical systems, they describe different aspects. Kinetic energy specifically highlights the energy due to motion, which makes it the correct answer in this case.

2. What characteristic of a molecule increases its ability to form hydrogen bonds?

A. Low electronegativity

B. Presence of lone pairs

C. High molecular weight

D. High temperature

The ability of a molecule to form hydrogen bonds is significantly influenced by the presence of lone pairs. Hydrogen bonds occur when a hydrogen atom is covalently bonded to a highly electronegative atom, such as oxygen, nitrogen, or fluorine. These electronegative atoms not only attract the hydrogen's partial positive charge, but they also possess lone pairs of electrons that can participate in hydrogen bonding. When we consider a molecule with lone pairs, such as water (H2O), the oxygen atom has two lone pairs. These lone pairs can interact with hydrogen atoms from other molecules, allowing for the formation of hydrogen bonds. This interaction is crucial for the properties of water, such as its high boiling point relative to other molecules of similar size, and is fundamental in biological systems, impacting the structure and function of proteins and nucleic acids. While low electronegativity would decrease the tendency to form hydrogen bonds (since a less electronegative atom would not effectively attract the hydrogen's partial charge), high molecular weight does not necessarily correlate with an increased ability to form hydrogen bonds. Similarly, high temperature can provide kinetic energy that may disrupt existing hydrogen bonds rather than promoting their formation. Therefore, the presence of lone pairs is essential for enhancing a molecule's

SAMPLE

3. Which of the following is a property of good bases?

A. They possess a positive charge

B. They have a lone pair of electrons

C. They are usually amphoteric

D. They lack nucleophilicity

Good bases are characterized by their ability to donate a lone pair of electrons to accept protons (H+). This property allows them to engage in reactions where they can neutralize acids. The presence of a lone pair of electrons is crucial for a substance to act as a base according to the Brønsted-Lowry theory, which defines bases as proton acceptors. Additionally, the ability to donate these electron pairs enhances their nucleophilicity, making them react vigorously with electrophiles. While other characteristics may describe certain bases, possessing a lone pair of electrons is fundamental and universal among effective bases. For example, many common bases such as ammonia and hydroxide ions utilize their lone pairs to function as bases in chemical reactions. This intrinsic nature of good bases to have lone pairs of electrons is what defines their fundamental behavior in acid-base chemistry.

4. What effect does increasing electronegativity have on nucleophilicity?

A. It increases nucleophilicity

B. It decreases nucleophilicity

C. It has no effect on nucleophilicity

D. It reverses nucleophilicity

Increasing electronegativity decreases nucleophilicity. This relationship arises from the fundamental principles of how electronegativity influences a molecule's ability to donate an electron pair. Nucleophilicity refers to the tendency of a species to donate electrons to form a bond with a positively charged or electron-deficient atom. When an atom becomes more electronegative, it has a stronger attraction for electrons. This means that the electron density around the atom is held more tightly and becomes less available for donation. For example, in the periodic table, elements that are more electronegative, such as fluorine, tend to exhibit lower nucleophilicity compared to less electronegative elements like iodine. While iodine can readily donate its electrons due to its lower electronegativity and larger size, fluorine, despite being a strong nucleophile under certain conditions due to its small size, is less effective in many reactions due to its high electronegativity which holds its electrons more closely. Thus, as electronegativity increases, nucleophilicity generally decreases because the atom's ability to donate electron density is reduced. This aligns with the idea that nucleophiles must not only have available electrons but also be willing to share them,

SAMPLE

5. What do the terms '[S]', 'Vmax', and 'km' represent in the Michaelis-Menten equation?

A. Concentration of products

B. Concentration of substrate, maximal velocity, and Michaelis constant respectively

C. Initial velocities only

D. Rates of reversibility

In the context of the Michaelis-Menten equation, '[S]', 'Vmax', and 'km' each hold specific meanings that are crucial for understanding enzyme kinetics. '[S]' represents the concentration of the substrate involved in the enzymatic reaction. It reflects how much of the substrate is available for the enzyme to convert into products. The concentration of substrate is a key variable since it directly influences the rate of the reaction. 'Vmax' stands for the maximum velocity of the reaction when the enzyme is saturated with substrate. At this point, all active sites of the enzyme molecules are occupied, and the reaction rate reaches its peak. This value is important because it reflects the overall efficiency of the enzyme when substrate availability is not a limiting factor. 'km', or the Michaelis constant, is a measure of the substrate concentration at which the reaction velocity is half of Vmax. It provides insight into the affinity of the enzyme for its substrate; a lower km value indicates a higher affinity, meaning that the enzyme can reach half of its maximal activity at a lower substrate concentration. Together, these parameters help to characterize the nature and effectiveness of enzyme-catalyzed reactions, making option B the correct representation of what they signify within the Michaelis-M

6. Which characteristic is commonly associated with nucleophiles?

A. Having a positive charge

B. Having lone pairs

C. Being a good acid

D. Always being neutral

Nucleophiles are species that have a tendency to donate electrons to form chemical bonds. A key characteristic of nucleophiles is the presence of lone pairs of electrons, which they can use to attack electrophiles (electron-deficient species). The lone pairs make nucleophiles reactive, as they can be involved in chemical reactions by facilitating the formation of new bonds. For instance, in nucleophilic substitution reactions, the nucleophile will use its lone pair to replace a leaving group on a substrate. While some nucleophiles can be negatively charged, many are neutral molecules that possess lone pairs, such as water or ammonia. Therefore, the presence of lone pairs, regardless of charge, is a defining feature of nucleophiles, making this characteristic particularly relevant in organic chemistry and reaction mechanisms. The other characteristics mentioned do not accurately describe nucleophiles. Having a positive charge suggests an electron-deficient species, which generally acts as an electrophile rather than a nucleophile. Being a good acid relates to the ability to donate protons (H+), not electrons. Likewise, saying nucleophiles are always neutral does not capture the full range of possible nucleophiles, which can include negatively charged ions as well.

SAMPLE

7. What occurs during a heterolytic reaction?

A. A bond is broken and both electrons go to one product

B. A bond is formed between two products

C. A single electron is transferred to each product

D. A covalent bond is maintained

During a heterolytic reaction, a covalent bond breaks in such a way that both bonding electrons are transferred to one of the atoms involved in the bond rather than being evenly split between them. This results in the formation of a cation and an anion, as one of the atoms takes both electrons. This is significant in many chemical reactions, especially in organic and biochemical processes, as it creates charged species that can further participate in subsequent reactions. The concept of heterolytic cleavage contrasts with homolytic cleavage, where each atom involved in the bond retains one of the electrons, leading to the formation of free radicals. Understanding this distinction is crucial for predicting the reactivity and mechanisms of various reactions in organic chemistry and biochemistry.

8. What does Ohm's Law relate?

A. Voltage, current, and resistance.

B. Energy, mass, and velocity.

C. Force, area, and pressure.

D. Power, voltage, and current.

Ohm's Law is a fundamental principle in electrical engineering and physics that describes the relationship between voltage, current, and resistance in an electrical circuit. According to Ohm's Law, the current flowing through a conductor between two points is directly proportional to the voltage across the two points and inversely proportional to the resistance of the conductor. This relationship can be expressed with the formula: \[V = I \times R \] where \(V \) is the voltage (in volts), \(I \) is the current (in amperes), and \(R \) is the resistance (in ohms). This law is essential for understanding how electrical circuits operate, enabling engineers and scientists to design and analyze circuits effectively. The current increases with higher voltage and decreases with higher resistance, providing a clear framework for predicting circuit behavior under different conditions. Other options provided refer to different physical relationships: energy, mass, and velocity pertain to mechanics; force, area, and pressure are part of fluid dynamics; while power, voltage, and current involve different concepts related to energy transfer and consumption rather than the basic relationship defined by Ohm's Law. Thus, the direct and specific connection of voltage, current, and resistance defines the essence of Ohm's Law

SAMPLE

9. Aluminium, like in LiAlH4, is neutral when it has __ bonds. When it has __ bonds, it bears a negative charge.

A. 2, 3

B. 3, 4

C. 4, 2

D. 1, 5

In the context of aluminum, specifically within compounds like lithium aluminum hydride (LiAlH4), the oxidation state of aluminum is key to determining its charge based on the types of bonds it forms. Aluminum typically has an oxidation state of +3 when it forms three bonds. In this configuration, it often shares its electrons and interacts with electronegative atoms (like hydrogen in LiAlH4). Thus, when aluminum is involved in three bonds, it is neutral because it has an oxidation state of zero when considering its valence electron behavior—aluminum does not bear a positive charge in this specific bonding arrangement. On the other hand, when aluminum forms four bonds rather than three, its bonding can lead to a scenario where it has gained an additional electron or where it behaves as though it is accepting extra electron density, influencing its effective charge. In certain complex species, such as those involving coordination with ligands, aluminum can behave as if it has a negative charge. Hence, it is indicated that when it has four bonds, it can bear a negative charge. Understanding the relationship between the number of bonds and the oxidation state is critical. More bonds typically mean potential for varied oxidation states, which can lead to configurations of positive or negative charges depending

10. What two properties must a donor and acceptor have in order to form hydrogen bonds?

A. High electronegativity and low electronegativity

B. Electronegativity and available lone pair

C. High electronegativity and low electron affinity

D. Low electronegativity and high electron affinity

To form hydrogen bonds, a donor must possess a hydrogen atom that is covalently bonded to a highly electronegative atom, such as nitrogen, oxygen, or fluorine. This electronegative atom attracts the shared electrons, creating a positive partial charge on the hydrogen, which makes it capable of interacting with an acceptor. The acceptor, on the other hand, must have a lone pair of electrons available. This lone pair can interact with the partially positive hydrogen atom, resulting in the hydrogen bond. In summary, for a hydrogen bond to form, the donor must have a highly electronegative atom bonded to hydrogen, while the acceptor must have available lone pairs of electrons to facilitate the interaction between the two molecules. The other options do not accurately capture the essential criteria required for hydrogen bond formation.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://mcat-chemphysicalfoundationsofbiosystems.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE