MCML ASSESSMENT AND TREATMENT OF ABNORMAL MUSCLE TONE PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://mcmlabnormalmuscletone.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which tool can be used to measure tone?

A. MRI

B. EMG

C. Tone assessment scale

D. Ultrasound

2. What safety considerations are essential when performing serial casting?

A. Regular skin checks, padding, monitoring circulation, and avoiding excessive pressure

B. Ignoring skin checks

C. Cast should not be padded under any circumstances

D. Only use serial casting if pain is extreme

3. What is the role of intrathecal baclofen therapy in spasticity management?

A. It delivers baclofen into the spinal canal via pump to manage generalized severe spasticity not adequately controlled with oral meds; improves tone and careability

B. It treats localized focal spasticity with injections

C. It is the first line therapy for any spasticity

D. It is a diagnostic test for spasticity

4. Which facilitation technique produces a short-lived contraction of the agonist muscle and a short-lived inhibition of the antagonist to facilitate a muscle contraction and stimulates the muscle spindle reflexively?

A. Cold (Cryotherapy)

B. Passive stretching (Quick Stretch)

C. Hippotherapy

D. Weight Bearing

5. Which is included in hypotonicity as a developmental milestone concern?

A. Developmental Delay

B. Hydrocephaly

C. Brain tumor

D. Encephalitis

SAMPLE

6. Which statement best describes the presentation of hypertonicity?

A. Decreased resistance to passive stretch

B. Increased resistance to passive stretch

C. No resistance to stretch

D. Variable resistance depending on movement

7. Which term is defined as the resistance of a muscle to active or passive stretch, reflecting tone?

A. Tone

B. Tone Quality

C. Muscle Tone

D. Motor Drive

8. Which of the following is a known limitation of the Modified Ashworth Scale?

A. It cannot distinguish spasticity from contracture or soft-tissue stiffness.

B. It is not truly velocity-dependent.

C. It has excellent inter-rater reliability.

D. It always reflects functional impact.

9. Normal muscle tone may range from which to which?

A. Flexible to stiff

B. Flaccid to rigid

C. Loose to tight

D. Low to high

10. What is serial casting and how does it help with tone?

A. Gradually lengthens a muscle-tendon unit over time to increase ROM and reduce fixed contracture

B. Surgical release

C. Electrical stimulation

D. Injections

SAMPLE

Answers

SAMPLE

1. C
2. A
3. A
4. B
5. A
6. B
7. C
8. B
9. B
10. A

SAMPLE

Explanations

SAMPLE

1. Which tool can be used to measure tone?

A. MRI

B. EMG

C. Tone assessment scale

D. Ultrasound

Measuring tone means quantifying how much resistance a muscle offers to a passive stretch. A tone assessment scale does this by providing a standardized, bedside rating of that resistance, capturing how stiff or floppy the muscle feels when moved without the patient actively contracting. This kind of scale is designed to track changes in tone over time and across treatments, giving clinicians a practical, repeatable way to gauge symptoms like hypertonia or hypotonia. Imaging tools like MRI or ultrasound show structure and tissue characteristics, not how the muscle responds to being stretched passively. EMG measures electrical activity of muscles, which helps understand activation patterns or distinguish types of abnormal movement, but it doesn't directly quantify passive resistance to stretch. So while those tools can inform the underlying causes or contributors to tone, they don't provide the direct tonal measurement that a tone assessment scale offers.

2. What safety considerations are essential when performing serial casting?

A. Regular skin checks, padding, monitoring circulation, and avoiding excessive pressure

B. Ignoring skin checks

C. Cast should not be padded under any circumstances

D. Only use serial casting if pain is extreme

Safety during serial casting centers on protecting the skin and ensuring good circulation as the limb is immobilized and gradually stretched. Regular skin checks catch redness, irritation, blisters, or breakdown early so they can be addressed before they worsen. Padding inside the cast helps shield the skin and spread pressure more evenly, reducing hotspots that can lead to sores. Monitoring circulation means checking color, temperature, sensation, and movement beyond the cast, and watching for increased pain, numbness, tingling, or swelling that would signal compression or vascular issues. Avoiding excessive pressure is essential because a cast that's too tight can impede blood flow and nerve function, causing discomfort or injury. These practices together keep the limb safe while the casting process achieves its goals. Skipping skin checks, omitting padding, ignoring circulation signs, or choosing serial casting only for severe pain would undermine safety and effectiveness.

3. What is the role of intrathecal baclofen therapy in spasticity management?

A. It delivers baclofen into the spinal canal via pump to manage generalized severe spasticity not adequately controlled with oral meds; improves tone and careability

B. It treats localized focal spasticity with injections

C. It is the first line therapy for any spasticity

D. It is a diagnostic test for spasticity

The main idea here is that intrathecal baclofen therapy uses a programmable pump to deliver baclofen directly into the spinal canal. By delivering the drug into the intrathecal space, high local concentrations reach the spinal circuits that control muscle tone, so powerful anti-spastic effects can be achieved with much lower systemic doses than oral baclofen. This makes it a good option when generalized, severe spasticity is not adequately controlled by oral medications and the spasticity interferes with care, mobility, or rehabilitation. It's not used for focal spasticity; that's typically treated with targeted injections such as botulinum toxin. It's also not a first-line approach—trials of oral medications are usually tried first, with intrathecal therapy reserved for those who don't respond well or can't tolerate oral agents. Finally, it isn't a diagnostic test.

SAMPLE

4. Which facilitation technique produces a short-lived contraction of the agonist muscle and a short-lived inhibition of the antagonist to facilitate a muscle contraction and stimulates the muscle spindle reflexively?

A. Cold (Cryotherapy)

B. Passive stretching (Quick Stretch)

C. Hippotherapy

D. Weight Bearing

The main idea here is that a rapid, brief stretch to the agonist muscle triggers the muscle spindle reflex to facilitate contraction. When you apply a quick stretch, the muscle spindle is suddenly stretched and its Ia afferents fire briskly. This monosynaptically excites the alpha motor neurons to the agonist, causing a short-lived contraction. At the same time, the neural circuit promotes reciprocal inhibition of the antagonist, reducing its activity momentarily. The result is a brief, facilitated contraction of the muscle you want to recruit, priming the limb for movement. This is exactly what a quick stretch technique is designed to do: use a fast, brief lengthening to elicit the reflex and boost the agonist's activation. The other options don't produce this reflex pattern. Cryotherapy mainly alters sensation and tone through cooling, not by triggering a rapid stretch reflex. Passive stretching can lengthen the muscle but doesn't reliably evoke the quick spindle-driven contraction. Hippotherapy involves multisystem stimulation from activities like horseback riding, not the specific reflex mechanism. Weight bearing provides sensory input to improve postural awareness, but again it doesn't generate the rapid stretch-induced short contraction of the agonist with reciprocal inhibition.

5. Which is included in hypotonicity as a developmental milestone concern?

A. Developmental Delay

B. Hydrocephaly

C. Brain tumor

D. Encephalitis

Hypotonia in infancy often signals a broader delay in achieving developmental milestones. When muscle tone is low, a child may struggle to reach gross motor milestones like rolling, sitting, crawling, and walking at the expected ages, and this pattern reflects developmental delay rather than a single disease. So, developmental delay is the developmental milestone concern that fits with hypotonicity. The other conditions—hydrocephaly, brain tumor, and encephalitis—are structural or infectious diseases that can affect tone, but they are not themselves indicators of a milestone delay. They represent underlying pathologies rather than a pattern of delayed milestone achievement.

6. Which statement best describes the presentation of hypertonicity?

A. Decreased resistance to passive stretch

B. Increased resistance to passive stretch

C. No resistance to stretch

D. Variable resistance depending on movement

Hypertonicity means the muscle is unusually tense, so when you passively move a limb the muscle offers more resistance than normal. That increased resistance to passive stretch is the defining feature, making movements feel stiff and harder to lengthen. In contrast, decreased resistance points to hypotonia, and no resistance suggests flaccidity. Some hypertonic conditions—like spasticity—can show resistance that depends on how fast you move, but the key idea is the overall greater-than-normal resistance to passive stretch.

SAMPLE

7. Which term is defined as the resistance of a muscle to active or passive stretch, reflecting tone?

A. Tone

B. Tone Quality

C. Muscle Tone

D. Motor Drive

Muscle tone is the ongoing tension that a muscle holds, which sets how much it resists being stretched, whether you actively move it or someone else moves it passively. This resistance comes from a combination of neural input to the muscle (the baseline activity of motor neurons and the way spindle sensitivity is modulated) and the muscle's inherent elastic properties. Because the statement describes this resistance as a reflection of tone, the precise term is Muscle Tone. The other options don't fit as well: Tone alone is too vague, Tone Quality is a term used in contexts like voice or music rather than describing muscle properties, and Motor Drive refers to neural commands that influence tone rather than the actual resistance to stretch itself.

8. Which of the following is a known limitation of the Modified Ashworth Scale?

A. It cannot distinguish spasticity from contracture or soft-tissue stiffness.

B. It is not truly velocity-dependent.

C. It has excellent inter-rater reliability.

D. It always reflects functional impact.

Spasticity is defined by a velocity-dependent increase in muscle tone. The Modified Ashworth Scale, however, measures resistance to passive movement on a coarse scale rather than the actual velocity-driven reflex response. Because it doesn't quantify how the resistance changes with different speeds, it doesn't truly capture the velocity-dependent nature of spasticity. This mismatch means the scale can miss or misrepresent how spasticity behaves at various stretch velocities, and the measured resistance can also be influenced by factors like contracture or soft-tissue stiffness. That inherent limitation is why this option stands out as the best answer. (Keep in mind that other limitations exist—such as reliability variability and difficulty distinguishing spasticity from contracture—but the fundamental issue tied to velocity dependence is the core reason this choice is correct.)

9. Normal muscle tone may range from which to which?

A. Flexible to stiff

B. Flaccid to rigid

C. Loose to tight

D. Low to high

Muscle tone is the baseline resistance a muscle offers to passive stretch, and it isn't a single fixed level. In normal function, tone exists on a spectrum—from very low to very high—depending on the muscle, context, and posture. Describing normal tone as ranging from flaccid (low tone) to rigid (high tone) captures this variability and aligns with how clinicians think about the continuum of tone in health. The other options describe more ambiguous or less clinically standard ranges and don't convey the idea of normal tone spanning from a low-resistance end to a high-resistance end as clearly.

SAMPLE

10. What is serial casting and how does it help with tone?

A. Gradually lengthens a muscle-tendon unit over time to increase ROM and reduce fixed contracture

B. Surgical release

C. Electrical stimulation

D. Injections

Serial casting gradually lengthens a muscle-tendon unit over time to increase range of motion and reduce fixed contracture. By applying a series of casts that progressively reposition the limb, the shortened tissues are stretched little by little, which reduces passive resistance and allows joints to move more freely. In the context of abnormal tone, the muscle may be stiff and resistant not only because of neural spasticity but also because the soft tissues have shortened. Lengthening the muscle-tendon unit loosens that mechanical constraint, making functional movements easier and allowing therapy to focus on movement quality and control. The approach is non-surgical and involves periodic cast changes to advance the stretch. It differs from surgical release, electrical stimulation, or injections, which target different mechanisms or are more invasive.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://mcmlabnormalmuscletone.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE