MEDICAL CODING 205 PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://medicalcoding205.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which of the following conditions is a disorder of water metabolism that results from an ADH deficiency?

A. Diabetes insipidus

B. Diabetes mellitus

C. Hypoglycemia

D. Hypercalcemia

2. What stage of pressure ulcers involves necrotic layers of the skin?

A. Stage 1

B. Stage 2

C. Stage 3

D. Stage 4

3. What determines the level of medical decision-making (MDM) complexity for a patient with a broken arm?

A. High complexity

B. Moderate complexity

C. Low complexity

D. No complexity

4. Which of the following is not a sign or symptom of retinal detachment?

A. Flashes of light

B. Floaters

C. Loss of peripheral vision

D. Headache

5. In coding, what character indicates a burn with sequelae when both a current burn and an old burn exist?

A. "C"

B. "S"

C. "A" or "D"

D. "R"

SAMPLE

6. What role does the location of the patient encounter play in coding?

A. It affects the complexity level

B. It helps determine the E/M code

C. It determines the billing category

D. It identifies the provider specialty

7. Which classification of pressure ulcers involves significant tissue damage through the dermis?

A. Stage 1

B. Stage 2

C. Stage 3

D. Stage 4

8. Which stage of pressure ulcers presents with blisters on the skin?

A. Stage 1

B. Stage 2

C. Stage 3

D. Stage 4

9. Where can psychotherapy codes be found in medical coding?

A. Procedures section

B. Medicine section

C. Surgery section

D. Ophthalmology section

10. An individual with blood type B− can receive blood from which of the following types?

A. Type B+ or type O+

B. Type A+ or type O+

C. Type B− or type O−

D. Type AB+ or type O+

SAMPLE

Answers

SAMPLE

1. A
2. D
3. C
4. D
5. C
6. B
7. C
8. B
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. Which of the following conditions is a disorder of water metabolism that results from an ADH deficiency?

A. Diabetes insipidus

B. Diabetes mellitus

C. Hypoglycemia

D. Hypercalcemia

Diabetes insipidus is a disorder characterized by an insufficient production of antidiuretic hormone (ADH), which is crucial for regulating water balance in the body. ADH helps the kidneys manage the amount of water that is excreted in urine. When there is a deficiency of ADH, the kidneys cannot reabsorb water effectively, leading to excessive urination and increased thirst. This condition directly affects water metabolism and is critical for understanding fluid balance and related disorders. In contrast, diabetes mellitus is related to insulin deficiency or insulin resistance and does not involve water metabolism in the same way. Hypoglycemia pertains to low blood sugar levels and is distinct from water regulation. Hypercalcemia involves elevated calcium levels in the blood, which does not relate to antidiuretic hormone or water metabolism. Therefore, the unique connection of diabetes insipidus to ADH deficiency makes it the correct choice.

2. What stage of pressure ulcers involves necrotic layers of the skin?

A. Stage 1

B. Stage 2

C. Stage 3

D. Stage 4

Pressure ulcers, also known as bedsores or pressure sores, are classified into different stages based on the severity of tissue damage. The stage of a pressure ulcer indicates the depth of the injury and the layers of skin that are affected. In Stage 4 pressure ulcers, there is full-thickness tissue loss, which means that the damage extends through the entire dermis and into the underlying fascia, muscle, or bone. This stage is characterized by the presence of necrotic tissue, which is dead tissue that can appear black or brown. The significance of necrotic tissue in this stage is critical, as it requires medical intervention to manage the wound and may indicate a more severe overall condition for the individual. In contrast, Stage 1 involves intact skin with non-blanchable redness, indicating an area of concern but no breakdown of skin layers. Stage 2 shows partial thickness loss of skin, presenting as a shallow ulcer with red or pink wound bed without slough. Stage 3 involves full-thickness loss of skin, where fat may be visible, but bone, tendon, or muscles are not exposed. Thus, Stage 4 is designated as the most severe stage, illustrating the most significant tissue destruction. Understanding these stages is essential for effective

SAMPLE

3. What determines the level of medical decision-making (MDM) complexity for a patient with a broken arm?

A. High complexity

B. Moderate complexity

C. Low complexity

D. No complexity

The level of medical decision-making (MDM) complexity for a patient with a broken arm typically falls into the category of low complexity. This determination is made based on several factors, including the nature of the presenting problem, the diagnostic work-up required, and the risk of complications or morbidity. In the context of a broken arm, the decision-making process primarily involves a straightforward assessment of the injury, which often includes examining the fracture type and deciding on a treatment plan, such as casting or possibly surgery if the fracture is severe. Since the condition is generally well-defined and the management approach is typically clear-cut, it does not carry the same level of complexity as conditions that involve multiple diagnostic considerations or higher risks. Additionally, the MDM levels are classified into low, moderate, and high complexity based on criteria such as the amount of data reviewed and the risk associated with the patient's condition. For a simple fracture, the amount of data required is limited, and the overall risk is not significantly elevated unless there are complicating factors that typically are not present with uncomplicated fractures. Therefore, the broken arm is classified as low complexity, reflecting the straightforward nature of the decision-making process involved in the treatment of this common injury.

4. Which of the following is not a sign or symptom of retinal detachment?

A. Flashes of light

B. Floaters

C. Loss of peripheral vision

D. Headache

Retinal detachment is a serious eye condition that involves the separation of the retina from its underlying supportive tissue. The signs and symptoms associated with retinal detachment are typically related to changes in vision and visual disturbances. Flashes of light and floaters are common initial symptoms that patients may experience. Flashes of light occur due to the vitreous gel pulling on the retina, which can stimulate the retina and create the sensation of light. Floaters, on the other hand, are shadows cast by tiny clumps of gel or cells within the vitreous. Loss of peripheral vision can also occur as the detachment spreads across the retina, preventing visual information from reaching the brain effectively. Headache is not a recognized sign or symptom of retinal detachment. While headaches may occur for a variety of other reasons or conditions, they are not directly associated with retinal detachment. Therefore, the presence of a headache does not provide any specific indication of retinal detachment, making it the correct answer in this context. Understanding these specific symptoms can assist in the timely diagnosis and treatment of retinal detachment, which is crucial for preserving vision.

SAMPLE

5. In coding, what character indicates a burn with sequelae when both a current burn and an old burn exist?

A. "C"

B. "S"

C. "A" or "D"

D. "R"

The appropriate character that indicates a burn with sequelae when both a current burn and an old burn exist is found in the designation "A" or "D." In medical coding, the character "A" is used for current injuries, while "D" is typically linked to complications or sequelae that occur later. When coding for a burn with sequelae, it is essential to differentiate between the ongoing effects of the current burn and the complications that may arise from earlier burns. Using either "A" or "D" properly reflects the nuances of the situation, ensuring that the current state and any lasting effects are accurately documented in the patient's record. Terms that may be mistaken for this context, such as "C" for complications or "S" for sequelae, do not capture the specific distinction needed when indicating that both a current burn and an old burn are present. Therefore, recognizing the correct application of "A" or "D" in these coding scenarios is crucial for precise medical documentation and billing.

6. What role does the location of the patient encounter play in coding?

A. It affects the complexity level

B. It helps determine the E/M code

C. It determines the billing category

D. It identifies the provider specialty

The location of the patient encounter is crucial for determining the Evaluation and Management (E/M) code used in medical coding. Each E/M code encompasses different levels of service that are contingent on the setting where the encounter occurs, such as a hospital, outpatient office, or other healthcare facility. These settings significantly influence factors such as the time spent on the encounter, the complexity of medical decision-making, and the extent of the services provided. For instance, a visit in an emergency department typically demands a more comprehensive level of care than one in a regular office setting. This distinction is essential when selecting the appropriate E/M code, as it directly correlates to the expected resources and expertise involved in the patient encounter. Understanding the location helps coders make precise coding decisions that ensure accurate reimbursement and compliance with coding guidelines. While the complexity level, billing category, and provider specialty are important factors in overall medical coding practice, they do not convey the direct impact that the location of the patient encounter has on pinpointing the correct E/M code. Therefore, highlighting the location is vital in this aspect of coding.

SAMPLE

7. Which classification of pressure ulcers involves significant tissue damage through the dermis?

A. Stage 1

B. Stage 2

C. Stage 3

D. Stage 4

The classification of pressure ulcers is essential for determining the severity and appropriate treatment of skin injuries related to prolonged pressure. Stage 3 pressure ulcers are characterized by full-thickness tissue loss that extends through the dermis and into the subcutaneous tissue. At this stage, there may also be visible fat tissue, although muscle and bone are not exposed. This significant tissue damage indicates that the ulcer has progressed beyond the superficial layers, which is crucial for establishing a treatment plan and anticipating healing needs. Stage 1 involves localized redness of intact skin without damage, while Stage 2 presents as a partial-thickness loss of skin involving the epidermis and possibly the dermis, but does not extend through deep tissues. Stage 4 involves extensive destruction with exposure of bone, muscle, or tendon, indicating a more severe condition that requires even more intensive care. Choosing Stage 3 correctly identifies that the ulcer has progressed to a point of significant tissue damage but has not yet reached the complete destruction characteristic of Stage 4.

8. Which stage of pressure ulcers presents with blisters on the skin?

A. Stage 1

B. Stage 2

C. Stage 3

D. Stage 4

Stage 2 pressure ulcers are characterized by the presence of blisters, which can be intact or ruptured, and may also involve a shallow opening in the skin. This stage indicates partial-thickness loss of dermis and is a clear sign of damage to the skin, commonly appearing as a shallow crater or an abrasion. The blistering nature highlights the breakdown of the skin's first layer, which distinguishes it from other stages where the depth of tissue loss varies significantly. Understanding this stage is crucial for proper assessment and treatment, as early intervention can help prevent further progression to more severe stages of pressure ulcers.

9. Where can psychotherapy codes be found in medical coding?

A. Procedures section

B. Medicine section

C. Surgery section

D. Ophthalmology section

Psychotherapy codes are classified under the Medicine section in medical coding. This classification is based on how psychotherapy is categorized within the healthcare system. The Medicine section encompasses a range of non-surgical services, which includes various forms of therapy, evaluations, and assessments. Psychotherapy, being a therapeutic practice aimed at addressing emotional, psychological, and behavioral issues, aligns with the purpose of the Medicine section. The inclusion of psychotherapy codes in this section allows for appropriate billing and documentation in relation to mental health services. It highlights the importance of recognizing psychotherapy not as a surgical intervention, but rather as a vital component of medical care that addresses the mental and emotional well-being of patients. In contrast, the other sections such as Procedures, Surgery, and Ophthalmology are focused on more distinct and specialized areas of healthcare that do not encompass psychotherapy services.

SAMPLE

10. An individual with blood type B− can receive blood from which of the following types?

A. Type B+ or type O+

B. Type A+ or type O+

C. Type B− or type O−

D. Type AB+ or type O+

Individuals with blood type B− have specific compatibility requirements for blood transfusions due to the presence of both A and B antigens on the surface of their red blood cells and the Rh factor. Blood type B− means they have B antigens and no Rh factor. The safest blood types for transfusion to a B− individual are those that have B antigens and are either Rh-negative or do not have any additional antigens that could trigger an immune reaction. Therefore, type B− blood is compatible since it shares the same B antigen and Rh-negative factor. Type O− blood is also compatible because it lacks both A and B antigens, making it universal for those with type B blood and safe for someone who is Rh-negative. This compatibility avoids the risk of an immune response against mismatched antigens. This understanding underscores why the correct choices consist solely of type B− and type O− blood types, which provide a safe option for the recipient without risking hemolytic reactions.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://medicalcoding205.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE