# MEDICAL DOSIMETRY CERTIFICATION PRACTICE TEST (SAMPLE)

## STUDY GUIDE



## SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

**VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE**

https://meddosimetry.examzify.com

**Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.**

**ALL RIGHTS RESERVED.**

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

# Table of Contents


Copyright ..... 1

Table of Contents ..... 2

Introduction ..... 3

How to Use This Guide ..... 4

Questions ..... 5

Answers ..... 8

Explanations ..... 10

Next Steps ..... 15


SAMPLE

# Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

# How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

### 1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

### 2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

### 3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

### 4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

### 5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

### 6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

# Questions

SAMPLE

**1. What is the impact of collimator transmission on dose delivery?**

A. Increases surface dose

B. Decreases surface dose

C. Has no significant impact

D. Affects only peripheral dose

**2. What is the maximum CT number for bone?**

A. 500 HU

B. 750 HU

C. 1000 HU

D. 1250 HU

**3. What is a primary responsibility of nursing staff when dealing with brachytherapy patients?**

A. To entertain the patients

B. To regularly check on other patients

C. To ensure patient safety with adequate shielding

D. To perform administrative tasks

**4. Why is a lead apron insufficient against certain brachytherapy sources?**

A. It is too heavy to wear

B. It does not give much protection against penetrating radiation from sources like 137Cs or 192Ir

C. It is only designed for X-rays

D. It should only be used on patients

**5. What is the CT number for air?**

A. -500 HU

B. -1000 HU

C. 0 HU

D. 100 HU

SAMPLE

**6. How often should the beam quality and output be monitored in radiation therapy?**

A. Weekly

B. Monthly

C. Daily

D. Annually

**7. What type of exposure is least likely to occur in a radiation therapy department?**

A. External exposure

B. Internal exposure

C. Direct exposure

D. Radiation leaks

**8. A CT simulator is best described as what?**

A. A machine exclusively for radiation therapy

B. A CT scanner combined with simulation software

C. A technique to enhance MRI imaging

D. A device for measuring tissue density

**9. What is the SI unit of dose equivalent?**

A. Sievert (Sv)

B. Gray (Gy)

C. Becquerel (Bq)

D. C/kg

**10. The physical penumbra depends on which of the following factors?**

A. Geometric penumbra

B. Lateral electron transport in the patient

C. Collimator transmission

D. All of the above

SAMPLE

# Answers

SAMPLE

1. A
2. C
3. C
4. B
5. B
6. C
7. B
8. B
9. A
10. D

SAMPLE

# Explanations

SAMPLE

## 1. What is the impact of collimator transmission on dose delivery?

A. Increases surface dose

B. Decreases surface dose

C. Has no significant impact

D. Affects only peripheral dose

*Collimator transmission refers to the amount of radiation that passes through the collimator to reach the patient during radiation therapy. When collimators have a high transmission rate, they allow more of the radiation beam to be delivered to the treatment area. This results in an increase in the surface dose, as more radiation is reaching the skin or the surface of the tumor being treated. The reasoning behind this is that as the collimator absorbs some of the radiation, it can create a differential in how much dose is received at the surface versus deeper within the tissue. Therefore, when collimator transmission is not accounted for, there can be a significant increase in the surface dose, which is crucial for accurate dose calculations and treatment efficacy. This effect emphasizes the importance of understanding how different collimators impact dose delivery, particularly in treatments where surface doses need to be managed carefully, such as in superficial cancers. In contrast, the other options suggest different outcomes that do not take into account the actual impact of the collimator's transmission on how much dose is delivered at the surface, which is why they do not align with the correct answer.*

## 2. What is the maximum CT number for bone?

A. 500 HU

B. 750 HU

C. 1000 HU

D. 1250 HU

*The maximum CT number for bone is known to be around 1000 Hounsfield Units (HU). Hounsfield Units are a quantitative scale for describing radiodensity in computed tomography. Bone, being one of the densest biological tissues, has a significantly higher radiodensity compared to other tissues like fat or soft tissue. The specific range of CT numbers for bone typically falls between 300 to 1000 HU, with very dense cortical bone achieving values close to or at the upper limit of this scale. While some high-density materials or possibly certain types of metal can exceed 1000 HU, in the context of human anatomy and typical clinical practice, bone is consistently characterized by a maximum around 1000 HU. This makes the choice of 1000 HU the correct answer when considering the maximum CT number for bone.*

## 3. What is a primary responsibility of nursing staff when dealing with brachytherapy patients?

A. To entertain the patients

B. To regularly check on other patients

C. To ensure patient safety with adequate shielding

D. To perform administrative tasks

*A primary responsibility of nursing staff when dealing with brachytherapy patients is to ensure patient safety with adequate shielding. Brachytherapy involves the placement of radioactive sources within or near a tumor, which exposes patients and healthcare workers to radiation. Therefore, it is crucial for nursing staff to monitor and implement safety protocols, including the use of proper shielding techniques to minimize radiation exposure to both the patient and themselves. This involves ensuring that the treatment area is appropriately shielded and that all safety measures are followed according to established protocols. The focus on safety in this context underscores the importance of understanding and mitigating the risks associated with radiation exposure, which is a fundamental aspect of patient care in brachytherapy settings.*

SAMPLE

## 4. Why is a lead apron insufficient against certain brachytherapy sources?

A. It is too heavy to wear

B. It does not give much protection against penetrating radiation from sources like 137Cs or 192Ir

C. It is only designed for X-rays

D. It should only be used on patients

*The correct answer is that a lead apron does not provide adequate protection against penetrating radiation from sources like Cesium-137 (137Cs) or Iridium-192 (192Ir). These isotopes are commonly used in brachytherapy and emit gamma radiation, which is highly penetrating. Lead aprons are effective against lower-energy photons, mainly in the X-ray range, but are less effective against the higher-energy gamma radiation emitted by these isotopes. In the case of 137Cs and 192Ir, which produce significant amounts of gamma rays that can easily penetrate lead, the apron may not provide the necessary shielding to protect healthcare workers or patients from exposure. Therefore, specialized shielding or additional protective measures are often required in these situations to ensure safety. While other options touch upon issues such as the weight of the apron or its intended design, they do not directly address the fundamental reason why a lead apron is insufficient in the context of penetrating gamma radiation from specific brachytherapy sources.*

## 5. What is the CT number for air?

A. -500 HU

B. -1000 HU

C. 0 HU

D. 100 HU

*The CT number for air is typically represented as -1000 Hounsfield Units (HU). This measurement is based on the attenuation properties of different tissues relative to water, which is designated as 0 HU. Air, having very low density and negligible ability to attenuate X-rays, results in a significantly negative value on the Hounsfield scale. In a computed tomography (CT) scan, a higher density value corresponds to higher HU, while lower density materials like fat and air will yield negative numerical values. For example, water is the baseline reference at 0 HU, and as the density decreases past the point of water, the HU values become more negative. This understanding of the Hounsfield Units serves a critical role in medical imaging by allowing radiologists and medical professionals to differentiate between various substances and tissues within the body based on their respective CT numbers.*

SAMPLE

## 6. How often should the beam quality and output be monitored in radiation therapy?

A. Weekly

B. Monthly

C. Daily

D. Annually

*Monitoring the beam quality and output in radiation therapy is crucial for ensuring accurate dosimetry and patient safety. Daily monitoring allows for immediate detection of any changes or inconsistencies in the radiation output, which can have significant implications for treatment efficacy and patient exposure. By checking beam quality and output every day, any variations can be addressed promptly, minimizing the risks associated with underdosing or overdosing patients. This regular validation is in line with quality assurance protocols that aim to maintain the highest standards of care in radiation oncology practices. Less frequent monitoring, such as weekly, monthly, or annually, may not provide the timely oversight necessary to catch fluctuations that could affect patient treatments, therefore emphasizing the importance of daily checks in maintaining accurate and safe therapeutic radiation delivery.*

## 7. What type of exposure is least likely to occur in a radiation therapy department?

A. External exposure

B. Internal exposure

C. Direct exposure

D. Radiation leaks

*In a radiation therapy department, internal exposure is least likely to occur because the procedures and treatments primarily involve external beam radiation aimed at the tumor site, targeting specific areas of the body. External exposure refers to radiation emanating from a source outside the body, which is common in therapeutic settings where patients receive radiation treatments from linear accelerators or cobalt units. Direct exposure is also likely in such environments, as radiation is intentionally directed towards patient tumors, and staff are trained to manage exposure during treatment. Radiation leaks, while they are a concern and must be monitored closely, are typically managed through rigorous safety protocols and equipment maintenance, making them infrequent events. In contrast, internal exposure, which occurs when radioactive substances enter the body, is generally not a standard procedure in radiation therapy departments since treatments focus on addressing cancer through external means, rather than using internal radiation sources like brachytherapy or radiopharmaceuticals. Therefore, internal exposure is indeed the least likely scenario in this context.*

SAMPLE

## 8. A CT simulator is best described as what?

A. A machine exclusively for radiation therapy

B. A CT scanner combined with simulation software

C. A technique to enhance MRI imaging

D. A device for measuring tissue density

*A CT simulator is best described as a CT scanner combined with simulation software. This integration allows for the acquisition of detailed cross-sectional images of a patient, which are essential for planning radiation therapy. The CT simulator provides precise anatomical information that helps in the accurate localization of tumors and surrounding tissues, enabling dosimetrists and radiation oncologists to develop an effective treatment plan tailored to the individual's unique anatomy. Using simulation software, the images from the CT scanner can be manipulated to create virtual treatment plans and aid in visualizing the radiation beam paths, target volumes, and critical structures. This sophisticated approach enhances the overall treatment accuracy, making the CT simulator an invaluable tool in the process of radiation therapy planning, ensuring that radiation doses are delivered safely and effectively.*

## 9. What is the SI unit of dose equivalent?

A. Sievert (Sv)

B. Gray (Gy)

C. Becquerel (Bq)

D. C/kg

*The SI unit of dose equivalent is the Sievert (Sv), which is a crucial measure in radiation protection. Dose equivalent accounts for the biological effect of different types of radiation, allowing for a more comprehensive understanding of radiation exposure's risks to human health. While the Gray (Gy) is the SI unit for absorbed dose, measuring the energy deposited by radiation per unit mass, it does not consider the varying impacts of different radiation types on biological tissues. This makes Sieverts essential for assessing potential health risks, particularly in medical settings and occupational exposure. The other units listed serve different purposes: the Becquerel (Bq) measures radioactivity, denoting the number of decays per second, and C/kg is the unit of exposure in air, representing the charge produced by ionizing radiation in a specified mass of air. Therefore, the context in which each unit is applied underscores why Sievert is the appropriate choice for dose equivalent.*

## 10. The physical penumbra depends on which of the following factors?

A. Geometric penumbra

B. Lateral electron transport in the patient

C. Collimator transmission

D. All of the above

*The physical penumbra is a critical aspect of radiation therapy and relates to the area at the edge of a radiation beam where the dose transitions from near full intensity to background levels. It is influenced by several factors, leading to a more pronounced understanding of how the radiation interacts with the tissue and devices involved in treatment delivery. Geometric penumbra plays a significant role, as it describes the sharpness of the radiation beam's edge due to the geometry of the source, collimator, and the distance of the source from the treatment area. A broader geometric penumbra increases the physical penumbra, affecting how precisely the dose conforms to the target area. Lateral electron transport in the patient also is a key factor. When a beam hits the tissue, secondary electrons are emitted, which can travel laterally before depositing their energy. This effect can blur the boundary of the dose distribution, thus impacting the penumbra's physical characteristics as the radiation interacts with different tissue densities. Finally, collimator transmission contributes to the physical penumbra by determining how much radiation can pass through the collimator. Variations in collimator design can lead to changes in the penumbra region, either enhancing or reducing the spread of the dose*

SAMPLE

# Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://meddosimetry.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE