
MEDICAL KSV PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://medicalksv.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which hormone predominantly stimulates hepatic glycogenolysis during fasting?

A. Insulin

B. Epinephrine

C. Glucagon

D. Cortisol

2. Where are ammonia inhalants located?

A. In FAK

B. In the cockpit

C. In the lavatory

D. In the galley pantry

3. Clavulanic acid functions as which of the following?

A. Beta-lactamase inhibitor

B. Antibiotic

C. Beta-lactam

D. Proton pump inhibitor

4. Which metabolic state leads to diabetic ketoacidosis?

A. Hyperinsulinemia with decreased lipolysis

B. Insulin deficiency with increased lipolysis and ketogenesis

C. Increased glucose oxidation

D. Hypoglycemia

5. Which disease is caused by deficiency of galactose-1-phosphate uridyltransferase?

A. Classic galactosemia

B. Phenylketonuria

C. Maple syrup urine disease

D. Galactokinase deficiency

SAMPLE

6. Tuberculosis granulomas are characterized by which type of necrosis?

A. Liquefactive necrosis
B. Caseous necrosis
C. Fat necrosis
D. Coagulative necrosis

7. APGAR score total range?

A. 0-5
B. 0-10
C. 5-15
D. 1-9

8. Which of the following is NOT a symptom of heat exhaustion?

A. Fatigue
B. Nausea
C. Extreme thirst
D. High fever

9. What is the correct method to administer O2 to an infant?

A. Hold loosely over mouth and nose; do NOT strap or place directly on face
B. Strap firmly to the face
C. Place directly on the eyes
D. Hold tightly away from the face

10. Which practice helps guard against potential BBP infections?

A. Recap needles before disposal
B. Never recap needles and avoid contact with cuts or scratches
C. Wash hands only after handling trash
D. Use bare hands to handle contaminated items

SAMPLE

Answers

SAMPLE

1. C
2. A
3. A
4. B
5. A
6. B
7. B
8. D
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. Which hormone predominantly stimulates hepatic glycogenolysis during fasting?

A. Insulin

B. Epinephrine

C. Glucagon

D. Cortisol

During fasting the liver must maintain blood glucose, and glucagon is the key signal that triggers this. Released from pancreatic alpha cells when blood glucose falls, glucagon raises hepatic cAMP levels, which activates protein kinase A. This cascade activates glycogen phosphorylase and inhibits glycogen synthase, driving glycogenolysis to release glucose into the bloodstream. That's why glucagon is the main hormonal driver of hepatic glycogen breakdown in the fasting state. Insulin would oppose this process by promoting glycogen synthesis and glucose uptake, so it's not driving glycogenolysis. Cortisol mainly supports gluconeogenesis and helps sustain glucose later in prolonged fasting, rather than the rapid glycogen breakdown. Epinephrine can stimulate glycogenolysis, especially under stress or exercise, but in a typical fasting situation glucagon provides the predominant regulatory signal for hepatic glycogenolysis.

2. Where are ammonia inhalants located?

A. In FAK

B. In the cockpit

C. In the lavatory

D. In the galley pantry

Ammonia inhalants (smelling salts) are quick-acting medical supplies used to help someone who feels faint or is briefly unconscious regain alertness. They are placed in the First Aid Kit because this kit holds the basic medical supplies needed for in-flight emergencies and needs to be easily accessible to crew. Storing them in the FAK ensures they can be grabbed quickly whenever a passenger or crew member requires them. They aren't typically kept in lavatories or galley pantries, which aren't designated medical supply storage areas, and while the cockpit may house essential equipment, the standard practice is to keep smelling salts with the other first aid items for rapid access.

3. Clavulanic acid functions as which of the following?

A. Beta-lactamase inhibitor

B. Antibiotic

C. Beta-lactam

D. Proton pump inhibitor

Clavulanic acid's role is to block bacterial beta-lactamases, the enzymes that would destroy beta-lactam antibiotics. By inhibiting these enzymes, it protects the accompanying antibiotic from hydrolysis, thereby broadening its effectiveness against resistant bacteria. It has little intrinsic antibiotic activity on its own and is not a beta-lactam antibiotic, nor is it a proton pump inhibitor. Clinically, it's paired with penicillins (for example, amoxicillin) to overcome beta-lactamase–mediated resistance.

SAMPLE

4. Which metabolic state leads to diabetic ketoacidosis?

A. Hyperinsulinemia with decreased lipolysis

B. Insulin deficiency with increased lipolysis and ketogenesis

C. Increased glucose oxidation

D. Hypoglycemia

Diabetic ketoacidosis occurs when insulin activity is very low, allowing unchecked lipolysis and ketogenesis. Without insulin, hormone-sensitive lipase in adipose tissue is activated, releasing free fatty acids into the bloodstream. The liver then converts those fatty acids into ketone bodies, leading to metabolic acidosis and hyperglycemia driven by increased glucose production and reduced utilization. The presence of low insulin with elevated counterregulatory hormones like glucagon and epinephrine creates this catabolic state with markedly increased lipolysis and ketogenesis, which best explains DKA. Hyperinsulinemia would suppress lipolysis and ketogenesis, increased glucose oxidation would favor using glucose rather than producing ketones, and hypoglycemia is not characteristic of DKA.

5. Which disease is caused by deficiency of galactose-1-phosphate uridyltransferase?

A. Classic galactosemia

B. Phenylketonuria

C. Maple syrup urine disease

D. Galactokinase deficiency

The key idea is that this enzyme deficiency disrupts the Leloir pathway's step that normally converts galactose-1-phosphate and UDP-glucose into UDP-galactose and glucose-1-phosphate. When galactose-1-phosphate uridyltransferase is missing or severely deficient, galactose-1-phosphate and galactose accumulate in tissues, leading to toxic effects in the liver, kidneys, and brain. Clinically, newborns present with poor feeding, jaundice, liver enlargement, vomiting, and failure to thrive; without early dietary treatment, there's a high risk of liver damage, cataracts later on, and potential developmental problems. Management focuses on eliminating lactose and galactose from the diet to prevent accumulation. Other listed disorders involve different enzyme defects: phenylketonuria is due to phenylalanine hydroxylase deficiency; maple syrup urine disease arises from defects in the branched-chain α-ketoacid dehydrogenase complex; galactokinase deficiency causes galactose buildup with typically cataract formation but less severe liver involvement.

6. Tuberculosis granulomas are characterized by which type of necrosis?

A. Liquefactive necrosis

B. Caseous necrosis

C. Fat necrosis

D. Coagulative necrosis

In tuberculosis, the granulomas form a central area of caseous necrosis. This cheese-like, amorphous, eosinophilic material results from the death of macrophages within the granuloma as the cell-mediated immune response attempts to contain the infection. Surrounding this necrotic center are activated macrophages (epithelioid cells) and Langhans-type giant cells, all encased by lymphocytes, creating the characteristic structure. This pattern is distinct from other types of necrosis. Liquefactive necrosis involves tissue digestion that creates liquid-filled spaces and is typical of brain infarcts. Fat necrosis arises from enzymatic destruction of fat, as seen with pancreatitis. Coagulative necrosis preserves tissue architecture and occurs in solid organ infarcts, but the TB granuloma center loses structure in a caseous way rather than maintaining a solid outline. So the necrosis described in tuberculosis granulomas is caseous necrosis.

SAMPLE

7. APGAR score total range?

A. 0-5

B. 0-10

C. 5-15

D. 1-9

APGAR scoring looks at five areas of a newborn's condition—color (appearance), heart rate (pulse), reflex response (grimace), muscle tone (activity), and breathing effort. Each area is scored 0, 1, or 2, and adding those five up gives a total that ranges from 0 to 10. A higher total indicates better adaptation after birth, with 7–10 usually normal at five minutes, while lower totals point to distress and the need for ongoing assessment or intervention. So the total APGAR score can range from 0 to 10.

8. Which of the following is NOT a symptom of heat exhaustion?

A. Fatigue

B. Nausea

C. Extreme thirst

D. High fever

A key idea here is that heat exhaustion is caused by dehydration and the body's inability to cope with heat, but it does not typically produce a true fever. In heat exhaustion, you'd expect symptoms like fatigue, nausea, and extreme thirst from fluid and electrolyte loss, plus possible dizziness or weakness as the body tries to cool itself and circulates less effectively. The core temperature is usually normal or only mildly elevated, not a high fever. A high fever, on the other hand, points away from uncomplicated heat exhaustion and toward other problems such as heat stroke or an infection, both of which can drive a significantly elevated body temperature and more serious illness. So the symptom that is not characteristic of heat exhaustion is a high fever.

9. What is the correct method to administer O2 to an infant?

A. Hold loosely over mouth and nose; do NOT strap or place directly on face

B. Strap firmly to the face

C. Place directly on the eyes

D. Hold tightly away from the face

Delivering oxygen to an infant should be done with a gentle, near-face position and a light seal over the mouth and nose. Holding the oxygen source loosely allows the infant to breathe naturally and prevents pressure on delicate facial tissues or airway obstruction. Strapping the device tightly can press on the face and impede breathing, which is unsafe. Placing anything directly on the eyes is dangerous and ineffective for oxygen delivery. Holding the source too far away means little or no oxygen reaches the airway. Keep the device near the face with a soft, nonrestrictive hold to ensure adequate oxygen reach while the infant breathes comfortably.

SAMPLE

10. Which practice helps guard against potential BBP infections?

A. Recap needles before disposal

B. Never recap needles and avoid contact with cuts or scratches

C. Wash hands only after handling trash

D. Use bare hands to handle contaminated items

Guarding against bloodborne pathogen infections comes from minimizing exposure to blood and body fluids through safe handling of sharps. The best practice is to never recap needles and to avoid any contact with cuts or scratches. Recapping needles is a common cause of needle-stick injuries because a needle can slip or pierce skin during the recapping process, potentially transmitting viruses such as HIV, hepatitis B, or hepatitis C. Proper safety means disposing of used needles immediately into a sharps container and avoiding any actions that bring contaminated needles close to skin. If you have cuts or scratches, protect them by covering wounds and using gloves when handling potentially contaminated items, and perform thorough hand hygiene after handling waste and after removing gloves. Washing hands after handling trash is important but not enough by itself; hand hygiene should be integrated with all steps of contact with potentially infectious materials. Handling contaminated items with bare hands is unsafe because it defeats the protective barriers that prevent exposure.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://medicalksv.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE