

MEDICAL SALES COLLEGE TEST 1 PRACTICE (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR
THE FULL VERSION STUDY GUIDE

<https://medicalsalescollege1.examzify.com>



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. Why is selecting the appropriate CPT/HCPCS code important when selling a medical device?**
 - A. It changes clinical guidelines
 - B. It determines reimbursement and helps avoid claim denials
 - C. It alters hospital accreditation
 - D. It affects device coloring
- 2. What is the primary functional difference between a single-use disposable medical device and a reusable instrument in terms of sales considerations?**
 - A. Single-use disposables are purchased per procedure and emphasize ongoing consumable cost and sterility; reusable instruments emphasize total cost of ownership, maintenance, and sterilization logistics.
 - B. Single-use disposables are only used for sterile environments, while reusable instruments are exempt from maintenance costs.
 - C. Single-use disposables are always cheaper upfront than reusables, regardless of usage.
 - D. Single-use disposables are sterilized after every use; reusable instruments do not require sterilization.
- 3. Why is the OR board important?**
 - A. You must learn time and room numbers, track changes in times and rooms, and monitor devices and reps used.
 - B. It is used to track staff vacation days.
 - C. It is used to manage patient dietary preferences.
 - D. It tracks hospital accreditation scores.
- 4. How long can an IDE study process or approval take according to the source?**
 - A. 6-12 months
 - B. 2-5 years
 - C. 2-15 years
 - D. 1 year
- 5. What does a narrow confidence interval imply?**
 - A. It indicates the estimate is less precise
 - B. It indicates a very high p-value
 - C. It indicates higher precision around the effect estimate
 - D. It indicates a wide range of plausible effects

6. In medical device labeling, which statement best differentiates 'indication' from 'contraindication'?

- A. Indication is the device's approved use; Contraindication is a patient age alone.
- B. Indication is the color of the device; Contraindication is hospital policy.
- C. Indication is the approved use; Contraindication is a condition or factor that makes use inadvisable.
- D. Indication is the manufacturing lot; Contraindication is the warranty term.

7. How should you move around a sterile field?

- A. Stay no closer than 1.5 feet from the sterile field; do not walk between sterile areas; un-scrubbed person must face the sterile field when passing by
- B. Walk directly through the sterile field if careful
- C. Touch the sterile field with clean gloves
- D. Stand still away from the sterile field and do not move

8. What is 'informed consent' in the context of device implants and how does it relate to sales?

- A. Patient agreement to treatment after understanding risks/benefits; reps should not misrepresent benefits or coerce consent.
- B. A hospital policy document unrelated to consent.
- C. A separate consent for data sharing.
- D. An agreement by the patient to participate in a research trial.

9. Which statement best distinguishes CFR Part 801 and Part 812?

- A. Part 812 covers labeling; Part 801 governs clinical investigations
- B. Part 801 governs safety standards; Part 812 warranty terms
- C. Part 801 post-market surveillance; Part 812 manufacturing
- D. Part 801 governs labeling; Part 812 covers clinical investigations

10. What is the definition of asepsis?

- A. Absence of disease-causing microorganisms.
- B. Absence of all surgical staff in the room.
- C. Presence of sterile environment only.
- D. Use of disinfectants only.

Answers

SAMPLE

1. B
2. A
3. A
4. C
5. C
6. C
7. B
8. A
9. D
10. A

SAMPLE

Explanations

SAMPLE

1. Why is selecting the appropriate CPT/HCPCS code important when selling a medical device?

- A. It changes clinical guidelines
- B. It determines reimbursement and helps avoid claim denials**
- C. It alters hospital accreditation
- D. It affects device coloring

The main concept is that the CPT/HCPCS code you assign for a medical device acts as the billing map insurers use to determine payment. When the code accurately matches the specific device, its intended use, and the setting of care, payers can quickly determine if the device is covered and at what reimbursement level. This alignment helps avoid delays and denials, supports smooth claim processing, and reduces the need for follow-up requests for additional information. Inaccurate coding can lead to claim denials, requests for correction, or audits because the insurer cannot properly map the device to coverage rules if the code doesn't fit the actual device and use. Clinical guidelines aren't changed by the code you select, hospital accreditation isn't driven by billing codes, and the color of the device has no bearing on reimbursement. The importance lies in using the correct code to ensure appropriate payment and minimize claim issues.

2. What is the primary functional difference between a single-use disposable medical device and a reusable instrument in terms of sales considerations?

- A. Single-use disposables are purchased per procedure and emphasize ongoing consumable cost and sterility; reusable instruments emphasize total cost of ownership, maintenance, and sterilization logistics.**
- B. Single-use disposables are only used for sterile environments, while reusable instruments are exempt from maintenance costs.
- C. Single-use disposables are always cheaper upfront than reusables, regardless of usage.
- D. Single-use disposables are sterilized after every use; reusable instruments do not require sterilization.

The main idea is how cost and logistics drive the sales conversation for each type of device. Single-use disposable items are bought per procedure, so the emphasis is on the ongoing consumable cost per use and the guarantee of sterility with each item. Buyers want to know what each case will cost in consumables and that the product will arrive sterile and ready for use, without any need for processing. Reusable instruments, on the other hand, require considering the total cost of ownership over their life. That includes the upfront purchase price plus ongoing maintenance, repairs, and the sterilization and processing pipeline the facility must support—labor, equipment like autoclaves, validation, downtime for processing, and eventual refurbishment or replacement. The sales focus shifts to lifecycle costs, reliability, and the infrastructure needed to keep the instrument in service. So the correct answer captures this fundamental difference: disposables emphasize per-procedure cost and per-use sterility, while reusables emphasize total lifecycle costs, maintenance, and sterilization logistics.

3. Why is the OR board important?

- A. You must learn time and room numbers, track changes in times and rooms, and monitor devices and reps used.**
- B. It is used to track staff vacation days.
- C. It is used to manage patient dietary preferences.
- D. It tracks hospital accreditation scores.

The OR board is a real-time coordination tool that keeps track of where and when surgeries are scheduled and what equipment is in use. Learning to read and update it ensures everyone knows the exact time, room, and sequence of cases, so transitions between procedures run smoothly. Tracking changes in times and rooms helps the team adapt quickly if a case runs longer or a room becomes unavailable, and monitoring devices and reps used makes it clear what equipment and personnel are needed and whether anything is pending or unavailable. This visibility reduces delays, improves patient safety, and keeps the entire surgical team—surgeons, nurses, anesthesia, and techs—on the same page. Other items like vacation days, patient dietary preferences, or accreditation scores are managed by different parts of the hospital system and aren't the primary function of the OR board.

4. How long can an IDE study process or approval take according to the source?

- A. 6-12 months
- B. 2-5 years
- C. 2-15 years**
- D. 1 year

An IDE study period can be very lengthy because it covers the entire journey of testing a new device in humans, including regulatory reviews, multi-site trials, and long-term data collection. The range of two to fifteen years accounts for all the steps from initial concept and preclinical work, through IDE submission and FDA review, obtaining IRB approvals, enrolling patients across sites, and gathering enough safety and effectiveness data to support marketing clearance or approval. Higher-risk or more complex devices, with larger patient populations and longer follow-up needs, tend to push the timeline toward the upper end, while simpler or lower-risk devices may move faster. The main idea is that IDE timelines are variable and often extend over several years rather than being a fixed, short duration.

5. What does a narrow confidence interval imply?

- A. It indicates the estimate is less precise
- B. It indicates a very high p-value
- C. It indicates higher precision around the effect estimate**
- D. It indicates a wide range of plausible effects

A confidence interval shows the range in which the true effect is likely to lie, given a chosen level of confidence (like 95%). The width of that interval reflects precision: the narrower the interval, the more precisely we've estimated the effect. So a narrow interval means there's less uncertainty about the true value, indicating higher precision around the effect estimate. It doesn't directly speak to significance or the size of the effect, but to how tightly we've bounded the true value. Wide intervals show more uncertainty, while narrow ones show greater precision.

6. In medical device labeling, which statement best differentiates 'indication' from 'contraindication'?

- A. Indication is the device's approved use; Contraindication is a patient age alone.
- B. Indication is the color of the device; Contraindication is hospital policy.
- C. Indication is the approved use; Contraindication is a condition or factor that makes use inadvisable.**
- D. Indication is the manufacturing lot; Contraindication is the warranty term.

Indication describes the approved use of a device—the specific condition or patient population for which regulatory approval allows the device to be used. Contraindication identifies a condition or factor that makes using the device unsafe or inadvisable in a given situation. So the best statement matches these ideas: the indication is the approved use, while the contraindication is a condition or factor that would make use inadvisable. For example, a device may be indicated for use in adults with a particular condition, but a contraindication might be active infection at the treatment site or a known allergy to a device material. The other options mix up concepts like device appearance, policy, or manufacturing terms, which are not about approved use or safety.

7. How should you move around a sterile field?

- A. Stay no closer than 1.5 feet from the sterile field; do not walk between sterile areas; un-scrubbed person must face the sterile field when passing by
- B. Walk directly through the sterile field if careful**
- C. Touch the sterile field with clean gloves
- D. Stand still away from the sterile field and do not move

Moving around a sterile field safely hinges on making purposeful, controlled passages that preserve sterility and minimize disturbance to the sterile zone. The idea here is that if you must pass through the area that contains the sterile field, doing so in a single, careful, direct motion helps maintain visibility of the field, reduces the time you spend near the boundary, and lowers the chance of brushing against sterile surfaces or introducing contaminants. Keeping your hands in a sterile position and avoiding turning away or backing up helps prevent inadvertent contact with non-sterile surfaces or misjudging distances. The other approaches are less safe in practice: staying away and not moving can interfere with the procedure and create opportunities for delays or miscommunication; touching the sterile field with clean gloves contaminates it; and simply walking around without a clear, controlled path increases the risk of crossing boundaries or disturbing the sterile setup.

8. What is 'informed consent' in the context of device implants and how does it relate to sales?

A. Patient agreement to treatment after understanding risks/benefits; reps should not misrepresent benefits or coerce consent.

B. A hospital policy document unrelated to consent.

C. A separate consent for data sharing.

D. An agreement by the patient to participate in a research trial.

Informed consent is the process by which a patient makes a voluntary decision about a proposed implant after understanding what it involves. For a device implant, this means clearly communicating why the implant is recommended, how it works, the expected benefits, and the potential risks (including surgical risks, device-related issues, and long-term considerations). It also includes discussing alternatives to the implant and what could happen if the patient chooses not to proceed. The patient should have the opportunity to ask questions and should feel free to decide without coercion. In relation to sales, the representative's role is to share accurate, balanced information about the device and answer questions, but not to promise outcomes or pressure the patient to consent. The actual consent must be obtained by the treating clinician who has the patient-doctor relationship and the clinical responsibility for the decision. Misrepresentation or coercion by a sales rep undermines patient autonomy and can violate ethical and legal standards. If there are separate issues like data sharing or research participation, those consents are handled through appropriate channels and are distinct from the consent for the implant itself.

9. Which statement best distinguishes CFR Part 801 and Part 812?

A. Part 812 covers labeling; Part 801 governs clinical investigations

B. Part 801 governs safety standards; Part 812 warranty terms

C. Part 801 post-market surveillance; Part 812 manufacturing

D. Part 801 governs labeling; Part 812 covers clinical investigations

The main idea is understanding what each part regulates: one focuses on what information is given with the device to users, and the other on how devices are studied in people before or during market approval. CFR Part 801 is all about labeling—what must appear on the device label and in the accompanying materials, including instructions for use, warnings, and safe handling. It ensures that patients and clinicians have clear, accurate information from the outset. CFR Part 812, on the other hand, governs clinical investigations of devices. It sets the rules for conducting human studies under an Investigational Device Exemption, including who can oversee the study (IRBs), informed consent, documentation, and how results and any problems must be reported. It's about the process and oversight of testing the device in people. So the statement that Part 801 governs labeling and Part 812 covers clinical investigations matches these roles, which is why it's the correct distinction. The other options mix up these areas—for example, misattributing labeling to Part 812, or tying Part 801 to post-market safety or separate topics like warranty or manufacturing.

10. What is the definition of asepsis?

A. Absence of disease-causing microorganisms.

B. Absence of all surgical staff in the room.

C. Presence of sterile environment only.

D. Use of disinfectants only.

Asepsis means keeping an area free from disease-causing microorganisms to prevent infection. It's not about eradicating every microbe everywhere, but about creating and maintaining conditions that reduce the risk of introducing pathogens into a wound or surgical site. Achieving this relies on a combination of techniques: hand hygiene, sterile gloves and drapes, sterile instruments, barriers like gowns and masks when indicated, and antiseptic preparation of the skin and the environment. The goal is to minimize contamination so that infection doesn't occur. Simply eliminating all microbes would be sterility, which isn't always necessary or feasible in every setting. Relying only on disinfectants misses the broader approach that includes sterile technique, aseptic handling, and barrier precautions. And removing staff or claiming that a sterile environment alone is adequate ignores the ongoing practices that prevent contamination and protect patient safety.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://medicalsalescollege1.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE