
MENTAL HEALTH NURSING PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://mentalhealthnursing.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which class of drugs is primarily used to treat psychotic symptoms?

A. Antidepressants
B. Antipsychotics
C. Anxiolytics
D. Mood stabilizers

2. What is the focus of trauma-informed care?

A. Understanding the impact of trauma and promoting recovery
B. Emphasizing medication management
C. Teaching strict adherence to treatment plans
D. Evaluating only the presenting problem

3. What is the primary goal of cognitive restructuring in mental health treatment?

A. To alleviate physical symptoms of illness
B. To challenge and change maladaptive thought patterns
C. To enhance social interactions
D. To increase medication adherence

4. Which of the following is a common symptom of schizophrenia?

A. Consistent high energy
B. Impaired executive functioning
C. Rapid weight gain
D. Perfect social skills

5. During a manic episode, what aspect of sleep is typically affected?

A. Increased duration of sleep
B. Decreased need for sleep
C. Extreme sleepiness throughout the day
D. Regular sleep patterns

SAMPLE

6. What medication is used to stabilize mood in patients with bipolar disorder?

A. Antidepressants

B. Antipsychotics

C. Lithium

D. Stimulants

7. What is the primary role of a mental health nurse during a psychiatric hospitalization?

A. To administer medication only

B. To provide care, support, and education

C. To conduct therapy sessions

D. To make diagnosis decisions

8. What is the primary risk associated with abruptly stopping antidepressant medication?

A. Increased energy levels

B. Antidepressant Discontinuation Syndrome (ADS)

C. Improved mood stability

D. Immediate therapeutic effects

9. Which of the following criteria is NOT associated with metabolic syndrome?

A. Elevated waist circumference

B. Reduced HDL levels

C. Increased insulin sensitivity

D. Elevated blood pressure

10. Which type of medication do Fluoxetine and Citalopram belong to?

A. Tricyclic Antidepressants

B. Selective Serotonin Reuptake Inhibitors

C. Monoamine Oxidase Inhibitors

D. Serotonin Noradrenaline Reuptake Inhibitors

SAMPLE

Answers

SAMPLE

1. B
2. A
3. B
4. B
5. B
6. C
7. B
8. B
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. Which class of drugs is primarily used to treat psychotic symptoms?

A. Antidepressants

B. Antipsychotics

C. Anxiolytics

D. Mood stabilizers

The primary class of drugs used to treat psychotic symptoms is antipsychotics. These medications are specifically designed to manage conditions such as schizophrenia, schizoaffective disorder, and certain types of bipolar disorder where psychotic features may be present. Antipsychotics work by altering the effects of neurotransmitters in the brain, particularly dopamine, which plays a key role in the modulation of mood and behavior. Antidepressants, while important for treating depressive disorders and some anxiety conditions, do not specifically target psychotic symptoms. Anxiolytics focus on alleviating anxiety symptoms and may not effectively address the core issues associated with psychosis. Mood stabilizers are typically used to treat mood disorders like bipolar disorder, particularly the manic and depressive episodes, but they are not primarily aimed at alleviating psychotic symptoms. In summary, antipsychotics are the go-to treatment for addressing and managing psychotic symptoms, making them distinct from the other classes of medications in their specific purpose and function.

2. What is the focus of trauma-informed care?

A. Understanding the impact of trauma and promoting recovery

B. Emphasizing medication management

C. Teaching strict adherence to treatment plans

D. Evaluating only the presenting problem

The focus of trauma-informed care is to understand the impact of trauma and promote recovery. This approach recognizes that many individuals seeking care may have experienced various forms of trauma, which can significantly affect their mental and physical health. By acknowledging the prevalence and effects of trauma, healthcare providers can create a safe and supportive environment that fosters trust and healing. Trauma-informed care emphasizes the importance of sensitivity and awareness in all interactions with clients. It involves strategies that prioritize safety, empowerment, and collaboration, recognizing the individual's experience and involving them in their own care. This perspective encourages practitioners to adapt their methods to address trauma's lingering effects, thus facilitating resilience and recovery rather than merely treating symptoms or presenting issues. It is essential for practitioners to move beyond rigid metrics associated with treatment and instead focus on the broader context of a client's experience, which is at the heart of trauma-informed care. By doing so, practitioners can better support individuals in their journey toward recovery and overall well-being.

SAMPLE

3. What is the primary goal of cognitive restructuring in mental health treatment?

A. To alleviate physical symptoms of illness

B. To challenge and change maladaptive thought patterns

C. To enhance social interactions

D. To increase medication adherence

Cognitive restructuring is a therapeutic process primarily used in cognitive-behavioral therapy (CBT) that focuses on identifying and modifying negative thought patterns that can contribute to emotional distress and maladaptive behaviors. The primary goal of cognitive restructuring is to challenge these maladaptive thought patterns, enabling individuals to replace them with more realistic and constructive thoughts. This change can lead to improved emotional regulation and coping strategies, ultimately fostering better mental health outcomes. Through this process, patients learn to recognize cognitive distortions—such as all-or-nothing thinking, overgeneralization, and catastrophizing—and develop healthier ways of thinking. By adjusting these negative beliefs, individuals can experience shifts in their emotions and behaviors, which is central to the effectiveness of cognitive restructuring in mental health treatment.

4. Which of the following is a common symptom of schizophrenia?

A. Consistent high energy

B. Impaired executive functioning

C. Rapid weight gain

D. Perfect social skills

Impaired executive functioning is indeed a common symptom of schizophrenia. This cognitive disruption manifests as difficulties in planning, organizing, problem-solving, and maintaining attention. It can impact a person's ability to manage daily tasks and process information effectively. In schizophrenia, this impairment often affects their ability to carry out goals and respond appropriately in social situations. In contrast, symptoms such as consistent high energy, rapid weight gain, and perfect social skills do not align with typical presentations of schizophrenia. High energy is more commonly associated with mood disorders such as mania, while rapid weight gain is not inherently a symptom of schizophrenia but could be a side effect of certain antipsychotic medications. Perfect social skills are atypical for individuals with schizophrenia, as this disorder often includes social withdrawal and dysfunction in interpersonal relationships. Thus, impairments in executive functioning stand out as a defining feature of the cognitive challenges faced by those with schizophrenia.

5. During a manic episode, what aspect of sleep is typically affected?

A. Increased duration of sleep

B. Decreased need for sleep

C. Extreme sleepiness throughout the day

D. Regular sleep patterns

During a manic episode, individuals experience a decreased need for sleep. This phenomenon is commonly observed in manic or hypomanic states related to bipolar disorder. Unlike typical sleep patterns, where a person may require a certain amount of rest to feel refreshed, those in a manic state often feel energetic and may function well on little to no sleep. They might feel a sense of invincibility, leading them to believe that they do not require as much sleep as they typically would. In contrast, increased duration of sleep, extreme sleepiness throughout the day, or regular sleep patterns do not characterize manic episodes. Instead, these elements suggest either depression or a more stable mood state, which does not align with the heightened energy and reduced sleep characteristic of mania. Understanding this dynamic is crucial for assessing and treating individuals experiencing manic episodes, as it impacts both their behavior and treatment approaches.

SAMPLE

6. What medication is used to stabilize mood in patients with bipolar disorder?

A. Antidepressants

B. Antipsychotics

C. Lithium

D. Stimulants

Lithium is widely recognized as a cornerstone medication for stabilizing mood in individuals diagnosed with bipolar disorder. It has the unique ability to reduce the frequency and intensity of manic and depressive episodes, making it an effective treatment for this condition. Lithium's precise mechanism of action may involve the modulation of neurotransmitter systems and the stabilization of neuronal activity, contributing to its efficacy in mood stabilization. Patients with bipolar disorder often experience significant mood fluctuations, and lithium helps to even out these extremes. It is particularly effective in preventing manic episodes, which is crucial for overall treatment and long-term management of bipolar disorder. Regular monitoring of lithium levels in the blood is essential due to the narrow therapeutic window of the drug, ensuring it remains effective without causing toxicity. In contrast, while antidepressants may be used to address depressive symptoms, they can potentially trigger manic episodes in bipolar patients if not combined appropriately with mood stabilizers. Antipsychotics are sometimes used for acute mania or as adjuncts but are not the primary treatment for mood stabilization. Stimulants, although they can treat certain attention-related disorders, are not indicated for mood stabilization in bipolar disorder and can exacerbate manic symptoms.

7. What is the primary role of a mental health nurse during a psychiatric hospitalization?

A. To administer medication only

B. To provide care, support, and education

C. To conduct therapy sessions

D. To make diagnosis decisions

The primary role of a mental health nurse during psychiatric hospitalization is to provide care, support, and education to patients. This encompasses a holistic approach to patient care, which includes building therapeutic relationships, assessing patients' mental health status, and monitoring their progress. Mental health nurses provide essential emotional support, helping patients cope with the challenges of their mental health conditions. They educate patients about their diagnoses, treatment options, and coping strategies, which is crucial for empowering them and enhancing their understanding of their condition. This educational aspect promotes adherence to treatment and facilitates a more active role for patients in their recovery. While medication administration is an important task, it is only one part of a larger suite of responsibilities that mental health nurses undertake. Conducting therapy sessions is typically within the purview of trained therapists or psychologists, not nurses. Additionally, making diagnostic decisions requires the expertise of a psychiatrist or other qualified mental health professionals. Therefore, the comprehensive role of a mental health nurse extends far beyond any single aspect of care, emphasizing the importance of support, education, and holistic treatment approaches.

SAMPLE

8. What is the primary risk associated with abruptly stopping antidepressant medication?

A. Increased energy levels

B. Antidepressant Discontinuation Syndrome (ADS)

C. Improved mood stability

D. Immediate therapeutic effects

The primary risk associated with abruptly stopping antidepressant medication is Antidepressant Discontinuation Syndrome (ADS). This syndrome can manifest with a variety of symptoms, which may include flu-like symptoms, insomnia, nausea, imbalance, sensory disturbances, and hyperarousal. The development of ADS typically occurs due to the sudden change in neurotransmitter levels, particularly serotonin, that occurs when the medication is discontinued too quickly. It's important for patients to understand the potential for this syndrome and why it's advised to taper off medications gradually under the guidance of a healthcare professional. This approach can help mitigate the risk of withdrawal symptoms, allowing the body to adjust over time. Other options, such as increased energy levels or improved mood stability, are not typical responses to stopping antidepressants and could mislead someone into thinking that discontinuing the medication might have immediate positive effects. Similarly, immediate therapeutic effects are not associated with abrupt cessation; rather, stopping medication suddenly generally leads to destabilization rather than improvement.

9. Which of the following criteria is NOT associated with metabolic syndrome?

A. Elevated waist circumference

B. Reduced HDL levels

C. Increased insulin sensitivity

D. Elevated blood pressure

In the context of metabolic syndrome, increased insulin sensitivity is not a criterion associated with this condition. Metabolic syndrome is defined by a cluster of risk factors that significantly increase the likelihood of cardiovascular disease and type 2 diabetes. These risk factors typically include elevated waist circumference, which indicates central obesity, elevated blood pressure, and reduced levels of high-density lipoprotein (HDL) cholesterol, which is known as "good" cholesterol. Increased insulin sensitivity, however, is generally a beneficial metabolic state. It means that the body effectively utilizes insulin, allowing for better control of blood sugar levels and a lower risk of developing diabetes. In contrast, metabolic syndrome is characterized by insulin resistance, where the body's cells do not respond appropriately to insulin, leading to higher insulin levels and potential elevation in blood sugar. Thus, understanding that increased insulin sensitivity contrasts with the characteristics of metabolic syndrome clarifies why it is not included as a criterion for this syndrome.

SAMPLE

10. Which type of medication do Fluoxetine and Citalopram belong to?

A. Tricyclic Antidepressants

B. Selective Serotonin Reuptake Inhibitors

C. Monoamine Oxidase Inhibitors

D. Serotonin Noradrenaline Reuptake Inhibitors

Fluoxetine and Citalopram are classified as Selective Serotonin Reuptake Inhibitors (SSRIs). This class of medications works by selectively inhibiting the reuptake of serotonin in the brain, which increases the levels of serotonin available for neurotransmission. This mechanism is particularly effective in treating various mood disorders, including depression and anxiety, as serotonin is known to significantly influence mood, emotion, and behavior. SSRIs are generally favored due to their favorable side effect profile compared to other classes of antidepressants, leading to more widespread use in clinical practice. Conditions treated with SSRIs include major depressive disorder, obsessive-compulsive disorder, panic disorder, and social anxiety disorder. Other classes of antidepressants, such as tricyclic antidepressants and monoamine oxidase inhibitors, have different mechanisms of action and are generally associated with a higher incidence of side effects or dietary restrictions. Therefore, the classification of Fluoxetine and Citalopram as SSRIs is key to understanding their purpose and use in mental health treatment.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://mentalhealthnursing.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE