MICROSOFT CERTIFIED: AZURE IOT DEVELOPER SPECIALTY (AZ-220) PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://mscertifiedasureiotdecspecialty.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **What capability does Azure Functions for IoT provide that contributes to managing large-scale applications?**

   A. Static routing of messages

   B. Preparing application code for VM deployment

   C. Handling variable demand patterns effectively

   D. Storing data in a centralized database

2. **Which of the following is an example of a trigger type for Azure Functions?**

   A. HTTP Trigger

   B. Data Retrieval Trigger

   C. UI Trigger

   D. Quantum Trigger

3. **What type of information do device twin tags contain?**

   A. Information only accessible by the device itself

   B. Connectivity specifics and location details

   C. Only the device's firmware version

   D. Real-time telemetry data

4. **Is the location of the truck considered a Property or Telemetry in IoT Central?**

   A. Property

   B. Telemetry

   C. Neither

   D. Both

5. **Which functionality does the IoT Edge runtime provide?**

   A. Automated scaling of applications.

   B. Remote monitoring of device performance.

   C. Management of modules and device communication.

   D. Direct access to cloud data storage.

SAMPLE

6. Which three components are required for a non-time-aggregated rule condition?

A. Telemetry, Operator, Value

B. Telemetry, Value, Action

C. Telemetry, Equals, Value

D. Value, Operator, Action

7. What does Proof of Possession verify in the context of X.509 certificates?

A. It confirms ownership of a device

B. It validates the identity of the certificate holder

C. It ensures the security of the private key

D. It is a process for certificate generation

8. How can a bearer token be generated in Azure IoT Central?

A. Using the IoT Central UI

B. Through the Azure portal

C. Using the az account get-access-token CLI command

D. By configuring at the device level

9. Is it easier to update software packages individually on IoT devices?

A. Yes, with modern package managers available

B. No, updating the entire firmware is simpler

C. Only for certain models of IoT devices

D. It depends on the application

10. What common feature is associated with over-the-air firmware updates for IoT devices?

A. Firmware must be downloaded from user devices.

B. Firmware versions are uniquely identified for each device.

C. Devices have unlimited storage for firmware backups.

D. No special instructions are needed for implementation.

SAMPLE

Answers

SAMPLE

1. C
2. A
3. B
4. B
5. C
6. A
7. B
8. C
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What capability does Azure Functions for IoT provide that contributes to managing large-scale applications?

A. Static routing of messages

B. Preparing application code for VM deployment

C. Handling variable demand patterns effectively

D. Storing data in a centralized database

Azure Functions for IoT effectively accommodates large-scale applications by leveraging serverless computing, which allows developers to execute code in response to events without the need to manage the underlying infrastructure. This capability is essential for handling variable demand patterns, such as those seen in IoT applications where the volume of incoming data can fluctuate significantly based on real-time events. When demand increases, Azure Functions can automatically scale out by provisioning additional compute resources, ensuring that all incoming data is processed without performance degradation. Conversely, during periods of low demand, the resources scale back down, optimizing costs. This on-demand scaling provides a flexible approach that aligns well with the unpredictable nature of IoT workloads, enabling developers to focus on building and deploying applications without worrying about resource management. Other options like static routing of messages or preparing application code for VM deployment do not directly address scalability and responsiveness to variable workloads. Similarly, while storing data in a centralized database is important, it is not specifically tied to the capabilities of Azure Functions or their role in managing unpredictable application demands.

2. Which of the following is an example of a trigger type for Azure Functions?

A. HTTP Trigger

B. Data Retrieval Trigger

C. UI Trigger

D. Quantum Trigger

An HTTP Trigger is a specific type of trigger in Azure Functions that allows your function to be invoked through an HTTP request. This means that when an HTTP request is made to the endpoint associated with the function, the function executes and processes the incoming request. It is commonly used for building APIs, responding to webhooks, or handling custom requests from clients. This flexibility makes it a widely used trigger in serverless applications, allowing for easy integration with various web services and client applications. The other options—Data Retrieval Trigger, UI Trigger, and Quantum Trigger—do not exist as recognized trigger types in Azure Functions. Data Retrieval typically involves operations rather than serving as a trigger, a UI Trigger would imply interfacing directly with user interactions which is not a primary function trigger type in Azure, and Quantum Trigger does not correspond to an established trigger type within the Azure Functions framework. Understanding the nature of triggers in Azure Functions is essential, as it plays a crucial role in how cloud functions respond to events and integrate with other services in the Azure ecosystem.

SAMPLE

3. What type of information do device twin tags contain?

A. Information only accessible by the device itself

B. Connectivity specifics and location details

C. Only the device's firmware version

D. Real-time telemetry data

Device twin tags are part of the Azure IoT solution that provides the ability to store metadata about a device. The tags within a device twin are designed to hold information that is associated with the device's identity, such as connectivity specifics and location details. This metadata is useful for managing devices, grouping them, and applying configurations without requiring a device to be online. For example, tags may include information like the geographical location of the device or connectivity information that can assist in managing the IoT deployment efficiently. This is particularly beneficial when working with many devices, allowing for quick access to relevant context about each device, facilitating operations like remote monitoring and management. Other options do not accurately reflect the purpose of device twin tags. Tags are not meant for real-time telemetry data, which is typically sent through the methods defined for telemetry, nor do they store firmware versions or details only the device itself can access. Thus, the correct answer highlights the role of device twin tags in providing important connectivity and location-specific details that aid in efficient device management within an Azure IoT solution.

4. Is the location of the truck considered a Property or Telemetry in IoT Central?

A. Property

B. Telemetry

C. Neither

D. Both

In Azure IoT Central, the distinction between Properties and Telemetry is essential for understanding how device data is managed and presented. The location of the truck is categorized as Telemetry. Telemetry refers to the data that represents a measurement or observation collected from devices at a specific point in time, typically intended for real-time monitoring, analysis, or reporting purposes. The location of a truck, such as its latitude and longitude coordinates, is dynamic and can change frequently. This makes it a prime example of telemetry data that needs to be sent over the network regularly to provide up-to-date insights into the vehicle's movements. On the other hand, Properties are static or configuration-related data that describes the device's characteristics or settings. While properties may include information such as the truck's model or manufacturer, they do not typically involve frequently changing measurements like the current location. Understanding this difference clarifies why the location is best classified under Telemetry, as it deals with dynamic data indicative of the vehicle's current status, which is crucial for applications like fleet management, tracking, and operational efficiency.

SAMPLE

5. Which functionality does the IoT Edge runtime provide?

A. Automated scaling of applications.

B. Remote monitoring of device performance.

C. Management of modules and device communication.

D. Direct access to cloud data storage.

The IoT Edge runtime is designed to enable the deployment and management of containerized applications (modules) on edge devices. One of its core functionalities is the management of these modules and facilitating communication between the cloud and the devices. This includes orchestrating how modules interact with each other, handling messaging and commands from the cloud, and ensuring that the devices can perform their tasks independently of a constant cloud connection. By managing the modules, the IoT Edge runtime allows for more efficient local processing, as it can handle data and commands efficiently without always needing to send everything back to the cloud for processing. This capability significantly enhances the functional flexibility and responsiveness of IoT solutions, especially in scenarios where low-latency processing or autonomy from the cloud is crucial for the application. In contrast, automated scaling of applications generally pertains to cloud resources managing load, which isn't directly a feature of the IoT Edge runtime itself. Remote monitoring of device performance might be accomplished through Azure services but is not a primary function of the IoT Edge runtime itself. While direct access to cloud data storage is a feature of Azure services, it's not something that the IoT Edge runtime specifically provides, as the focus is on enabling local execution and management of modules rather than direct cloud access.

6. Which three components are required for a non-time-aggregated rule condition?

A. Telemetry, Operator, Value

B. Telemetry, Value, Action

C. Telemetry, Equals, Value

D. Value, Operator, Action

A non-time-aggregated rule condition in the context of Azure IoT involves evaluating incoming telemetry data in real-time based on specific conditions. The inclusion of telemetry, operator, and value is essential for defining a condition that can trigger actions based on the incoming data. Telemetry refers to the stream of data coming from IoT devices, representing various measurements or state information. The operator is used to perform a comparison within the rule condition (such as equals, greater than, or less than), determining how the telemetry data will be evaluated against expected thresholds or values. The value is the reference point against which the telemetry data is compared, providing the specific figure or condition that the telemetry must meet for the rule condition to be considered true. Together, these three components allow for a dynamic and responsive rule condition that can react based on real-time data inputs from devices. This configuration is pivotal for applications requiring immediate responses to device behavior or environmental changes, such as alerting systems or automated responses in an IoT solution. This pairing of telemetry, operator, and value ensures that rules are precise and actionable, which is foundational in IoT implementations where timely data processing and action are crucial.

SAMPLE

7. What does Proof of Possession verify in the context of X.509 certificates?

A. It confirms ownership of a device

B. It validates the identity of the certificate holder

C. It ensures the security of the private key

D. It is a process for certificate generation

Proof of Possession in the context of X.509 certificates is fundamentally about validating that the holder of the certificate possesses the private key associated with it. This process ensures that the entity requesting a certificate proves it controls the private key before a certificate authority (CA) issues the certificate. Thus, it is primarily concerned with confirming the identity of the certificate holder. When a device or user presents a certificate to a service, the service can perform a cryptographic operation using the public key provided in the certificate; if the operation succeeds, it confirms that whoever is presenting the certificate indeed possesses the private key. Therefore, this guarantees that the certificate holder is legitimate, which is critical for secure communications in IoT and other applications that rely on X.509 certificates. In contrast, while ownership of a device is important, it is not what Proof of Possession directly verifies; thus, it does not align precisely with the core purpose of this verification method. Similarly, ensuring the security of the private key and certificate generation are integral to the overall lifecycle of certificates and security but do not specifically relate to the Proof of Possession concept itself. Hence, the option that highlights the validation of identity through proof of private key possession is the most accurate reflection of what Proof of Poss

8. How can a bearer token be generated in Azure IoT Central?

A. Using the IoT Central UI

B. Through the Azure portal

C. Using the az account get-access-token CLI command

D. By configuring at the device level

A bearer token in Azure IoT Central can be generated using the Azure CLI command `az account get-access-token`. This command is part of the Azure CLI toolset, which provides a way to interact with Azure services from the command line. When executed, it retrieves an OAuth 2.0 access token that you can use for authentication when making REST API calls or accessing resources in Azure IoT Central. This method is particularly useful for developers and administrators who need to programmatically obtain tokens without manual authentication processes. The access token generated contains all necessary claims and permissions to access resources, making it a secure way to authenticate requests. The other methods for generating a bearer token, while they may offer user interfaces or configuration options, do not directly correspond to the standard practice of obtaining tokens through command-line interfaces designed for automation and scripting. Thus, the command-line approach stands out as a more versatile and efficient way to manage access tokens in Azure IoT Central.

SAMPLE

9. Is it easier to update software packages individually on IoT devices?

A. Yes, with modern package managers available

B. No, updating the entire firmware is simpler

C. Only for certain models of IoT devices

D. It depends on the application

Updating the entire firmware of IoT devices can often be seen as a simpler approach to managing software, especially in scenarios where the firmware includes all of the necessary software components in a single package. This can reduce the complexity associated with having to manage individual software packages, as it enables simultaneous updates to all components needed for the device to operate effectively. When all software is bundled into the firmware, it simplifies the update process, as there is no need to track the versioning of individual packages or ensure compatibility between them. Additionally, firmware updates often provide a comprehensive solution that ensures all dependencies and components are properly synchronized, mitigating the risks that can arise from partial or incompatible updates. However, it should be noted that while updating firmware may provide simplicity, it could also come with certain challenges, such as longer update times or the risk of the entire device becoming unusable if the firmware update does not go correctly. In contrast, managing individual package updates can allow for more targeted and potentially less disruptive changes, depending on the device and its architecture.

10. What common feature is associated with over-the-air firmware updates for IoT devices?

A. Firmware must be downloaded from user devices.

B. Firmware versions are uniquely identified for each device.

C. Devices have unlimited storage for firmware backups.

D. No special instructions are needed for implementation.

Over-the-air (OTA) firmware updates for IoT devices enable the seamless deployment of firmware improvements and bug fixes without the need for physical access to the device. The key feature associated with this process is that firmware versions are uniquely identified for each device. This unique identification ensures that the correct firmware is applied to the appropriate device version, accounting for variations in hardware or prior updates. Having unique identifiers for firmware versions is crucial in maintaining compatibility and functionality, as it allows the IoT device to determine which firmware version is valid and necessary. This practice minimizes the risk of installation errors and ensures that devices operate as intended, especially within diverse environments where various models and their respective firmware may exist. The other options do not accurately describe the core function of OTA updates. For instance, firmware is typically pushed from a centralized server rather than downloaded directly from user devices, and devices commonly have storage limits that require considerations for backups. Additionally, some implementation steps are often necessary to ensure secure and successful firmware updates, which contradicts the notion that no special instructions are needed.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://mscertifiedasureiotdecspecialty.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE