
MOTOR SPEECH EXAM 2 PRACTICE (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://motorspeech2.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is a characteristic of damage seen in spastic dysarthria?

A. Isolated damage to peripheral nerves

B. Unilateral upper motor neuron damage

C. Bilateral damage to upper motor neurons

D. Purely sensory nerve damage

2. What is the primary cause of drooling in individuals with motor speech disorders?

A. Excessive saliva production

B. Decreased swallowing frequency and poor control of secretions

C. Nervous system dysfunction

D. Dry mouth condition

3. Hypokinetic dysarthria is primarily characterized by what symptom?

A. Increased muscle tone

B. Reduced movement and muscle tone

C. Excessive vocalization

D. Spasmodic speech patterns

4. How does apraxia impact phonation characteristics?

A. Increased vocal strength and clarity

B. Poor coordination of muscle movements

C. Consistent and smooth voice production

D. Elevated pitch control

5. Which term describes low muscle tone?

A. Atrophy

B. Hypotonia

C. Fasciculations

D. Myotonia

6. How can the difficulty in coordination in apraxia be best described?

A. Directly impacts speech clarity

B. Indirectly impacts due to planning issues

C. Always apparent across all activities

D. Does not impact speech at all

SAMPLE

7. What type of disorders does mixed dysarthria encompass?

A. Only one type of dysarthria

B. Two or more different types of dysarthria

C. Speech sound disorders only

D. Only organic-based speech disorders

8. Which symptom is indicative of UMN involvement in ALS?

A. Atrophy and muscle weakness

B. Muscle spasticity and increased reflexes

C. Involuntary muscle movements

D. Lack of coordination

9. Among the following, which is NOT considered a treatment option for apraxia?

A. Melodic Intonation Therapy (MIT)

B. Alternating vocal exercises

C. Drill

D. Prompts for Restructuring Oral Motor Phonetic Targets (PROMPT)

10. What speech characteristic describes ataxic dysarthria?

A. Consistent loudness

B. Clear and precise articulation

C. Inconsistent speech production

D. Rapid speech without breaks

SAMPLE

Answers

SAMPLE

1. C
2. B
3. B
4. B
5. B
6. B
7. B
8. B
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. What is a characteristic of damage seen in spastic dysarthria?

A. Isolated damage to peripheral nerves

B. Unilateral upper motor neuron damage

C. Bilateral damage to upper motor neurons

D. Purely sensory nerve damage

In spastic dysarthria, a key characteristic is indeed bilateral damage to the upper motor neurons. This condition arises when there is dysfunction in the neural pathways that control voluntary movement, particularly affecting speech and muscle tone. The bilateral nature of the damage leads to excessive muscle tone (spasticity) and results in impaired movement coordination and control. This spasticity manifests in various speech characteristics, including a harsh, strained voice quality, imprecise articulation, and slowed speech rate. These features are a direct result of the muscle weakness and tightness caused by the compromised motor pathways in both hemispheres of the brain. Spastic dysarthria is typically associated with neurological conditions that affect the brain regions controlling motor function, such as stroke or cerebral palsy, which underscores the significance of the bilateral upper motor neuron involvement in its presentation.

2. What is the primary cause of drooling in individuals with motor speech disorders?

A. Excessive saliva production

B. Decreased swallowing frequency and poor control of secretions

C. Nervous system dysfunction

D. Dry mouth condition

Drooling in individuals with motor speech disorders is primarily caused by decreased swallowing frequency and poor control of secretions. This can happen because the motor control required for effective swallowing may be impaired, leading to challenges in managing saliva in the mouth. In these cases, the coordination needed to swallow saliva effectively may be disrupted, resulting in an accumulation of saliva that the person cannot swallow efficiently. As a result, this excess saliva can lead to drooling. While excessive saliva production and nervous system dysfunction can contribute to drooling in certain conditions, the key factor in motor speech disorders is the inability to manage saliva due to motor control deficits. A dry mouth condition may reduce saliva availability, thus lessening drooling, but it does not explain the excessive drooling often observed in individuals with motor impairments related to speech.

3. Hypokinetic dysarthria is primarily characterized by what symptom?

A. Increased muscle tone

B. Reduced movement and muscle tone

C. Excessive vocalization

D. Spasmodic speech patterns

Hypokinetic dysarthria is primarily characterized by reduced movement and muscle tone, a condition frequently associated with Parkinson's disease and other disorders affecting the basal ganglia. In this subtype of dysarthria, individuals often exhibit a distinct decrease in the amplitude of movements, which affects not only speech but may also influence facial expressions and other voluntary muscle activities. This reduced movement leads to soft, quiet speech and challenges with articulation, making it difficult for listeners to understand the speaker clearly. The condition reflects the dysfunction of motor control pathways, resulting in excessive rigidity and bradykinesia, which refers to slowed movement. These symptoms manifest in a reduced range of motion and diminished force when producing speech, ultimately impacting the clarity and volume of the voice. Understanding this symptomatology is vital for effective diagnosis and intervention strategies in individuals experiencing hypokinetic dysarthria.

SAMPLE

4. How does apraxia impact phonation characteristics?

A. Increased vocal strength and clarity

B. Poor coordination of muscle movements

C. Consistent and smooth voice production

D. Elevated pitch control

Apraxia significantly affects the coordination of muscle movements required for speech production, particularly in the planning and execution of voluntary speech actions. Individuals with apraxia often struggle with the precise timing and sequencing of speech movements, which can lead to disrupted phonation characteristics. This means that their ability to produce speech sounds correctly may be impaired, resulting in inconsistent sounds, distortions, or even pauses as they attempt to form words. The condition does not typically enhance vocal strength or improve clarity, nor does it lead to smooth voice production or elevated pitch control. Instead, the hallmark of apraxia is that the individual has difficulty with the motor planning aspect of speech, which directly impacts the fluidity and accuracy of their phonation. As a result, the correct answer highlights the poor coordination of muscle movements as the principal impact of apraxia on phonation characteristics.

5. Which term describes low muscle tone?

A. Atrophy

B. Hypotonia

C. Fasciculations

D. Myotonia

The term that describes low muscle tone is hypotonia. Hypotonia is characterized by decreased muscle tension and a reduced ability of muscles to contract. This often results in a floppy appearance in affected individuals and can lead to difficulties with motor control and coordination. In children, hypotonia can be observed during developmental assessments, as it may affect their ability to achieve developmental milestones related to motor skills. Atrophy refers to the decrease in muscle size due to disuse or disease, which is distinct from the concept of muscle tone. Fasciculations are involuntary muscle contractions and twitches, often associated with nerve damage or disorders, while myotonia is a condition where there is delayed relaxation of the muscles after contraction. Thus, hypotonia is the specific term used for low muscle tone, making it the most appropriate choice in this context.

6. How can the difficulty in coordination in apraxia be best described?

A. Directly impacts speech clarity

B. Indirectly impacts due to planning issues

C. Always apparent across all activities

D. Does not impact speech at all

The difficulty in coordination associated with apraxia is best described as indirectly impacting speech due to planning issues. In apraxia, the brain struggles to plan and execute the movements needed for speech. This involves the coordination of various articulators, such as the tongue, lips, and vocal cords, which are essential for producing clear speech sounds. The indirect impact arises because apraxia is primarily a disorder of planning rather than a direct issue with the muscles themselves. Individuals with apraxia may have the ability to produce speech sounds but often struggle with the precise timing and sequence of those sounds. As a result, while their speech may be unclear and inconsistent, it is not that the speech mechanisms are completely impaired, but rather that the planning of speech is disrupted. This understanding highlights the underlying issues with motor planning and how they manifest as speech difficulties, making option B the most accurate description of the coordination challenges faced in apraxia.

SAMPLE

7. What type of disorders does mixed dysarthria encompass?

A. Only one type of dysarthria

B. Two or more different types of dysarthria

C. Speech sound disorders only

D. Only organic-based speech disorders

Mixed dysarthria encompasses two or more different types of dysarthria, making it a complex speech disorder that arises from a combination of neurological conditions. This reflects the fact that individuals may present with a mix of symptoms that are characteristic of various types of dysarthria, such as spastic and flaccid dysarthria, due to the involvement of multiple parts of the nervous system. It highlights the intricacies of motor speech production where more than one dysarthric profile can be observed simultaneously, reflecting the underlying neurological compromise. Understanding mixed dysarthria is important for diagnosis and treatment, as it guides speech-language pathologists in developing tailored intervention strategies that address the unique combination of speech motor challenges an individual may face, rather than treating it as a single-category disorder. This incorporation of multiple dysarthric features might also indicate a more diffuse pathology affecting motor control, leading to varied speech characteristics that necessitate a comprehensive assessment.

8. Which symptom is indicative of UMN involvement in ALS?

A. Atrophy and muscle weakness

B. Muscle spasticity and increased reflexes

C. Involuntary muscle movements

D. Lack of coordination

The indication of upper motor neuron (UMN) involvement in Amyotrophic Lateral Sclerosis (ALS) is characterized by symptoms such as muscle spasticity and increased reflexes. Upper motor neurons originate in the brain and communicate with lower motor neurons, coordinating voluntary movement. When UMNs are affected, as seen in ALS, the signals sent to lower motor neurons can become disrupted leading to a lack of inhibition on the muscles. This results in spasticity, which is characterized by increased muscle tone and stiffness. Additionally, the hyperactive reflexes associated with UMN damage occur due to the disinhibition of reflex pathways. Normal reflexes may become exaggerated when the upper motor neurons are dysfunctional, as they are responsible for modulating these reflex responses. In contrast, atrophy and muscle weakness are more strongly associated with lower motor neuron involvement; involuntary muscle movements may relate to other neurological conditions, and lack of coordination can be indicative of a variety of neurological issues, not specifically pointing to UMN involvement in ALS. Therefore, the symptom of muscle spasticity and increased reflexes clearly aligns with the effects of upper motor neuron dysfunction in this context.

SAMPLE

9. Among the following, which is NOT considered a treatment option for apraxia?

A. Melodic Intonation Therapy (MIT)

B. Alternating vocal exercises

C. Drill

D. Prompts for Restructuring Oral Motor Phonetic Targets (PROMPT)

The correct answer indicates that alternating vocal exercises are not considered a treatment option for apraxia. In the context of speech therapy, particularly for apraxia, effective treatment strategies focus on the coordination and sequencing of movements necessary for speech production. Melodic Intonation Therapy utilizes melodies and rhythms to aid in speech production, specifically helping individuals with apraxia by tapping into the musical aspects of speech. PROMPT involves tactile-kinesthetic cues, helping patients navigate the physical aspects of speech production. Drill therapy is a well-established method that emphasizes repetitive practice, which is crucial for individuals with apraxia as it reinforces the neural pathways involved in speech. Alternating vocal exercises, on the other hand, tend to focus more on phonation and might not directly address the specific deficits in planning and executing speech movements that are characteristic of apraxia. Therefore, this option does not align with the targeted treatment strategies used for this disorder.

10. What speech characteristic describes ataxic dysarthria?

A. Consistent loudness

B. Clear and precise articulation

C. Inconsistent speech production

D. Rapid speech without breaks

Ataxic dysarthria is characterized by a lack of coordination and precision in speech production, which often leads to inconsistent speech patterns. This inconsistency may manifest in various ways, such as uneven loudness levels, irregular timing, and fluctuating quality of speech sounds. The irregularities are a direct result of the underlying neurological issues associated with ataxia, where the control of voluntary movements is compromised. In contrast, characteristics like consistent loudness, clear and precise articulation, and rapid speech without breaks do not accurately reflect the nature of communication in individuals with ataxic dysarthria. Instead, those features are more typical of other speech profiles, which makes the recognition of inconsistency a hallmark of this particular speech disorder. This understanding is crucial for proper assessment and intervention in patients presenting with ataxic dysarthria.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://motorspeech2.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE