# MULTI ENGINE COMMERCIAL CHECKRIDE PRACTICE TEST (SAMPLE)

## STUDY GUIDE




## SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

**VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE**

https://multienginecommcheckride.examzify.com

**Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.**

**ALL RIGHTS RESERVED.**

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

# Table of Contents


Copyright ..... 1

Table of Contents ..... 2

Introduction ..... 3

How to Use This Guide ..... 4

Questions ..... 5

Answers ..... 8

Explanations ..... 10

Next Steps ..... 15


SAMPLE

# Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

# How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

### 1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

### 2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

### 3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

### 4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

### 5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

### 6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

# Questions

SAMPLE

**1. In the fuel XFeed system, what does the ON position do?**

A. Both engines draw fuel from the opposite tank

B. Each engine uses its respective tank

C. Fuel is drawn from a secondary reservoir

D. Fuel is shut off to both engines

**2. What is used to hold the landing gear up?**

A. Electrical power

B. Hydraulic pressure

C. Mechanical locks

D. Gravity

**3. What is the total fuel capacity of the aircraft?**

A. 108 gallons

B. 110 gallons

C. 100 gallons

D. 120 gallons

**4. How does the FAA determine Vmc?**

A. Using maximum horsepower settings

B. By analyzing engine temperatures

C. Based on standard day conditions and maximum power on operating engine

D. Through pilot experience and anecdotal evidence

**5. What is the tire pressure specification for the left and right tires?**

A. 50 PSI

B. 55 PSI

C. 60 PSI

D. 65 PSI

**6. Which sensors deactivate the stall warning horn?**

A. Outboard- Flaps 0 and 5

B. Inboard- Flaps 25 and 40

C. Outboard- Flaps 25 and 40

D. Inboard- Flaps 0 and 10

SAMPLE

**7. What should a pilot regularly monitor during multi-engine flight operations?**

A. Straight and level flight only

B. Engine performance and instrument readings

C. Only fuel levels

D. Navigation charts only

**8. What is the maximum speed for gear retraction (Vlo) in KIAS?**

A. 109 KIAS

B. 140 KIAS

C. 169 KIAS

D. 202 KIAS

**9. What is the function of the hydraulic reservoir in the landing gear system?**

A. To store electrical energy

B. To supply hydraulic fluid

C. To cool the hydraulic system

D. To filter contaminants

**10. What is the maximum ramp weight in pounds?**

A. 3500 lbs

B. 3710 lbs

C. 3816 lbs

D. 3900 lbs

SAMPLE

# Answers

SAMPLE

1. B
2. B
3. B
4. C
5. B
6. B
7. B
8. A
9. B
10. C

SAMPLE

# Explanations

SAMPLE

## 1. In the fuel XFeed system, what does the ON position do?

A. Both engines draw fuel from the opposite tank

B. Each engine uses its respective tank

C. Fuel is drawn from a secondary reservoir

D. Fuel is shut off to both engines

*In the fuel crossfeed system, selecting the ON position typically allows each engine to draw fuel from its respective tank. This option is designed to ensure that each engine operates with the fuel supply from the tank located on the same side of the aircraft. By doing so, it maintains the intended fuel flow and ensures the engines can effectively utilize the fuel according to their design. When each engine feeds from its own tank, this enhances the efficiency and performance of the fuel delivery system, leading to balanced fuel consumption and weight distribution throughout the flight. It also minimizes the risk associated with relying on a single source of fuel, which is important for safe operation. In contrast, other options suggest behaviors that would either complicate fuel management or could introduce risks, such as drawing fuel from opposite tanks or shutting off fuel entirely, which would not support the operation of the engines. This understanding is crucial for pilots during flight operations and in managing fuel systems effectively.*

## 2. What is used to hold the landing gear up?

A. Electrical power

B. Hydraulic pressure

C. Mechanical locks

D. Gravity

*The correct choice is hydraulic pressure. In multi-engine aircraft, the landing gear system typically relies on hydraulic power to function. Hydraulic systems are designed to handle large forces with relatively small components, making them efficient for operating various mechanisms, including the raising and lowering of landing gear. When the landing gear is retracted, hydraulic pressure is applied to retract the gear into the aircraft's fuselage, allowing for a streamlined aerodynamic profile during flight. Once the landing gear is fully retracted, mechanical locks may engage to keep the gear in that position, but the primary force keeping the landing gear up is the hydraulic pressure. This hydraulic system allows for smooth and reliable operation, reducing pilot workload compared to manually operated systems. While electrical power might be used to activate hydraulic pumps or control systems, it is not directly responsible for holding the landing gear up. Mechanical locks, while important for safety, do not provide the initial force to lift the gear; they simply secure it in place once retracted. Gravity also does not hold the landing gear up; rather, it acts in the opposite direction, which is why hydraulic pressure is essential to overcome that force when the gear is uplifted.*

## 3. What is the total fuel capacity of the aircraft?

A. 108 gallons

B. 110 gallons

C. 100 gallons

D. 120 gallons

*The total fuel capacity of the aircraft being 110 gallons indicates that this is the maximum amount of fuel the aircraft can hold in its tanks. Knowing the total fuel capacity is crucial for flight planning because it directly impacts range, endurance, and weight calculations. A correct understanding of the fuel capacity helps pilots determine how much fuel to load for a given flight, ensuring there is enough to complete the journey while adhering to safety regulations regarding minimum reserves. In operational contexts, factors such as fuel burn rate, distance to destination, and alternate airport requirements become essential as they rely on accurate fuel capacity information. This understanding is vital for the overall safety and efficiency of flight operations.*

SAMPLE

## 4. How does the FAA determine Vmc?

A. Using maximum horsepower settings

B. By analyzing engine temperatures

C. Based on standard day conditions and maximum power on operating engine

D. Through pilot experience and anecdotal evidence

*The FAA determines Vmc, or minimum control speed with the critical engine inoperative, based on standardized testing parameters that include conditions that simulate maximum power on the operating engine while maintaining standard day atmospheric conditions. This allows for a clear and repeatable methodology for defining Vmc, which is crucial for safety and operational standards in multi-engine aircraft. By conducting these tests under standard conditions, the FAA can provide a reliable speed at which the aircraft can maintain controlled flight despite one engine being inoperative. This includes assessments related to factors such as aircraft weight, balance, and configuration, ensuring that the determined Vmc is applicable to a wide range of operational scenarios faced by pilots. The standardization also means that manufacturers can provide consistent Vmc data that pilots can rely on during operations, contributing to safer flying practices.*

## 5. What is the tire pressure specification for the left and right tires?

A. 50 PSI

B. 55 PSI

C. 60 PSI

D. 65 PSI

*The correct answer of 55 PSI is based on the manufacturer's specifications for optimal performance and safety of the aircraft. Tire pressure is critical because it affects handling, braking efficiency, and overall tire wear. Properly inflated tires ensure that the aircraft can operate effectively during takeoffs, landings, and taxiing. If the tire pressure is too low, it can lead to increased wear and potential failure, whereas excessive pressure can reduce the contact area with the runway, impacting grip and stability. Aircraft manufacturers provide specific tire pressure recommendations, typically found in the aircraft's maintenance manual or on a placard near the tires. For this particular aircraft, 55 PSI is the value recommended to ensure the tires are performing within safe operational limits, enabling optimal performance in various phases of flight.*

## 6. Which sensors deactivate the stall warning horn?

A. Outboard- Flaps 0 and 5

B. Inboard- Flaps 25 and 40

C. Outboard- Flaps 25 and 40

D. Inboard- Flaps 0 and 10

*The stall warning horn is an important safety feature in multi-engine aircraft, designed to alert pilots when the aircraft is nearing a stall condition. This system typically relies on a series of sensors that monitor the aircraft's configuration, particularly the position of the flaps. When the flaps are extended to specific settings, the aerodynamic characteristics of the aircraft change, which can alter the stall characteristics. In this case, when the inboard flaps are set to either 25 or 40 degrees, the stall warning horn is deactivated. This is designed to prevent the horn from activating during configurations where the aircraft is expected to operate safely, such as during approach and landing, where the aircraft will typically be at reduced speeds and higher angles of attack. Understanding why the stall warning horn is deactivated at these flap settings is crucial for pilots. It prevents unnecessary alerts during phases of flight where the aircraft's operating parameters are normal and expected, allowing pilots to focus on their approach and landing without being distracted by false stall warnings. The other configurations indicated by the other choices involve either outboard or inboard flaps set at different degrees that do not meet the criteria required to deactivate the stall warning horn, thus maintaining an alert for the pilot to enhance safety during critical phases*

SAMPLE

## 7. What should a pilot regularly monitor during multi-engine flight operations?

A. Straight and level flight only

B. Engine performance and instrument readings

C. Only fuel levels

D. Navigation charts only

*During multi-engine flight operations, regular monitoring of engine performance and instrument readings is crucial for ensuring safety and effective management of the aircraft. This involves keeping an eye on parameters such as engine RPM, manifold pressure, oil temperature, and cylinder head temperature for each engine. Additionally, monitoring instruments related to the aircraft's flight path and performance—such as airspeed, altitude, heading, and attitude—is vital to react promptly to any anomalies. This vigilance is particularly important in multi-engine aircraft where engine-out scenarios can lead to significant challenges. Understanding the performance of each engine helps the pilot make informed decisions, especially in situations where one engine may fail. By closely observing these metrics, a pilot can ensure the aircraft is in optimal condition for flight and can take immediate actions if any readings indicate trouble. Thus, consistently monitoring these elements not only aids in maintaining proper flight conditions but also enhances overall situational awareness and safety.*

## 8. What is the maximum speed for gear retraction (Vlo) in KIAS?

A. 109 KIAS

B. 140 KIAS

C. 169 KIAS

D. 202 KIAS

*The maximum speed for gear retraction, or Vlo, is the highest airspeed at which the landing gear can be safely retracted. This speed is critical because exceeding it might lead to structural issues or mechanical problems with the landing gear system during retraction. In many multi-engine aircraft, the Vlo is specified in the operating handbook and is generally designed to ensure that pilots can retract the gear without risking damage to the aircraft. The correct value of 109 KIAS serves as a guideline for pilots to ensure that they retract the landing gear within a safe operating speed. Flying above this threshold could potentially result in complications, such as the gear not retracting properly or even becoming damaged due to aerodynamic forces acting on the extended gear at higher speeds. The other values listed, such as 140 KIAS, 169 KIAS, and 202 KIAS, do not align with typical specifications for gear operation speeds found in most aircraft. By adhering to the indicated maximum speed for gear retraction, pilots ensure both safety and compliance with the aircraft's operating limitations.*

SAMPLE

## 9. What is the function of the hydraulic reservoir in the landing gear system?

A. To store electrical energy

B. To supply hydraulic fluid

C. To cool the hydraulic system

D. To filter contaminants

*The hydraulic reservoir in the landing gear system plays a crucial role by supplying hydraulic fluid. The reservoir acts as a storage container for the hydraulic fluid that is necessary to operate various components of the landing gear system, including the extension and retraction mechanisms. When the landing gear is deployed or raised, hydraulic fluid from the reservoir is pressurized and directed to the hydraulic actuators and cylinders responsible for moving the landing gear. This process ensures that the gear operates smoothly and efficiently during takeoff, landing, and taxiing. The proper function of the hydraulic reservoir is essential for maintaining the effectiveness and reliability of the landing gear system, as any interruption in hydraulic fluid supply could impact the operation of the landing gear. While the cooling of the hydraulic system, filtering contaminants, and electrical energy storage are important aspects of hydraulic systems, they are not directly functions of the landing gear hydraulic reservoir itself. The reservoir primarily focuses on ensuring an adequate supply of hydraulic fluid for the operation of the landing gear.*

## 10. What is the maximum ramp weight in pounds?

A. 3500 lbs

B. 3710 lbs

C. 3816 lbs

D. 3900 lbs

*The maximum ramp weight refers to the maximum allowable weight for an aircraft when it is on the ground and ready to taxi, but before it begins its takeoff roll. This weight encompasses the aircraft's structure, fuel, passengers, baggage, and any other items onboard that contribute to the total weight. In the context provided, the correct answer signifies that the maximum ramp weight for the aircraft in question is 3816 pounds. This value is critical as operating above the specified maximum ramp weight can lead to performance issues, including reduced controllability, increased landing distances, and potential structural damages due to exceeding design limitations. Understanding this weight is crucial for conducting proper pre-flight inspections and calculations. Pilots must ensure they remain within this parameter to maintain safety and regulatory compliance. The other weights listed are not representative of the maximum ramp weight, which underlines the importance of relying on correct data specific to the type of aircraft in question.*

SAMPLE

# Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://multienginecommcheckride.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE