MYCOLOGY PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://mycology.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **Negative staining uses which reagent to visualize capsules in Cryptococcus neoformans?**

   A. India ink or nigrosin stain

   B. Gram stain

   C. Acid-fast stain

   D. Calcofluor white

2. **Septate hyphae are hyphae that are subdivided into individual cells by**

   A. Transverse walls

   B. Intercalary walls

   C. No walls

   D. Staggered partitions

3. **What is the most common presentation of cryptococcal meningitis in HIV patients?**

   A. Subacute meningitis with headache and fever; elevated opening pressure

   B. Acute bacterial meningitis

   C. Chronic headaches without fever

   D. Stroke with focal deficits

4. **What is the standard first-line therapy for mild-to-moderate Pneumocystis jirovecii pneumonia if no sulfa allergy?**

   A. TMP-SMX (trimethoprim-sulfamethoxazole)

   B. Dapsone with trimethoprim

   C. Clindamycin with primaquine

   D. Pentamidine

5. **Cryptococcus neoformans causes which infection?**

   A. Cryptococcosis

   B. Coccidioidomycosis

   C. Blastomycosis

   D. Sporotrichosis

SAMPLE

6. Which order of fungi is responsible for mucormycosis and what is a key histologic feature?

A. Ascomycota; septate hyphae with acute-angle branching

B. Basidiomycota; yeast-like cells with budding

C. Mucorales; broad, non-septate hyphae with irregular widths and right-angle branching

D. Zygomycota; hyphae with septate walls

7. What term describes a loose network of hyphae?

A. Aseptate hyphae

B. Septate hyphae

C. Yeast

D. Mycelium

8. Paracoccidioides brasiliensis causes which mycosis?

A. Coccidioidomycosis

B. Blastomycosis

C. Paracoccidioidomycosis

D. Histoplasmosis

9. Which organism is commonly responsible for onychomycosis?

A. Candida albicans

B. Trichophyton rubrum

C. Aspergillus niger

D. Microsporum canis

10. What equipment is used in the tease mount technique?

A. Inoculation loop

B. Dissecting needles

C. Microscope

D. Scalpel

SAMPLE

Answers

SAMPLE

1. A
2. A
3. A
4. B
5. A
6. C
7. D
8. C
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. Negative staining uses which reagent to visualize capsules in Cryptococcus neoformans?

A. India ink or nigrosin stain

B. Gram stain

C. Acid-fast stain

D. Calcofluor white

Visualizing the capsule relies on negative staining, where the stain colors the background but not the capsule. Cryptococcus neoformans has a prominent polysaccharide capsule that resists uptake by most stains, so it shows up as a clear halo around the yeast cell. India ink and nigrosin are used because they don't penetrate the capsule; their dark background creates strong contrast and makes the capsule halo easy to see under the microscope. Other stains—Gram, acid-fast, or Calcofluor white—target the cell wall or internal structures and don't produce the same halo effect, so they're not suitable for highlighting the capsule.

2. Septate hyphae are hyphae that are subdivided into individual cells by

A. Transverse walls

B. Intercalary walls

C. No walls

D. Staggered partitions

Septate hyphae are divided into individual cells by cross walls called transverse septa. These walls run perpendicular to the hypha's long axis and often have a septal pore that lets cytoplasm and organelles move between cells. This is what creates the segmented, cell-like units along the filament. In contrast, hyphae without walls lack these septa, and the others listed don't describe the standard cross-walls that define septate hyphae.

3. What is the most common presentation of cryptococcal meningitis in HIV patients?

A. Subacute meningitis with headache and fever; elevated opening pressure

B. Acute bacterial meningitis

C. Chronic headaches without fever

D. Stroke with focal deficits

The key idea is that cryptococcal meningitis in people with HIV often presents as a subacute meningitis rather than an abrupt, sepsis-like illness. Patients typically have a gradual onset of headache, sometimes with fever, over days to weeks. A distinguishing feature is a raised opening pressure on lumbar puncture, reflecting impaired CSF drainage from the subarachnoid space filled with cryptococcal organisms and their polysaccharide capsule. This combination—indolent meningeal symptoms plus elevated opening pressure—is classic for cryptococcal meningitis in this population. Why the other patterns fit less well: acute bacterial meningitis tends to come on suddenly with severe fever, rapid deterioration, and marked meningeal signs; chronic headaches without fever lack the infectious meningitis picture; stroke with focal deficits presents with focal neurological weaknesses or speech/motor problems rather than a subacute meningitis with high opening pressure. In practice, recognizing the subacute course and elevated opening pressure helps distinguish cryptococcal meningitis from other CNS infections in HIV patients.

SAMPLE

4. What is the standard first-line therapy for mild-to-moderate Pneumocystis jirovecii pneumonia if no sulfa allergy?

A. TMP-SMX (trimethoprim-sulfamethoxazole)

B. Dapsone with trimethoprim

C. Clindamycin with primaquine

D. Pentamidine

The main idea here is that for Pneumocystis jirovecii pneumonia in patients who have no sulfa allergy, the best first-line treatment is high-dose TMP-SMX. This combination is highly effective against Pneumocystis, offers good lung penetration, and has a long track record of success in mild-to-moderate disease. Dosing is typically a high-dose regimen of trimethoprim-sulfamethoxazole given for about 14 to 21 days, with consideration of adjunctive corticosteroids if the patient is significantly hypoxemic. Dapsone with trimethoprim is reserved for people who cannot take TMP-SMX due to a sulfa allergy or intolerance, not for those without allergy. Other alternatives, such as clindamycin with primaquine, atovaquone, or pentamidine, are also considered when TMP-SMX cannot be used, but they are not the standard first-line in patients without sulfa allergy.

5. Cryptococcus neoformans causes which infection?

A. Cryptococcosis

B. Coccidioidomycosis

C. Blastomycosis

D. Sporotrichosis

Cryptococcus neoformans causes cryptococcosis. This organism is an encapsulated yeast that is inhaled into the lungs and, especially in people with weakened immune systems, can disseminate and infect the meninges, leading to cryptococcal meningitis. Clinically, cryptococcosis is often diagnosed by detecting cryptococcal antigen in serum or CSF, or by showing the capsule with stains like India ink or mucicarmine. Exposure is commonly associated with bird droppings, particularly pigeons. The other fungi listed cause different diseases: the one causing coccidioidomycosis is Coccidioides, the one causing blastomycosis is Blastomyces, and the one causing sporotrichosis is Sporothrix.

6. Which order of fungi is responsible for mucormycosis and what is a key histologic feature?

A. Ascomycota; septate hyphae with acute-angle branching

B. Basidiomycota; yeast-like cells with budding

C. Mucorales; broad, non-septate hyphae with irregular widths and right-angle branching

D. Zygomycota; hyphae with septate walls

The main idea being tested is recognizing mucormycosis by its fungal cause and its distinctive tissue appearance. The fungi that cause mucormycosis belong to the order Mucorales. Histologically, they form broad, ribbon-like hyphae that are non-septate (or sparsely septate) and show irregular widths. These hyphae tend to branch at wide angles, often at right angles. This combination—broad, non-septate hyphae with irregular widths and right-angle branching—is the hallmark that sets mucormycosis apart from other fungal infections. In contrast, fungi like Aspergillus have septate hyphae with acute-angle (often about 45 degrees) branching, and yeasts or yeast-like forms (as seen with Basidiomycota or Candida) do not present as broad, non-septate hyphae. While taxonomy can be nuanced, the key histologic feature to identify here is the broad, non-septate hyphae with right-angle branching characteristic of Mucorales, which aligns with mucormycosis's angioinvasive behavior in susceptible patients.

SAMPLE

7. What term describes a loose network of hyphae?

A. Aseptate hyphae

B. Septate hyphae

C. Yeast

D. Mycelium

A loose network of hyphae is called a mycelium. Hyphae are the threadlike filaments that make up the body of fungi, and when many hyphae grow together and intertwine, they form a mycelial network that extends into the substrate to secrete enzymes and absorb nutrients. The terms aseptate hyphae and septate hyphae describe the internal structure of individual hyphae—whether they lack septa or have cross-walls—not the overall filamentous network. Yeast, on the other hand, are unicellular fungi, not a filamentous network. So the term that best describes the loose network of hyphae is mycelium.

8. Paracoccidioides brasiliensis causes which mycosis?

A. Coccidioidomycosis

B. Blastomycosis

C. Paracoccidioidomycosis

D. Histoplasmosis

Paracoccidioides brasiliensis causes paracoccidioidomycosis, a systemic mycosis common in Latin America. A key clue is the yeast form in tissue showing multiple buds around a central cell, giving a distinctive "pilot wheel" (ship's wheel) appearance. This organism is acquired by inhalation and leads to chronic granulomatous infection that can involve the lungs and mucous membranes. The other fungi produce different diseases in different regions: Coccidioides causes coccidioidomycosis, Blastomyces causes blastomycosis, and Histoplasma causes histoplasmosis.

9. Which organism is commonly responsible for onychomycosis?

A. Candida albicans

B. Trichophyton rubrum

C. Aspergillus niger

D. Microsporum canis

Trichophyton rubrum is the organism most commonly responsible for onychomycosis because it is a dermatophyte that specializes in keratin-rich tissues like nails. It produces keratin-degrading enzymes and spreads readily within the nail unit, making it the frequent cause of nail infections worldwide, especially distal and lateral subungual types. While Candida albicans can infect nails too, particularly the fingernails, it's less common overall. Aspergillus niger and Microsporum canis can cause nail infections but are far less typical culprits than dermatophytes, and Microsporum canis is more often linked to animal exposures. So the best-supported, most common cause is Trichophyton rubrum.

SAMPLE

10. What equipment is used in the tease mount technique?

A. Inoculation loop

B. Dissecting needles

C. Microscope

D. Scalpel

Tease mount is a slide preparation method used to observe delicate fungal hyphae and structures by gently separating a small amount of specimen in a mounting fluid. The tool needs to be fine and precise to tease apart filaments without tearing them, so a dissecting needle is the best fit. Its slender, sharp point lets you pick up a tiny amount of material and tease apart strands to create a spread that can be clearly seen under the microscope, revealing features like septa or spores in their natural arrangement. An inoculation loop is designed for transferring material, not for coaxing apart and spreading delicate hyphae. A scalpel is useful for cutting but is too blunt and risks damaging the structures you want to observe. The microscope is essential for viewing after the mount is prepared, but the actual preparation action—teasing apart the hyphae—is performed with a fine instrument like a dissecting needle.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://mycology.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE